



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

ways E-Procurement System



Search Purchase Order

Railway/PU

Supplier Name

Note:- Supplier Name is optional. If desired, Please enter minimum 2 starting characters of Supplier Name.

PL Number

Value (In Lacs of Rs) From

To

PO Date From

To

Show Results

Tender search results 841

Sr.	Supplier Name	PO Value	Item Description	PO SI	Consignee	PO Qty/Unit	T.U.R.	Dely.Dt
1	WR/83205154100177 dt. 02-APR-2020 on M/s. M.P. INTERNATIONAL-INDORE	629475	1121NS23: Disposable three layer surgeons face mask with tying strings, machine made, with nasal clip (anti fog). Accepted = Make/Brand - Face mask three layer.	001	CMS RTM	50000 Nos.	12.59	07-APR-2020
2	WR/72201090100266 dt. 04-APR-2020 on M/s. NIS MARKETING PVT LTD-NEW DELHI	635812.32	80010349: GEAR CASE OIL FOR APPLICATION IN HHP LOCOMOTIVES, SERVO SYNGEAR 460 RR OF M/S IOCL or MOBIL SHC 634 OF M/S EXXON MOBIL PACKED ON 210/208 LTRS NET IN NEW, SOUND AND NON-RETURNABLE STEEL DRUMS. specn:	001	SBI-DL	1040 LTR	611.36	22-JUN-2020
3	WR/71201036100115 dt. 04-APR-2020 on M/s. KUSUM ENTERPRISES-SABARMATI AHMEDABAD	708000	81050460: Hand Wash cleanser used for cleaning hands by train passengers with active ingredients and detailed parameter as per Annexure 'A' attached. specn: FEM/LEVER PLUS	001	SBI-GSD	10000 LTR	70.80	25-APR-2020
4	WR/29200001102306 dt. 04-APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	3203200	82800344: Personal Protective Equipment PPEs with Hood Cover All without Shoe Cover, Hand Gloves, N 95 Masks, and Protective Glass. In Details Dangri style with hood cover all body up to ankle length with st	001	JRH	2600 Nos.	1232.00	24-APR-2020
5	WR/29200001102307 dt. 04-APR-2020 on M/s. UTTAM UDYOG-MUMBAI.	1425760	82800332: Personal protective Equipment (PPE) consisting of Coverall with Hood in one piece front Zip along with Shoe cover 01 Pair, 3 Ply Face Mask 01 No. , Bouffant Cap 01 No, Refused Plastic Bag 01 No. and E	001	JRH	1000 Set	1425.76	08-APR-2020
6	WR/29200001102308 dt. 04-APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4928000	82800332: Personal protective Equipment (PPE) consisting of Coverall with Hood in one piece front Zip along with Shoe cover 01 Pair, Protective Goggles 01 No., N95 Face mask 01 No, Refused Plastic Bag 01 No. an	001	JRH	2500 Set	1971.20	24-APR-2020
7	WR/11205023102310 dt. 05-APR-2020 on M/s. NEW SURGICAL COMPANY-NEW DELHI	2440032	8235NS01: ICU Ventilator for Adult ,Paediatric, Neonatal Ventilator or as per attached specification or similar or superior product. Make/Brand:-Cardiolabs Healthcare	001	CMS DHD	2 Nos.	1220016.00	15-APR-2020
8	WR/11205021102311 dt. 06-APR-2020 on M/s. WESTERN SURGICAL-RAJKOT	2912000	8235NS01: VENTILATOR AS PER ATTACHED SPECIFICATION AND SIMILAR OR SUPERIOR. Note :- Ventilator Machine to be supplied along with Compressor	001	JRH BCT	4 Nos.	728000.00	06-MAY-2020
9	WR/04205067102312 dt. 08-APR-2020 on M/s. INDO GASES-MUMBAI	2300115	8225N001: MEDICAL OXYGEN CYLINDER-1320 LTR B-TYPE	001	JRH BCT	226 Nos.	10177.50	24-APR-2020
10	WR/LP205258100224 dt. 09-APR-2020 on M/s. ADVANCE MEDICAL DEVICES-AHMADABAD	1288000	8230NNS: ADULT VENTILATOR MODE : VC,PC,PRVC, PS VS SIMV (VC) +PS, SIMV (PV) + PS, SIMV(PRVC)+PS, PS 2PAP+PS<APRV & AUTOSHIFT INTERACTIVE ALONGWITH STANDARD SUPPLY: MAIN UNIT, UPS, REUSABLE BREATHING CIRCUIT	001	D M O PRTN	2 Nos.	644000.00	01-JUN-2020
11	WR/87205290100289 dt. 09-APR-2020 on M/s. LABH TRADING COMPANY-BHAVNAGAR	550682.4	79ns: oxygen cylinder 10kg with flowmeter and oxygen mask	001	MS RJT	60 Nos.	9178.04	19-APR-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			Rub Disinfectant (like Composition: Active 100g: Propan-2-ol - 45.0g, 0.0g, Mecetroniumetilsulfate	001	CMS RTM	2400 Nos.	220.00	11-APR-2020
			al Oxygen Gas Cylinder Capacity: 11.2 litre, Water Capacity -- 10.2 litre, Wt. 14.8 Kg + Fine Adjustment Valve. Accepted = Make/Brand - Synergy.	001	CMS RTM	100 Nos.	7699.50	15-APR-2020
14	WR/83205155100222 dt. 12- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	3987200	1112NS2 : PPE (PERSONAL PROTECTIVE EQUIPMENT) , Wraparound Surgical Gown-01 No., Hood Cover-01 No., Shoe Cover 01 pair, Nitril Gloves 1 Pairs, Goggles-01No., Waste Collection Bag 01No., N95 Respirator Mask 1	001	CMS RTM	2000 Nos.	1993.60	22-APR-2020
15	WR/83205105100223 dt. 12- APR-2020 on M/s. S.R. ENGINEERING INDUSTRIES- YAMUNA NAGAR	1250800	NS : DIESEL ENGINE OPERATED SYNCHRONIZED HYDRAULIC LIFTING JACK 25 TON CAPACITY ONE NUMBER CONSISTING OF FIVE JACKS WITH ALL ACCESSORIES (TECHNICAL SPECIFICATION ATTACHED). Accepted = Make / Brand -Shinak	001	SSEC&W MHW	4 Nos.	312700.00	11-JUN-2020
16	WR/87205153100313 dt. 13- APR-2020 on M/s. RAAM INFOTECH-RAJKOT	787501.32	52XXN049 : Thermoshrink Jointing Kit for jointing 0.9 mm dia. con. 4/6 Quad cable. As per spec. no. IRS:TC-77/2012 (Rev. 3.0) with amendment-3 or latest.	001	SSE(T) RJT	300 Nos.	2625.00	11-AUG-2020
17	WR/29205029102324 dt. 13- APR-2020 on M/s. INNOVEE- MUMBAI	592771.2	8212N001 : BIPAP MACHINE Size:-18 x 16 x 12 cm - 20 x 16 x 12 cm Modes.S,st,ac/vc, ac/p. Time mode:- Inspiration time 05 ot 3.5 seconds IPAP -4-25CM h2o., cpap-4.25 cm h2o, Weight -1-3 Kg. Ramp- 0-45 minutes Res	001	JRH BCT	10 Nos.	59277.12	20-APR-2020
18	WR/83205210100230 dt. 13- APR-2020 on M/s. SORYO ENTERPRISES-RATLAM	736320	4216N001 : Cable, Copper, 4 Core, 16 Sq.mm (226/0.3), PVC Insulated and Sheathed, Unarmoured Flexible to voltage grade 1100 V, AC conforming to IS:694/2010 AMDTS with ISI mark, Colour outer sheet, Black, Cores:	001	SEE(TL) IND	1600 MTR	460.20	23-APR-2020
19	WR/87205322100314 dt. 14- APR-2020 on M/s. SHREE SERVICES	1050000	79ns : N 95 mask.	001	MS RJT	5000 Nos.	210.00	29-APR-2020
20	WR/15190605102328 dt. 14- APR-2020 on M/s. AFFINE STEELS PVT. LTD.- HARIDWAR	2587704	30220300 : Buffer plunger(Casting) as per RDSO Drg No.SK-94255, Alt.6.	001	BVP-BG	164 Nos.	5908.00	31-MAY-2020
				002	PL-CR	160 Nos.	5908.00	31-JUL-2020
				003	PL-CR	114 Nos.	5908.00	31-AUG-2020
21	WR/29200001102329 dt. 15- APR-2020 on M/s. RAHUL BROTHERS-MUMBAI	1890000	82800392 : Face mask of standard N-95 Masks having the following features -Shape that will not collapse easily, High filtration efficiency, Good breathability, with expiratory valve, Quality compliant with st	001	JRH	15000 Nos.	126.00	05-MAY-2020
22	WR/86205470100408 dt. 15- APR-2020 on M/s. J AND J AGENCIES-AHMEDABAD	541030	7879N01 : PPE Kit Details and Specifications as per attached Annexure - A	001	SSE(L) KKF	3500 Set	154.58	30-APR-2020
23	WR/78205055100199 dt. 15- APR-2020 on M/s. PIYUSH ENGG-FARIDABAD	773714.2	7385N01 : SET OF HIGH TENSILE FASTENERS CONSISTING OF HEX HEADED SCREW (M16 x 60 mm) QTY 01 NOS, HEXAGONAL NUTS (M 16) QTY 01 NOS, SPRING WASHER (B 16) QTY 01 NOS AMD HEXAGONAL THIN NUT (M 16) QTY 01 NOS. ALL I	001	SSE(RHB) BVP	23800 Set	32.51	30-MAY-2020
24	WR/81205308100254 dt. 16- APR-2020 on M/s. INDO GASES-MUMBAI	721728	8211N12 : Medical oxygen cylinder in capacity of 1320 litres with all Accessories e.g. Oxygen cylinder of Aluminium body for refilling compatibility; Fine Adjustment valve with flow meter made of brass; Polycarb	001	D M O BCT	50 Nos.	14434.56	02-MAY-2020
25	WR/81205301100255 dt. 16- APR-2020 on M/s. NARENDRA UDYOG-NASHIK	501795	8211N04 : 1 Propanol 45g with 2 Propanol 30g and Mecetroniumetilsulfate 0.2g in 100g Disinfectant 5 liter can Accepted Offer : 70% Alcohol based Sanitizer Liquid	001	D M O BCT	1250 LTR	401.44	02-MAY-2020
26	WR/29204981102330 dt. 16- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4928000	82800332 : Personal protective Equipment (PPE) Outer Cover consisting of six items as per attached Annexure. OUT OF 2500 KITS- 1500 KITS REQUIRED AT CMS-BVP AND 1000 KITS REQUIRED AT JRH The bidders need to s	001	JRH	2500 Set	1971.20	26-APR-2020
27	WR/29204982102331 dt. 16- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4928000	82800344 : Personal Protective Equipment - PPEs with Hood and Shoe Cover as per attached specification and standard Bidder/s need to attach the necessary test certificate with their bid. The firm will submit	001	JRH	4000 Nos.	1232.00	15-MAY-2020
28	WR/04201738202332 dt. 16- APR-2020 on M/s. SIDDHI	909585	81050823 : Toilet soap, conforming to Grade:I of IS:2888:2004 (Third Revision)	001	PL-CR	21000 Nos.	11.89	02-MAY-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				...t No.1 of Oct.2007 and 2 of ... of May 2013. To be supplied ... smooth Cakes of minimum 100						
				...a monitor (cardiac monitor) ... " (specification attached)						
		SURGICAL-BHAVNAGAR		Brand:western,philips,L&T,contech model no MP1210 or similar warrenty 1 yr						
30	WR/81205307100262 dt. 18- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4928000		8211N07: Viral Barrier Personal Protection Equipment's (PPE) kit , consist of six items as per annexure attached. Specification of each items are as per attached annexure.rotective kit. Accepted offer : PPE	001	D M O BCT	2500 Nos.	1971.20		04-MAY-2020
31	WR/29204990102336 dt. 19- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4704000		82800440: Personal Protection Equipment Inner Wear as per attached Specification and Standard. Bidder need to submit test report along with their bid. Bidder should submit the sample of Inner Wear for technic	001	JRH	3500 Nos.	1344.00		04-MAY-2020
32	WR/29205026102341 dt. 19- APR-2020 on M/s. RAHUL BROTHERS-MUMBAI	1063545		8231N003: Surgical Mask 3 Layers with antibacterial filter for surgeons. Disposable 3 layer mask consist of two layer on non woven fabrics and a piece of filter paper capable of filtering out bacteria at a ra	001	JRH BCT	70000 Nos.	15.19		29-APR-2020
33	WR/86205525100418 dt. 20- APR-2020 on M/s. HEER TRADELINKS-AHMEDABAD	792193.5		8212NS: VIRAL BARRIER PERSONNAL PROTECTION KIT as per Specification attached. FOR DRH/SBI USE IN COVID PATIENTS	001	A M O SBI	415 Nos.	1908.90		30-APR-2020
34	WR/29200001102342 dt. 20- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	1327500		82800416: NON CONTACT INFRARED THERMOMETER for measuring body temperature. Quantity Distribution JRH 46 Nos Ch OS-G PCMM Office WR -Wr 04 Nos Dy DHD 12 Nos AMM-BLS 20 Nos Balance Sr DMM MMCT	001	JRH	150 Nos.	8850.00		27-APR-2020
35	WR/29200001102343 dt. 21- APR-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	1725750		82800416: NON CONTACT INFRARED THERMOMETER for measuring body tempture Quantity Distribution ----- JRH 46 Nos AMM- BLS 20 nos Dy CMM DHD 12 Nos Ch OS PCMM Office 04 Nos Balance Sr DMM MMC	001	JRH	195 Nos.	8850.00		11-MAY-2020
36	WR/87195230100345 dt. 21- APR-2020 on M/s. SHRI HARI ENTERPRISE-BHAVNAGAR	537018		66NS: Insulated Rail dolly with attachment for carrying concrete sleeper and rails.No. TM/SM/24 dt. 25.11.1992.	001	SSE/P.W/D/RJT	82 Nos.	6549.00		13-AUG-2020
37	WR/07195064102344 dt. 21- APR-2020 on M/s. U M CABLES LTD-SILVASSA	23729328		5698NS01: 24 Fiber Armours as per RDSO Specn. No. IRS/TC/55/2006 Rev.1 Amdt. 3	001	CTCI-MSH	124 KM	94164.00		21-AUG-2020
				5698NS02: 24 Fiber Armours as per RDSO Specn. No. IRS/TC/55/2006 Rev.1 Amdt. 3	002	SSE/ T/ II/PRTN	128 KM	94164.00		21-AUG-2020
38	WR/81205226100273 dt. 21- APR-2020 on M/s. LAXMI ENTERPRISES-THANE	746350		4219NS: LED RECHARGEABLE MAGNATIC MAINTANANCE HAND LAMP WITH ULTRA STRONG MAGNETIC MOUNT BASE, 6 WATT WORK WITH MEDIUM AND FULL POWER MODES, BACKUP TIME 6 HOURS WITH BATTERY LOW PROTECTION INDICATOR AND BATTE	001	SR.SE(RAJ-S) BCT	100 Nos.	7463.50		21-JUL-2020
39	WR/81205328100274 dt. 21- APR-2020 on M/s. THREE STAR COMPANY-MUMBAI	688069.8		8107N1: 100 ml hand sanitizer in individual packed condition as per WHO recommended formula,ENA 80%(Ethyl Alcohol 96 % v/v), glycerin 1.45 %, Hydrogen Peroxide 0.125 % or more,containing aloe vera,neem,tulsi.	001	TCC-BSR	19800 Nos.	34.75		13-MAY-2020
40	WR/86205561100429 dt. 22- APR-2020 on M/s. DEVKRUPA ENGINEERING-AHMEDABAD	672600		8230NS: MEDICAL OXYGEN CYLINDER B TYPE ,10.0 WLC CAPACITY1.5 CUM GAS DULY FILLED FOR CORONA-19 as per Specification attached.	001	A M O SBI	120 Nos.	5605.00		02-MAY-2020
41	WR/81205338100276 dt. 23- APR-2020 on M/s. INDO GASES-MUMBAI	1969125		8211N17: Medical oxygen cylinder B-Type filled with oxygen , cap 1320 Ltr & with Accessories e.g. Fine adjustment valve with Flow meter made of Brass ; Polycarbonate Humidifier ; Oxygen mask with all tubings	001	D M O BCT	150 Nos.	13127.50		24-MAY-2020
42	WR/LP195734200282 dt. 23- APR-2020 on M/s. Dayal Traders	593600		6299NS00: MULTI 4 STATION GYM (AEROFIT). MATERIAL WITH DETAIL SPECIFICATION IS AVAILABLE ON GEM WITH PRODUCT ID: 5116877-66225844560.	001	DSC RPFBCR	7 Nos.	84800.00		25-MAY-2020
43	WR/86205547100433 dt. 23- APR-2020 on M/s. SUPERFLOW ENGINEERING CORPORATION-GWALIOR	535342.5		1954NS: BIO DIGESTER BACTERIAL INOCULUM, PACKING IN 50 LITRES DRUM.Accepted Make: self.	001	SSE-C&W-MG-ADI	55000 LTR	9.73		08-MAY-2020
44	WR/11201096102346 dt. 23- APR-2020 on M/s. SURGICON ENTERPRISE-MUMBAI	644000		82670090: UV Blocking Hydrophobic Acrylic Single Piece, Posterior Chamber Aspheric Optic, A Constant 118.8, IOL - Assorted Power. Make/Brand: RayOne Preloaded Hydrophobic Aspheric Le.	001	DRH-ADI	32 Nos.	7000.00		23-APR-2021
					002	DRH-RJT	60 Nos.	7000.00		23-APR-2021
45	WR/LP195497100283 dt. 24- APR-2020 on M/s. GEMSCAB INDUSTRIES LTD.-DELHI	4071708		4098N001: 33kv(E)Grade 3core 300 sq.mm stranded compacted circular Aluminium conductor,conductor screened with extruded	001	DEE(C) BRC	2700 MTR	1508.04		08-JUN-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				compound, XLPE, Insulated, ed with extruded semi					
				IN ENTRANCE DOOR) FOR AC COACHES CF DRG.NO.LA-51101, ALT. specn: SPEC.MDTS-081	001	PL-CR	12 Nos.	50960.00	24-AUG-2020
47	WR/52205408100557 dt. 24- APR-2020 on M/s. ORDNANCE FACTORY	1028306.28	8108N001 : HAND SANITIZER SOLUTION INGREDIENTS Ethanol:70-80%(v/v) Glycerol:1.45%(v/v) Hydrogen Peroxide:0.125%(v/v) Distilled water:13.425-23.425%(v/v)	001	SSE YS PL	6100 LTR	168.57	24-MAY-2020	
48	WR/15202179102349 dt. 25- APR-2020 on M/s. POOJA ENTERPRISES-YAMUNA NAGAR	611385.6	33565454 : MAIN ENTRANCE DOOR MOUNTING (L.H.) FOR AC COACHES COMPLETE TO RCF DRG.NO.LA-51100,ALT.'b' ITEM NO.2.	001	PL-CR	12 Nos.	50948.80	25-AUG-2020	
49	WR/29204981102350 dt. 25- APR-2020 on M/s. LINKWISE TIE UP PVT LTD-KOLKATA	4368000	82800332 : PPE Kit (Personal protective Equipment) consisting of six items as per attached specification. Condition:- The PPE (Body coverall for COVID-19) garment manufacturer will eitherprint in indelible	001	JRH	3000 Set	1456.00	25-JUN-2020	
50	WR/28201136102353 dt. 26- APR-2020 on M/s. ABBOTT HEALTHCARE PRIVATE LIMITED-MUMBAI	600255.04	82030590 : Paracetamol 1g Infusion 100ml Bottle	001	JRH	20650 Nos.	24.64	31-DEC-2020	
				002	DRH-BRC	1680 Nos.	24.64	31-DEC-2020	
				003	DRH-ADI	105 Nos.	24.64	31-DEC-2020	
				004	DRH-RTM	232 Nos.	24.64	31-DEC-2020	
				005	DRH-RJT	450 Nos.	24.64	31-DEC-2020	
				006	DRH-BVP	194 Nos.	24.64	31-DEC-2020	
				007	DRH-DHD	1050 Nos.	24.64	31-DEC-2020	
51	WR/72205153100281 dt. 27- APR-2020 on M/s. NIKE ENERGY MANUFACTURING PRIVATE LIMITED- VARANASI	728000	1608NS : Chamber Assembly Exhaust Rear No.4 to EMD Part No. 10624476 and DLW Part No.16080178.	001	SSE DSLSBI	10 Nos.	72800.00	27-OCT-2020	
52	WR/86205525100448 dt. 27- APR-2020 on M/s. MOKSHA ENTERPRISE-AHMEDABAD	774900	8212NS : VIRAL BARRIER PERSONNAL PROTECTION KIT as per specification attached FOR DRH/SBI USE IN COVID PATIENTS. Accepted Make:DuPont/3M.	001	A M O SBI	410 Nos.	1890.00	07-MAY-2020	
53	WR/04192202102357 dt. 27- APR-2020 on M/s. CRASHFIRE SERVICES-MUMBAI	515424	86010955 : ISI Marked Portable Fire Extinguisher (Cartridge Type) as per IS-15683:2006 With Capacity 6 Kgs. Suitable for A, B, C class of fire Dry Chemical Powder Type Charged With 90% concentration as per	001	BL-ELS	47 Nos.	1239.00	11-JUL-2020	
				002	SBI-DL	8 Nos.	1239.00	11-JUL-2020	
				003	VTA-DL	316 Nos.	1239.00	11-JUL-2020	
				004	RTM-DL	13 Nos.	1239.00	11-JUL-2020	
				005	BRC-ELS	32 Nos.	1239.00	11-JUL-2020	
54	WR/52205380100564 dt. 27- APR-2020 on M/s. PREMIER CONTROL SYSTEM-NAVI MUMBAI	777620	4515NS : SET OF HYDRAULIC SYSTEM FOR EXTRACTION OF ALTERNATOR BEARING AND PULLEY AS PER ATTACHED ANNEXURE.	001	SSE-TL LPL	1 Nos.	777620.00	26-JUL-2020	
55	WR/28201266102358 dt. 27- APR-2020 on M/s. K ENTERPRISES-MUMBAI	562291.08	82060420 : Ceftriaxone 1g and Sulbactam 500mg Inj	001	JRH	8500 Nos.	29.01	31-DEC-2020	
				002	DRH-BRC	2760 Nos.	29.01	31-DEC-2020	
				003	DRH-ADI	27 Nos.	29.01	31-DEC-2020	
				004	DRH-RTM	3400 Nos.	29.01	31-DEC-2020	
				005	DRH-RJT	2360 Nos.	29.01	31-DEC-2020	
				006	DRH-BVP	2097 Nos.	29.01	31-DEC-2020	
				007	DRH-DHD	240 Nos.	29.01	31-DEC-2020	
56	WR/28201498102359 dt. 27- APR-2020 on M/s. GAGAN PHARMA-MUMBAI	628848.05	82100120 : Glimepiride 2mg Tab	001	DRH-BCT	266834 Nos.	0.21	31-DEC-2020	
				002	DRH-BRC	339050 Nos.	0.21	31-DEC-2020	



*Your complimentary
use period has ended.
Thank you for using
PDF Complete.*

**Click Here to upgrade to
Unlimited Pages and Expanded Features**

57	WR/81205296100302 dt. 27-APR-2020 on M/s. RAHUL BROTHERS-MUMBAI	672775.04	8211N002: I R Gloves Sterile No.7 Latex pair Disposable Rubber Gloves and disposable surgical Gloves as per relevant clause of IS Specification no IS: 13422-1992. ACCEPTED MAKE/BRAND : HCP	003	DRH-ADI	986700 Nos.	0.21	31-DEC-2020
58	WR/28201008102374 dt. 28-APR-2020 on M/s. S S PHARMA AGENCY-MUMBAI	506262.4	82010080: Methoxy Polyethylene Glycol-epoietin Beta 50mcg Inj-pfs	004	DRH-RTM	361450 Nos.	0.21	31-DEC-2020
59	WR/83196076200260 dt. 28-APR-2020 on M/s. APPLIED COMMUNICATION AND CONTROLS-NEW DELHI	1330840	5098NS01: TRANSRECIVER VHF HAND HELD 5 WATT SYNTHESIZED , 136-174 MHZ BAND WITH (1 + 1 SPARE) NI - MH BATTERY CAPACITY 2450 MAH, MAKE- KENWOOD OR MOTOROLA AS PER RDSO SPECIFICATION NO. RDSO/SPN/TC/107/2018 AND	005	DRH-RJT	447000 Nos.	0.21	31-DEC-2020
60	WR/83205204100261 dt. 29-APR-2020 on M/s. GALAXY ENTERPRISES-RATLAM	862400	1123NS1: Radiography High Frequency 32KW/40KW X-Ray System /Machine (Complete installation & Demonstration) Specification attach. Accepted = Make - Epsilon Healthcare Solution Pvt. Ltd. India, Model - EP CO	006	DRH-BVP	342579 Nos.	0.21	31-DEC-2020
61	WR/28202046102387 dt. 30-APR-2020 on M/s. JAINAM PHARMA INDIA PRIVATE LIMITED-MUMBAI	539974.4	82250300: Rituximab 500mg Inj 50ml Vial	007	DRH-DHD	211500 Nos.	0.21	31-DEC-2020
62	WR/04205026102388 dt. 30-APR-2020 on M/s. VIBGYOR PAINTS AND CHEMICALS PONDICHERRY-CHENNAI	849600	7703NS: "Epoxy based zinc phosphate primer (two pack) as per RDSO specification no. M&C/PCN/102/2009 with RDSO's amendment no. 1B as an additional requirement."	001	D M O BCT	52600 Pairs	12.79	08-MAY-2020
63	WR/81205341100311 dt. 30-APR-2020 on M/s. RAHUL BROTHERS-MUMBAI	1110803.4	8212N1: N 95 mask , manufactured by M/s Magnum Health & Safety Pvt Ltd with NIOSH approved .	001	JRH	96 Nos.	2172.80	31-DEC-2020
64	WR/15200500102389 dt. 30-APR-2020 on M/s. JAGDAMBA LIQUIFIED STEELS LTD.-HARIDWAR	1062880	30010111: Axle Box Housing Finish machined as per ICF Drg.No.T-0-2-602, Sheet-1&2, Alt.v/14. Item No.2. Conforming to RDSO Specn. No.RDSO-2007-CG-08, Amend.Slip No.1 of July 2009.	002	DRH-BRC	96 Nos.	2172.80	31-DEC-2020
65	WR/71205039100126 dt. 01-MAY-2020 on M/s. AMBEY ENTERPRISE-HOWRAH	704256	5630N1: Switch Extension Bracket, As Per AWM(sig)SBI's DRG.No.SW/909 (ALT-1). 5630N2: Modified 'P' Bracket As per WM(SIG)SBI's DRG. No. SW/919.	003	DRH-ADI	41 Nos.	2172.80	31-DEC-2020
66	WR/65201034100142 dt. 01-MAY-2020 on M/s. KAY PEE EQUIPMENTS PVT LTD-HOWRAH	972048	29940102: Set of Labyrinth and bearing cap (DE) for WAP7/WAG9 Traction Motors type 6FRA 6068 consist of 4 items for WAP7/WAG9 Traction Motors type 6 FRA 6068 as per RDSO modification sheet No. RDSO/2019/EL/MS/0	001	SSE/T/EX/ RTM	196 Nos.	6790.00	27-MAY-2020
67	WR/30191836102391 dt. 01-MAY-2020 on M/s. ELIXIR ENGINEERING-BANGALORE	1891515.46	18120039: CIRCUIT MODULE PSM 305 TO EMD PT NO 40173743 DLW Pt No.18120039.Accepted Description: CIRCUIT MODULE PSM 305 TO EMD PT NO 40173743 DLW Pt No.18120039 WHICH IS SUPERSEDED PART NO.40220539.ACCEPTED MAKE 18120817: CIRCUIT MODULE COM-304 TO EMD PT NO 40087667 DLW Pt No. 18120817 to dlw drg.no. 40087667 Alt-nil.	001	CMS RTM	1 Nos.	862400.00	04-JUN-2020
68	WR/30191800102394 dt. 02-MAY-2020 on M/s. PROGRESS RAIL INNOVATIONS PRIVATE LIMITED-NOIDA	834179.76	18000125: CIRCUIT MODULE DIODE TO DLW PT NO. 18000125 TO DLW DRG NO. 40028426,Alt.a.HSN code - 85411000 18140208: Chute Arc-High Capacity for GFC EMD Pt.No.9577680 to DLW pt.no.18140208 to DLW drg.no.9577680.HSN code -85389000 18380074: RECTIFIER SUPPRESSION 0.150 AMP-4 CELLS TO EMD PT NO 8413523.TO DLW PT NO 18380074 TO DLW DRG. NO. 8413523 Alt-Da.HSN code - 85044029	001	JRH	68 Nos.	7940.80	31-DEC-2020
				001	SSE-F/PDHD	6000 LTR	141.60	29-JUN-2020
				001	TCC-BSR	9200 Nos.	120.74	22-MAY-2020
				001	PL-CR	100 Nos.	10628.80	31-JUL-2020
				001	SSE/P&P/SIG. SBI	600 Nos.	564.48	01-DEC-2020
				002	SSE/P&P/SIG. SBI	600 Nos.	609.28	01-DEC-2020
				001	BRC-ELS	30 Set	32401.60	11-JUL-2020
				001	SBI-DL	4 Nos.	216298.60	06-JAN-2021
				002	SBI-DL	4 Nos.	256580.26	06-JAN-2021
				001	SBI-DL	8 Nos.	15429.68	15-FEB-2021
				002	SBI-DL	4 Nos.	15590.16	15-FEB-2021
				003	SBI-DL	12 Nos.	8133.74	15-FEB-2021



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			TRANSFORMER ASSY TO EMD PT NO. 18390160 TO DLW Pt.No. 18390160 TO DLW 12 Alt-a.HSN code -	004	SBI-DL	5 Nos.	32119.60	15-FEB-2021
			TRANSFORMER GRT DLW to DLW Drg. no.9519568 - 85423300	005	SBI-DL	2 Nos.	58850.14	15-FEB-2021
			CIRCUIT MODULE DIODE TO DLW PT NO. 18000125 TO DLW DRG NO. 40028426,Alt.a.HSN code - 85411000	006	SBI-DL	7 Nos.	15429.68	30-APR-2021
			18140208 : Chute Arc-High Capacity for GFC EMD Pt.No.9577680 to DLW pt.no.18140208 to DLW drg.no.9577680.HSN code -85389000	007	SBI-DL	3 Nos.	15590.16	30-APR-2021
			18400103 : TRANSDUCTOR GRT DLW Pt.No.18400103 to DLW Drg. no.9519568 Alt.Aa.HSN code - 85423300	008	SBI-DL	2 Nos.	58850.14	30-APR-2021
69	WR/30191309102395 dt. 02-MAY-2020 on M/s. ELIXIR ENGINEERING-BANGALORE	1239000	18140063 : GF CONTACTOR.EMD Pt no.8330937 DLW Pt No.18140063 TO DLW DRG. NO. 8330937 ALT-Ca.ACCEPTED MAKE/BRAND - EMD	001	SBI-DL	10 Nos.	123900.00	09-JAN-2021
70	WR/11205024102396 dt. 02-MAY-2020 on M/s. EXAOSIS HEALTHCARE PRIVATE LIMITED-NEW DELHI	677600	8235NS01 : ICU VENTILATOR SIMILAR OR SUPERIOR AS PER ATTACHED SPECIFICATION.	001	CMS- BVP	1 Nos.	677600.00	12-MAY-2020
71	WR/24205032202399 dt. 02-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	165809788.8	9211N001 : HIGH SPEED DIESEL OIL. (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE-ZMCBL	2580 KLTR	64267.36	31-MAR-2021
72	WR/11205005102402 dt. 03-MAY-2020 on M/s. LAB MEDICA HEALTHCARE LLP-MUMBAI	801024	8266N001 : ELECTRO-SURGICAL GENERATOR WITH MEGASOFT REUSABLE RETURN ELECTRODE MONITORING PAD	001	JRH BCT	1 Nos.	801024.00	31-AUG-2020
73	WR/04193363102403 dt. 03-MAY-2020 on M/s. RAJESH HARDWARE PRODUCTS-MUMBAI	997100	75610048 : SELF DRY SEALANT FOR WATER PROOFING AND CAULKING PURPOSE TO BE APPEARED GREY OR SILVER FINISH, AS PER SPECIFICATION. IS:1580-1991 GRADE-I. specn: IS:1580-1991 GRADE-I	001	BCT-TR	3250 Kgs.	306.80	03-AUG-2020
74	WR/72205156100282 dt. 04-MAY-2020 on M/s. UNITRADE INDIA-VADODARA	932917.44	1798NS : Low Pressure Cylinder Sub-Assembly to ELGI Pt. No. 070306580. Accepted: MAKE ELGI.	001	SSE DSLSBI	24 Nos.	38871.56	04-NOV-2020
75	WR/06195025102404 dt. 04-MAY-2020 on M/s. AMIT ENGINEERS-BADDI	19884000	4521NS : SUPPLY OF RMPU MOUNTED AC PACKAGE UNIT RMPU TYPR -I FOR LHB COACHES IN COACH SET CONSISTING OF RMPU (WITH R-407C REFRIGERANT)-02NOS. AS PER RDSO SPECIFICATION NO. RDSO/PE /SPEC/AC/0061-2005,REV-1 BUT W	001	SSE/RAC/LPL	12 Set	1657000.00	04-SEP-2020
76	WR/06195025102405 dt. 04-MAY-2020 on M/s. SIDWAL REFRIGERATION INDUSTRIES PRIVATE LIMITED-NEW DELHI	13256000	4521NS : SUPPLY OF RMPU MOUNTED AC PACKAGE UNIT RMPU TYPR -I FOR LHB COACHES IN COACH SET CONSISTING OF RMPU (WITH R-407C REFRIGERANT)-02NOS. AS PER RDSO SPECIFICATION NO. RDSO/PE /SPEC/AC/0061-2005,REV-1 BUT W	001	SSE/RAC/LPL	8 Set	1657000.00	04-SEP-2020
77	WR/06195025102406 dt. 04-MAY-2020 on M/s. STESALIT LIMITED-BADDI	7680000	4521NS : SUPPLY OF RMPU MOUNTED AC PACKAGE UNIT RMPU TYPR -I FOR LHB COACHES IN COACH SET CONSISTING OF RMPU (WITH R-407C REFRIGERANT)-02NOS. AS PER RDSO SPECIFICATION NO. RDSO/PE /SPEC/AC/0061-2005,REV-1 BUT W	001	SSE/RAC/LPL	5 Set	1536000.00	04-SEP-2020
78	WR/83205117100278 dt. 04-MAY-2020 on M/s. EKTA ENTERPRISES-RATLAM	547500	4690NS01 : DOOR FRAME METAL DETECTOR. As per specification attached.	001	DSC(RPF)RTM	5 Nos.	109500.00	03-JUL-2020
79	WR/88205209100208 dt. 04-MAY-2020 on M/s. GAUTAM TRADING-BHAVNAGAR	548244.28	4558NS01 : PLASTIC BUCKET (CAPACITY - 20 LTRS) (Items to be delivered at SSE(C&W)-,BVC,VRL and PBR.)	001	SSE C&WBVC	30 Nos.	230.00	11-MAY-2020
			4558NS02 : PLASTIC MUG (CAPACITY-01 LTR),(Items to be delivered at SSE(C&W) -- BVC,VRL and PBR.	002	SSE C&WBVC	30 Nos.	30.00	11-MAY-2020
			4558NS03 : DUSTBIN (FOOT OPERATED) WITH LID OF SIZE-APPROX-08 LTRS CAPACITY (IN SETS OF -RED,BLUE AND YELLOW COLOUR).(Items to be delivered at SSE(C&W) -- BVC,VRL and PBR).	003	SSE C&WBVC	240 Set	717.00	11-MAY-2020
			4558NS04 : PASTIC CURTAIN -TRANSPARENT TYPE (3FT X 8 FT) (Items to be delivered at SSE(C&W) -- BVC,VRL and PBR.	004	SSE C&WBVC	65 Nos.	650.00	11-MAY-2020
			7548NS05 : SS TOWEL ROD(18 inch) (Items to be delivered at SSE(C&W) -- BVC, VRL and PBR).	005	SSE C&WBVC	60 Nos.	178.00	11-MAY-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			ASTIC STOOL (12 Inch. (Items to be delivered at ,VRL and PBR.)	006	SSE C&WBVC	30 Nos.	227.00	11-MAY-2020
			RESIVE FOR FIXING VELCRO (Items to be delivered at SSE(C&W) -- BVC,	007	SSE C&WBVC	6 Kgs.	448.40	11-MAY-2020
			SQUITO NET(PVC) (Items to be delivered at SSE(C&W) -- BVC,VRL and PBR.	008	SSE C&WBVC	14126 SQFT	18.88	11-MAY-2020
			4558NS09: VELCRO FOR MOSQUITO NET(Items to be delivered at SSE(C&W)-BVC,VRL & PBR	009	SSE C&WBVC	3500 MTR	11.21	11-MAY-2020
80	WR/24205011202409 dt. 05-MAY-2020 on M/s. NAYARA ENERGY LIMITED-MUMBAI	234395295.9	9211NN00: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision).	001	SSE(L) MSH	3642 KLTR	64358.95	31-JAN-2021
81	WR/24205017202410 dt. 05-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	215663038.5	9211NN00: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE-EMD-DL-SBI	3354 KLTR	64300.25	31-JAN-2021
82	WR/29205058102413 dt. 05-MAY-2020 on M/s. EXAOSIS HEALTHCARE PRIVATE LIMITED-NEW DELHI	1220800	8235N001: PORTABLE VENTILATOR. AS PER ATTACHED SPECIFICATION.	001	JRH BCT	2 Nos.	610400.00	15-MAY-2020
83	WR/81205350100338 dt. 05-MAY-2020 on M/s. JASMINE TRADING CO-MUMBAI	701864	82630350: Sodium Hypochlorite 5percent Solution, {Material to be supplied in 250 ltrs or lower capacity drum}	001	CHI(M)PL	20000 LTR	35.09	16-MAY-2020
84	WR/86205524100491 dt. 05-MAY-2020 on M/s. ADVANCE MEDICAL DEVICES-AHMADABAD	1288000	8235NS: VENTILATOR ADULT FOR COVID-19 as per specification attached. 01 FOR ADDITIONAL DEMAND FOR DRH-SBI AND 01 FOR SDRH-GIM. Accepted Make and Model: Medisys Gold.	001	A M O SBI	2 Nos.	644000.00	04-JUL-2020
85	WR/29204990102414 dt. 06-MAY-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	4704000	82800440: Gown all body upto Ankle length / Dangri style all body up to ankle length with stockinette and head cover as per attached annexure. Test Certificate of material as per the standard will be submitted	001	JRH	3500 Nos.	1344.00	26-MAY-2020
86	WR/24205018202418 dt. 07-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	145475130.01	9211N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE(L) WKR	2262.5 KLTR	64298.40	31-JAN-2021
87	WR/24205022202422 dt. 07-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	41102970.3	92111002: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision).	001	SSEC&W MHW	630 KLTR	65242.81	31-JAN-2021
88	WR/24205022202423 dt. 07-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	158540028.3	92111002: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE DL UJJN	2430 KLTR	65242.81	31-JAN-2021
89	WR/61196157100517 dt. 07-MAY-2020 on M/s. SOURAV ENGINEERING WORKS-HOWRAH	848400	2592N00: CROSS BAR ASSEMBLY STAINLESS STEEL WITH STUD, NUT and WASHER. AS PER CLW SPECN. NO.4TMS.073. 005 ALT.3 and DRG. NO. 2 TWD.073.020 ALT.14, 2 TWD.073.021 ALT.16 4 TWD.075.010, 4 TWD.073.038A, ALT.4, ALO	001	SSE LRS DHD	30 Set	28280.00	06-JUL-2020
90	WR/61186787100518 dt. 07-MAY-2020 on M/s. ENGINEERS CONCERN-KOLKATA	635600	38NS: SET OF PIPES COMPLETE WITH SOCKET AND FLANGE TO DRG. NO. WD-09052-S-58 ALT-4 OF LATEST ONE SET CONSIST OF 06 ITEM AS PER ANNEXURE ENCLOSED.	001	SSE W/S DHD	50 Set	12712.00	04-SEP-2020
91	WR/61195616100519 dt. 07-MAY-2020 on M/s. KAY PEE EQUIPMENTS PVT LTD-HOWRAH	604800	2994NS: TORQUE ARM FOR WAP-7/WAG9 TRACTION MOTOR AS PER ABB DRG.NO.IB 016-00462 OR LATEST CLW DRG.NO.1209-01-218-003 OR LATEST. ACCEPTED DESCRIPTION TORQUE SUPPORT FOR WAP- 7/WAG9 TRACTION MOTOR AS PER ABB	001	SSE LRS DHD	30 Nos.	20160.00	03-NOV-2020
92	WR/61205074100520 dt. 07-MAY-2020 on M/s. FLOWTECH PUMPS AND MOTORS-BANGALORE	511176	23539290: TRANSFORMER OIL PUMP SET COMPLETE WITH MOTOR(MPH) RATING 4.3 HP(3.2KW),2 POLE FOR OPERATION VOLTAGE 415 +- 22.5% VAC,50 HZ,INSULATION 'H' CLASS,FULL 415 +- 22.5% VAC,50 HZ,INSULATION 'H' CLASS,FULL LO	001	SSE LRS DHD	12 Nos.	42598.00	06-JUL-2020
93	WR/78195376100212 dt. 07-MAY-2020 on M/s. PRESSTECH(INDIA)PVT.LTD-MUMBAI	548841.6	4500NS: Magnetic Amplifier for 4.5 KW Rectifier Regulator Unit Suitable for Presstech India LTD (SIGMA) Make, Part No. SIG42001 Conforming To RDSO SPEC No. RDSO/PE/SPEC/TL/0054-2003 (Rev-0) With Amendment 1 &	001	SSE-TL-BVP	20 Nos.	27442.08	06-JUN-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				ER TANK ASSEMBLY (LH) O PIECE DESIGN FOR LHB rg. No.LG63106 Alt C MAT & G.	001	SSE CRS BVP	15 Nos.	33600.00	05-AUG-2020
				ply of Rail Cutting Wheel 400+5mm(-)3mm dia size ification no. TM/SM/2 REV. epted = Make/Brand -	001	P W I MGN	1500 Nos.	659.24	06-JUL-2020
96	WR/81205329100341 dt. 08-MAY-2020 on M/s. KUDOS ENTERPRISES-NAVI MUMBAI	1191859.2	7505Nns: Nitrile disposable gloves ,non-sterile / non-chlorinated , size-Medium , powder free , made of natural rubber .Finish-Smooth,	001	TCC-BSR	144000 Pairs	8.28		08-JUN-2020
97	WR/86205525100499 dt. 08-MAY-2020 on M/s. DEVKRUPA ENGINEERING-AHMEDABAD	1348213.65	8212NS: VIRAL BARRIER PERSONNAL PROTECTION KIT FOR DRH/SBI USE IN COVID PATIENTS as per specifications attached. Accepted Make/Brand : DAPZ FABRIC LLP.	001	A M O SBI	1010 Nos.	1334.87		18-MAY-2020
98	WR/52195770100592 dt. 08-MAY-2020 on M/s. HOLLYFIELD DEVCON PRIVATE LIMITED-CALCUTTA	689120	3350N001: A set of Ferrule fitting for Air Brake Pipes in FIAT bogie consist of item no. 1 to 7 as per Annexure-I.(Only OEM OR TENDER AUTHORISED BY OEM SHALL QUOTE.)	001	SSE/Air Brake/PL	80 Set	8614.00		07-SEP-2020
99	WR/61186789100530 dt. 08-MAY-2020 on M/s. P S ENGINEERING CONCERN-HOWRAH	1197056	38163585: CUT OFF ANGLE COCK WITH VENT FOR AIR BRAKE WAGONS TO RDSO DRG NO.WD-88123-S-01, ALT-2,DETAILED PARTS AS PER DRG.NO.WD-88123-S-2, ALT-6, & OTHER TECHNICAL REQUIRMENTS CONFORMING TO STR NO.02-ABR-02. AP	001	SSE W/S DHD	1280 Nos.	935.20		07-JUL-2020
100	WR/52205292100594 dt. 08-MAY-2020 on M/s. LAXMI ENTERPRISES-THANE	1106509.6	73XXNS: MICRO LITHIUM CORDLESS RATCHETING KIT WITH OVER AND UNDER PROTECTION. TECHNICAL DETAILS AND MAKE AS PER ANNEXURE ATTACHED.OEM/AUTHORISED DEALER TO BE QUOTE ONLY. AUTHORIZATION LETTER SHOULD SUBMIT WIT	001	SSE-TL LPL	8 Nos.	138313.70		08-AUG-2020
101	WR/23205005102434 dt. 09-MAY-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	2194800	3803Nns: SEAL WEAR RING (WITHOUT VENT HOLE)FOR CARTRIDGE TAPER ROLLER BEARING,CLASS-E (6 " X 11")USED ON FREIGHT STOCK TO M/S NEI LTD.DRG.NO.PESD-6085,REV.B,PART No.- 4, OTHER TECHNICAL REQUIREMENTS CONFORM	001	SSE T/RDHD	3000 Nos.	731.60		07-AUG-2020
102	WR/52205429100595 dt. 09-MAY-2020 on M/s. ROHAN MACHINERY SPARES-Kalyan	754020	2510NS: Upright vertical frame height 2400 mm x width 800 mm in 100 x 50 x 2 mm powder coated in pepsi blue colour, material IH HR 10748, CR 513/63 as per technical specification & sketch attached. Warranty a	001	SSE-TL LPL	40 Nos.	18850.50		23-JUL-2020
103	WR/81205355100347 dt. 09-MAY-2020 on M/s. GLORIOUS INDUSTRIES-MUMBAI	629370	8211N004: washable cotton mask	001	D M O BCT	60000 Nos.	10.49		30-MAY-2020
104	WR/24205027202449 dt. 10-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	15658274.4	9298N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision).	001	SEE(TL) IND	240 KLTR	65242.81		31-MAR-2021
105	WR/24205034202450 dt. 10-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	3856041.6	9298N01: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE OHE NDB	60 KLTR	64267.36		31-MAR-2021
106	WR/15191363102451 dt. 11-MAY-2020 on M/s. RAMKRISHNA FORGINGS LIMITED-KOLKATA	928256	30216140: DRAFT YOKE (FABRICATED DESIGN) AS PER ICF DRG. NO. T-2-1-012, ALT. -q/3, MATERIAL CONFIRMING TO RDSO SPEC. NO. C - 9509, REV-II. OF FEB - 2007, WITH AMND.SLIP NO. 1 OF OCTOBER -2016. NOTE: ITEM SHALL	001	PL-CR	112 Nos.	8288.00		11-AUG-2020
107	WR/52205428100598 dt. 11-MAY-2020 on M/s. LAXMI ENTERPRISES-THANE	607228	92XXNS: Mechanical Instrument Trunk with caster arrangement heritage series, Technical details as per attached annexure. Accepted make Snap on/Wright Tools/ Matco..	001	SSE-TL LPL	4 Nos.	151807.00		09-AUG-2020
108	WR/52205428100599 dt. 11-MAY-2020 on M/s. ROHAN MACHINERY SPARES-Kalyan	607228	92XXNS: Mechanical Instrument Trunk with caster arrangement heritage series, Technical details as per attached annexure. Accepted make Snap on/Wright Tools/ Matco..	001	SSE-TL LPL	4 Nos.	151807.00		09-AUG-2020
109	WR/52205335100600 dt. 11-MAY-2020 on M/s. ALOK AUTOMOTIVE COMPANY-VASAI EAST	791190	7379NS: Supply of Modified Terminal Box Cover with 2 Nos. Unwelded Cantilever size 25mm x 20mm x 3mm and captive screw for 4.5 Kw Alternator as per Drg. No. RDSO/PE /SK/TL/0027-2002. (Rev 1)	001	SSE-TL LPL	900 Nos.	879.10		10-AUG-2020
110	WR/24202537102458 dt. 12-MAY-2020 on M/s. INDIAN	1694952	80014586: Internal Combustion Engine Crank case Oil Grade SAE 15W40 API CI-4	001	MX-GSD	8400 LTR	100.89		28-JUL-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

able for Diesel Engines of
nd Accepted: M/s. BPCL
/s. HPCL 4)M/s. Valvoline

Internal Combustion Engine
rade SAE 15W40 API CI-4
ble for Diesel Engines of
nd Accepted: M/s. BPCL
/s. HPCL 4)M/s. Valvoline

112	WR/30191841102460 dt. 12-MAY-2020 on M/s. ELIXIR ENGINEERING-BANGALORE	896800	18180048: RELAY (GR)EMD Pt no.40050359 DLW Pt No.18180048 .	001	SBI-DL	8 Nos.	112100.00	29-DEC-2020	
113	WR/30201317102461 dt. 12-MAY-2020 on M/s. MACO CORPORATION INDIA PRIVATE LTD-Kolkata	1248912	18140373: Contactor Repair kit for Radiator cooling fan Contactor 325 AMP, 03 Pole to EMD Part no 40037904 as per EATON part no 6.45.2.As per list attached of HHP Locomotive.Consisting 07 items.	001	SBI-DL	15 Set	41630.40	29-JUL-2020	
				002	SBI-DL	15 Set	41630.40	31-OCT-2020	
114	WR/24205002102462 dt. 12-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	802872	80014513: Machinery/General Purpose Machinery Oil, Gr.VG-100 Conforming to IS:493-81(Part-1), First Revision,(re-affirmed 2004) with "Rust Preventive Characteristic Test as per Method 'A'of IS:1448 (Part-96)19	001	SSE CRS BVP	12.6 KLTR	63720.00	11-JUL-2020	
115	WR/52205436100603 dt. 12-MAY-2020 on M/s. ALOK AUTOMOTIVE COMPANY-VASAI EAST	634368	7385NS: SET OF PROTECTION ACCESSORIES FOR IVC COUPLER FROM RUBBING ON GROUND AS PER ATTACHED .	001	SSE-TL LPL	120 Set	5286.40	10-AUG-2020	
116	WR/52205437100604 dt. 12-MAY-2020 on M/s. ABHAY AUTOMOTIVE CO-MUMBAI	577770.48	7385NS: Set of under Frame supports for cable conduits of AC Coaches confirming to Dy. CEE (W) PL%u2019s Drawing No. AC-2005 as per Annexure 'A' attached.	001	SSE-TL LPL	63 Set	9170.96	10-AUG-2020	
117	WR/52205437100605 dt. 12-MAY-2020 on M/s. TIRUPATI ENGINEERING WORKS-PALGHAR	577770.48	7385NS: Set of under Frame supports for cable conduits of AC Coaches confirming to Dy. CEE (W) PL%u2019s Drawing No. AC-2005 as per Annexure 'A' attached.	001	SSE-TL LPL	63 Set	9170.96	10-AUG-2020	
118	WR/52205439100606 dt. 12-MAY-2020 on M/s. ROHAN MACHINERY SPARES-Kalyan	725971.4	6503NS: MANEUVER 25 KW ALTERNATOR FOR OVERHAULING (ASSEMBLING AND DISMANTLING) AS PER ATTACHED SPECIFICATION	001	SSE-TL LPL	2 Nos.	362985.70	10-AUG-2020	
119	WR/52205439100607 dt. 12-MAY-2020 on M/s. MAXIMUS SOLUTIONS-THANE	725971.4	6503NS: MANEUVER 25 KW ALTERNATOR FOR OVERHAULING (ASSEMBLING AND DISMANTLING) AS PER ATTACHED SPECIFICATION	001	SSE-TL LPL	2 Nos.	362985.70	10-AUG-2020	
120	WR/81205230100356 dt. 13-MAY-2020 on M/s. THE INDIA THERMIT CORPORATION LIMITED-KANPUR	1134216	72XXNS: ABRASIVE RAIL CUTTER AS PER DRSO SPECIFICATION NO. TM/SM/1 ACCEPTED MAKE/BRAND : SELF	001	SSE(PW) DDR	18 Nos.	63012.00	28-JUN-2020	
121	WR/81205404100357 dt. 13-MAY-2020 on M/s. INDO GASES-MUMBAI	1999215	8211N17: Medical oxygen cylinder B-Type filled with oxygen , cap 1320 Ltr & with Accessories e.g. Fine adjustment valve with Flow meter made of Brass ; Polycarbonate Humidifier ; Oxygen mask with all tubings a	001	D M O BCT	150 Nos.	13328.10	15-JUN-2020	
122	WR/52205438100614 dt. 13-MAY-2020 on M/s. MAXIMUS SOLUTIONS-THANE	748721.8	73XXNS: WORKING TABOURET FOR FAN BRUSHLESS DC FAN AS PER DRG. NO. TL-2016	001	SSE-TL LPL	1 Nos.	748721.80	11-AUG-2020	
123	WR/52205438100615 dt. 13-MAY-2020 on M/s. SHIVAM ENTERPRISES-KALYAN	748721.8	73XXNS: WORKING TABOURET FOR FAN BRUSHLESS DC FAN AS PER DRG. NO. TL-2016	001	SSE-TL LPL	1 Nos.	748721.80	11-AUG-2020	
124	WR/LP205316100304 dt. 13-MAY-2020 on M/s. MRO ENGINEERS-MUMBAI	908010	5698NS08: Z 201 Pufseal (1K-S) self-expanding polyurethane foam sealant for sealing large gaps and cavities from rates and other reptiles in 500 ml can of Stanvac chemicals or Superon or Corium make. ACCEPTED M	001	C S I BRC	900 Nos.	1008.90	13-JUL-2020	
125	WR/24205033202474 dt. 14-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	6169666.56	9201N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE-TRD/BL	96 KLTR	64267.36	31-MAR-2021	
126	WR/72205100100321 dt. 15-MAY-2020 on M/s. UNITRADE INDIA-VADODARA	778021.2	1738NS: Suction Valve Assembly Low Pressure for ELGI Make Compressor. ELGI Pt.No.B013901070006. Accepted: MAKE ELGI.	001	SSE DSLSBI	30 Nos.	25934.04	15-NOV-2020	
127	WR/72205101100323 dt. 15-MAY-2020 on M/s. ALLIED ELECTRONICS CORPORATION-MUMBAI	555815.4	18XXNS: Plug circular for speed sensor cable to EMD Part No.40071918 and DLW Part No.18360166 or VEAM Part No. CIR06LCFGG-18-20S-F80-T29 or M/s. Allied Electronics Corporation / Mumbai model no.MRG06VR18-20SC	001	SSE DSLSBI	210 Nos.	2646.74	31-JUL-2020	



Your complimentary
use period has ended.
Thank you for using
PDF Complete.


Click Here to upgrade to
Unlimited Pages and Expanded Features

				and wash Paper Soap Strip ack Minimum 10 Numbers of	001	HTXR ST	300000 Nos.	1.81	24-MAY-2020
				SH RESOLUTION TROUBLE NSITIZED COMBINED INSTRUCTION LABLE SIZE IM THICKNESS AS PER IS	001	CWS BDTS	5181 SQFT	230.10	23-AUG-2020
				737/2008 WITH SELF ADHESIVE STICKER ON BACK SIDE OF 3M 467 MP 200 MP ADH					
130	WR/61186567100563 dt. 16-MAY-2020 on M/s. ADITYA TECHNO FAB ENGINEERING-DHAR	927360		3840NS : BODY END ARRAGEMENT FOR BSOT AND BOST HS TO DRG. NO. WD-00012-S-10 ALT. 5 OR LATEST.	001	SSE W/S DHD	24 Nos.	38640.00	15-JUL-2020
131	WR/61201150100563 dt. 16-MAY-2020 on M/s. URMI ACETYLENE COMPANY-VADODARA.	566400		81040015 : INDUSTRIAL DISSOLVED ACETYLENE GAS TO IS:308/1988 (III REVISION) WITH AMDT NO.1. specn: IS 308	001	DHD-L	2000 CUM	283.20	30-JUL-2020
132	WR/52205451100619 dt. 16-MAY-2020 on M/s. BBN SALES CORPORATION-MUMBAI	684400		82XXNS : SUPPLY, INSTALLATION AND COMMISSIONING OF CLOUD BODY TEMPERATURE SCREENING SMART CAMERA FOR THERMAL SCREENING OF WORKSHOP EMPLOYEES TO PREVENT THE SPREAD OF COVID-19. SPEC. (1) IMAGE SENSOR- VOX UNCO	001	SSE/RAC/LPL	2 Nos.	342200.00	15-JUN-2020
133	WR/52195861100622 dt. 16-MAY-2020 on M/s. DARSHAN ENTERPRISES-MUMBAI	799662.4		4298NS : SET OF TWO CONDUCTOR TERMINAL BLOCK WIDTH 7MM/0.276INCH, RATED VOLTAGE 690/630V ,RATED CURRENT 24 A, 4SQ MM ,CONDUCTOR 0.08-4 SQ MM/ 28-12AWG CONFORMING TO IEC/EN 60664-1, AS PER WAGO ITEM NO 262-301.	001	SSE-TL LPL	34400 Nos.	23.25	15-JUL-2020
134	WR/23195007102499 dt. 16-MAY-2020 on M/s. VSB ENGINEERING-.MADURAI	752640		3801N001 : SET OF BRACKETS FOR BOGIE MOUNTED BRAKE SYSTEM FOR BCNHL WAGON AS PER ANNEXURE-'A'	001	SSE WAGON BODY PRTN	100 Set	7526.40	15-JUL-2020
135	WR/81205090100366 dt. 16-MAY-2020 on M/s. SPEED RAIL TECHNOLOGY-MUMBAI..	819000		6025N1 : RAIL CORE DRILLING EQUIPMENT MACHINE MAB 915 BDS GERMANY ELECTRIC DRIVEN MOTOR WITH AN OUTPUT OF 1.6KW WITH QUICK ACTION CLAMPING SYSTEM ON TRACK	001	PWI ADH	3 Nos.	273000.00	16-JUL-2020
136	WR/81205381100367 dt. 16-MAY-2020 on M/s. AMARA RAJA POWER SYSTEMS LTD.-TIRUPATHI	820690		5098N001 : Spare of Integrated Power Supply (IPS) . SMR module 110V/20A- as per RDSO/SPN/165/2012 (version 3.0). Make-AMARA RAJA.	001	SSE SIG BL	13 Nos.	63130.00	14-SEP-2020
137	WR/81205029100368 dt. 16-MAY-2020 on M/s. VERSA DRIVES PRIVATE LIMITED-COIMBATORE	705404		4210N1 : 1200 mm sweep (48 inch) 5 star rated BLDC energy efficient ceiling fan having 03 nos blades ,down rod ,canopies, shackles ,suitable for 230 volt 50hz ac single phase supply with invertor driven micro	001	SSE I/TBCT	350 Nos.	2015.44	15-JUL-2020
138	WR/81205131100369 dt. 16-MAY-2020 on M/s. PERFECT TECH ENGINEERS-MUMBAI	580812.96		4204N01 : Horizontal submersible MONO pump 3 or above star rating 15 HP/ 11.19 KW head 30-51 Meter size 65 x 50 ,3 phase ,rated voltage 380 volt AC Discharge 1270-550 LPM ,MAKE- CG,MODEL-OWPH 15.2.KIRLOSKAR MO	001	SSE I/TBCT	13 Nos.	44677.92	01-JUL-2020
139	WR/10195032102500 dt. 16-MAY-2020 on M/s. BEACON ENERGY SOLUTIONS PRIVATE LIMITED-DELHI	764050		4398NS00 : Supply of Testing Setup for Measurement of 3rd Harmonic Resistive Leakage Current of Lightening Arrestor as Per RDSO Technical Circular No RDSO/EL /TC/0136 (Rev 0) Dated 08.08.2016. Specification an	001	SSE(RS)BRCY	1 Nos.	660800.00	16-JUL-2020
				4398NS01 : CAMC COST FOR 1st YEAR AFTER 24 MONTHS OF WARRANTY PERIOD FROM COMMISSIONING.	002	SSE(RS)BRCY	1 Nos.	20650.00	16-JUL-2020
				4398NS02 : CAMC COST FOR 2nd YEAR AFTER 24 MONTHS OF WARRANTY PERIOD FROM COMMISSIONING PLUS 1 YEAR OF CAMC.	003	SSE(RS)BRCY	1 Nos.	20650.00	16-JUL-2020
				4398NS03 : CAMC COST FOR 3rd YEAR AFTER 24 MONTHS OF WARRANTY PERIOD FROM COMMISSIONING PLUS 2 YEAR OF CAMC.	004	SSE(RS)BRCY	1 Nos.	20650.00	16-JUL-2020
				4398NS04 : CAMC COST FOR 4th YEAR AFTER 24 MONTHS OF WARRANTY PERIOD FROM COMMISSIONING PLUS 3 YEAR OF CAMC.	005	SSE(RS)BRCY	1 Nos.	20650.00	16-JUL-2020
				4398NS05 : CAMC COST FOR 5th YEAR AFTER 24 MONTHS OF WARRANTY PERIOD FROM COMMISSIONING PLUS 4 YEAR OF CAMC.	006	SSE(RS)BRCY	1 Nos.	20650.00	16-JUL-2020
140	WR/81205298200372 dt. 17-MAY-2020 on M/s. Sanmit Infra Limited	2699999		8240N001 : BIO MEDICAL WASTE DISINFECTION MICROWAVE BASED SYSTEMCAPACITY-30 LTRS. with Warranty 2 years	001	JRH BCT	1 Nos.	2699999.00	02-JUN-2020



*Your complimentary
use period has ended.
Thank you for using
PDF Complete.*

**Click Here to upgrade to
Unlimited Pages and Expanded Features**



PDF

Complete

use period has ended.

Thank you for using PDF Complete.

Click Here to upgrade to unlimited Pages and Expanded Features

				HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE DSLBA	1105.5 KLTR	65159.58	31-JAN-2021
				HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	FTR IC ANND	772.5 KLTR	64267.36	31-JAN-2021
143	WR/24205005202504 dt. 17-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	2313624.96	9211N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE(L) PRTN	36 KLTR	64267.36	31-JAN-2021	
144	WR/24205005202505 dt. 17-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	2988432.24	9211N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE(C&W) NG BIM	46.5 KLTR	64267.36	31-JAN-2021	
145	WR/LP186124100311 dt. 18-MAY-2020 on M/s. SAURABH AGRO CHEMICAL-GORAKHPUR	1904857.5	62XXNS01: RAIN COAT WITH CAP/HOOD AND CAP WATER PROOF COAT & TROUSER FULL SLEEVES AND CAP/HOOD. AS PER SPECIFICATION ATTACHED AND DRAWING. ACCEPTED MAKE/BRAND: GOLDSTAR	001	SSE-PWYBH	755 Nos.	682.50	12-JUL-2020	
			62XXNS02: RAINCOAT WITH CAP/HOOD AND SEPARATE WATER PROOF TROUSER WATERPROOF COAT AND TROUSER WITH FREE SLEEVES AND CAP/HOOD (AS PER SPECIFICATION ATTACHED AND DRAWING). ACCEPTED MAKE/BRAND: GOLDSTAR	002	SE PW CCP	820 Nos.	682.50	12-JUL-2020	
			7998NS03: RAIN COAT WITH CAP/HOOD AND SAPERATE WATER PROOF TROUSER (AS PER SPECIFICATION ATTACHED AND DRAWING) ACCEPTED MAKE/BRAND: GOLDSTAR	003	SSE PW ANII	1216 Nos.	682.50	12-JUL-2020	
146	WR/22185010102528 dt. 18-MAY-2020 on M/s. D.R.STEEL AND INDUSTRIES PVT LTD.-KOLKATA	2318400	2598N001: COMPLETE BRAKE GEAR ARRANGEMENT FOR WAG7 LOCOS AS PER CLW DRG. NO. 06/1/19/108 ALT.4 (SHEET NO.1) AND 06/2/19/108 ALT.NIL (SHEET NO.2). SET CONSISTING 66 ITEMS COMPRISING 1050 NOS. AS PER ANNEXURE ENC	001	SSE LRS DHD	6 Set	386400.00	18-JUL-2020	
147	WR/22185010102529 dt. 18-MAY-2020 on M/s. PIONEER GEARS AND EQUIPMENTS-HOWRAH	5409600	2598N001: COMPLETE BRAKE GEAR ARRANGEMENT FOR WAG7 LOCOS AS PER CLW DRG. NO. 06/1/19/108 ALT.4 (SHEET NO.1) AND 06/2/19/108 ALT.NIL (SHEET NO.2). SET CONSISTING 66 ITEMS COMPRISING 1050 NOS. AS PER ANNEXURE ENC	001	SSE LRS DHD	14 Set	386400.00	13-JAN-2021	
148	WR/81205210100373 dt. 19-MAY-2020 on M/s. RAM RAJ ENTERPRISES-THANE	1971900.36	72XXNS: PORTABLE LED LIGHT 50W WITH TRIPOD & WITH HOOTER WARNING SYSTEM & RECHARGEABLE (TECHNICAL SPECIFICATION ATTACHED) ACCEPTED MAKE/BRAND: OM ENERGY SAVERS (OES)	001	SSE(PW) DDR	18 Nos.	109550.02	18-AUG-2020	
149	WR/24205008202536 dt. 19-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	1580852.64	9211NN00: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE(L) KKF	24 KLTR	65868.86	31-MAR-2021	
150	WR/24205035202537 dt. 19-MAY-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	13496145.6	9211N001: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE/EL ADI	210 KLTR	64267.36	31-MAR-2021	
151	WR/24192544102538 dt. 19-MAY-2020 on M/s. GANDHAR OIL REFINERY INDIA LTD-MUMBAI	6622918.46	80090280: Inhibited mineral insulating oil as per type II transformer oil conforming to IS: 335:2018 suitable for railway requirement as per RDSO letter no. TI/PSI /INSOIL/POLICY/19 dtd.26.07.19	001	BRCMEMU	627 LTR	69.33	30-NOV-2020	
				002	DHD-L	66140 LTR	64.61	30-NOV-2020	
				003	SBI-GSD	1881 LTR	68.15	30-NOV-2020	
				004	BRC-ELS	926 LTR	66.97	30-NOV-2020	
				005	BCT-TR	627 LTR	70.51	30-NOV-2020	
				006	DHD-L	30000 LTR	64.61	30-APR-2021	
				007	BRC-ELS	2000 LTR	66.97	30-APR-2021	
152	WR/23205003102539 dt. 19-MAY-2020 on M/s. PANKAJ INTERNATIONAL-LUDHIANA	1943451.5	3830N001: 7/8" DIA (22.8 MM), LOCK BOLT & COLLAR FOR FREIGHT STOCK AS PER RDSO DRG.NO.WD-11036-S-01,ALT.1 GRIP RANGE - 1.250 TO 1.500 & DRG.NO.WD-11036-S-02 ,ALT.NIL.	001	SSE W/S DHD	16920 Nos.	114.86	01-SEP-2020	
153	WR/72205098100337 dt. 20-MAY-2020 on M/s. GOVERNOR SPARES-Mumbai	916486.18	1698NS: Rotary Servo Shaft For WW. Governor to Pt. No. 4641-041And WW. Governor Ref. No. 36703-859.	001	SSE DSLSBI	15 Nos.	61099.08	20-SEP-2020	



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			conditioning card no.2 SDAC as per RDSO Spec. no. 2012 with version 3 or latest	001	SSE-SIGJND	15 Nos.	34031.20	04-JUL-2020
			(Outer) for centre pivot pin WAG-7 locomotives as per WAG-7/15/49 Ref.3 with alteration -1. ACCEPTED MAKE / BRAND- OMEX	001	SSE LRS DHD	88 Nos.	6720.00	18-AUG-2020
156	WR/88195670100239 dt. 20-MAY-2020 on M/s. INTEGRA ENGINEERING INDIA LTD-HALOL	1524560	56XXN1 : Universal plug in type Lamp proving relay ,Metal to Metal , 110V AC LED ECR for LED signal 3F/3B with code plate for signal in group as per RDSO specn. No. STS/Relays /AC Lit LED Signal/09-2002 with	001	SSE-SIGJND	170 Nos.	8968.00	20-NOV-2020
157	WR/81205199100394 dt. 21-MAY-2020 on M/s. D BACHUBHAI AND BROTHERS-MUMBAI	594007.99	72XXN01 : High Tension Stock Bolt with nut class 10.9 as per IR 1367 size 24X105 mm nut size 24mm Firms offer ACCEPTED:- Unbrako make of M/s Deepak Fasteners Ltd with quality as per IS 1364 / Part 1 & 3 / 2002	001	PWI ADH	4340 Nos.	136.87	20-AUG-2020
158	WR/22193554102575 dt. 21-MAY-2020 on M/s. FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR	857252.3	25259817 : FTRTIL Part No. 790507108	001	BL-ELS	79 Set	5530.66	31-OCT-2020
				002	VTA-DL	26 Set	5530.66	31-OCT-2020
				003	RTM-DL	15 Set	5530.66	31-OCT-2020
				004	BRC-ELS	35 Set	5530.66	31-OCT-2020
159	WR/24202612102576 dt. 21-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	2018744	80030166 : Servoplex SHC-120 (IOCL) Grease for Traction Motor Bearing of WAG-9/WAP-7 Locos.	001	BRC-ELS	1820 Kgs.	1109.20	16-SEP-2020
160	WR/14193824102577 dt. 21-MAY-2020 on M/s. SCHAEFFLER INDIA LIMITED-VADODARA	591976	85292205 : FAG Make Bearing Set consisting of:1.Roller Brg. with lipped racer to FAG Drg.no.WJ150X270M1.C4 2.RollerBrg.with plainracer FAGno WJP150X270PM1.C4 3.Distance piece inner(JDR)to FAG no.901-02-109 4.Di	001	RTM-DL	22 Nos.	26908.00	25-SEP-2020
161	WR/09195033102578 dt. 21-MAY-2020 on M/s. HINDUSTHAN ENGINEERING AND INDUSTRIES LTD.-KOLKATA	1030400	2598N01 : BOGIE FRAME ARRANGEMENT FOR DETC/US AS PER ICF DRG. NO. DMU/DPC10-0-3-013 COL-1 ALT.f & RDSO SPEC. NO. C-9202.	001	SSEMEMUDHD	4 Nos.	257600.00	21-JAN-2021
162	WR/09195033102579 dt. 21-MAY-2020 on M/s. SHREE SHAKTI WELDTech PRIVATE LIMITED-THANE	1388800	2598N01 : BOGIE FRAME ARRANGEMENT FOR DETC/US AS PER ICF DRG. NO. DMU/DPC10-0-3-013 COL-1 ALT.f & RDSO SPEC. NO. C-9202.	001	SSEMEMUDHD	5 Nos.	277760.00	21-NOV-2020
163	WR/09195033102580 dt. 21-MAY-2020 on M/s. SANTO ENGINEERING COMPANY PRIVATE LIMITED-VALSAD	3055360	2598N01 : BOGIE FRAME ARRANGEMENT FOR DETC/US AS PER ICF DRG. NO. DMU/DPC10-0-3-013 COL-1 ALT.f & RDSO SPEC. NO. C-9202.	001	SSEMEMUDHD	11 Nos.	277760.00	21-NOV-2020
164	WR/86205584100544 dt. 21-MAY-2020 on M/s. DHANVI MEDITRONICS-AHMEDABAD	634659.21	8211NS : ETO STERILE MACHINE, 1 X 1 X 3 FT CGMP MODEL as per specification attached. Accepted Make/Brand: Krishna Engineering Corporation.	001	A M O SBI	1 Nos.	472000.00	20-JUN-2020
			8211NS1 : 5 YEARS COMPREHENSIVE ANNUAL MAINTAINANCE OF ETO STERILIZER AFTER COMPLETION OF 1 Year WARRANTY period.	002	A M O SBI	1 Nos.	162659.21	21-MAY-2026
165	WR/78195417100224 dt. 21-MAY-2020 on M/s. HBL POWER SYSTEMS LTD-HYDERABAD	1252975.36	4598NS : Sealed Maintenance Free 12 V, 70 AH VRLA Battery For 110 V DC. LHB Variant EOG Coaches As per RDSO SPEC. No. RDSO/PE/SPEC/AC/0009-2014 (Rev.2) One Set Consists of 09 Nos. Monoblock Battery of 12 V, 70	001	JE-(BS)-BVP	13 Set	96382.72	21-SEP-2020
166	WR/24205034202582 dt. 21-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	3865748.4	9298N01 : HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision)	001	SSE OHE NDB	60 KLTR	64429.14	31-MAR-2021
167	WR/24205036202583 dt. 21-MAY-2020 on M/s. INDIAN OIL CORPORATION LTD-MUMBAI	6172824	9211NS01 : HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision).	001	SE TRD VS	96 KLTR	64300.25	31-MAR-2021
168	WR/09192335102584 dt. 21-MAY-2020 on M/s. GABRIEL INDIA LIMITED-PUNE	620298	31050580 : VERTICAL DAMPER CAPACITY 400 KG TO ICF DRG NO DMU/DPC5-0-5-503, ALT. K/6 ITEM NO.-1 CONFIRMING TO RDSO SPECN. NO. C-8703, REV.-2 OF FEB.-07 WITH AMND. SLIP NO.-1 OF AUG.-2016. ACCEPTED DESCRIPTION:-GA	001	DHD-L	27 Nos.	11487.00	20-APR-2020
				002	DHD-L	27 Nos.	11487.00	30-APR-2020
169	WR/09190576102585 dt. 21-MAY-2020 on M/s.	581817.6	31350150 : HARDWARE ITEMS KIT FOR OVERHULING OF BOGIE MOUNTED BRAKE	001	PL-CR	123 Set	3729.60	21-JAN-2021



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

EXISTING OF 37 ITEMS AS PER
TO RDSO DRG.NO.
T-5, 2)SK-81202, ALT-3,
T-4. 4)SK-81206, ALT-3

ALL STEEL LOCK NUT SIZE:
SE LOCO AS PER CLW
/MS/3/089 (REV-03).MAKE:
L GMBH (OR) HOBSON
ENGINEERING. NOTE: (1) THIS ITEM IS
RESERVED FOR SUPPLY BY CLW APPRO

171	WR/65205049100151 dt. 22-MAY-2020 on M/s. B. KHANDELWAL METAL CORPORATION-MUMBAI	920636	2998NS00: UIC COUPLER SOCKET AS PER SCHAULTBAU PART NO UIC KD-18S-CR AND SOCKET CONTACT BHC 1.0 - AU-30 OR ITS EQUIVALENT OF M/S HARTING SUITABLE FOR WAP-5 & WAP-7 LOCOS AS PER RDSO SPECIFICATION NO. RDSO/PE/MS/	001	SSE(RS)BRCY	50 Nos.	18412.72	20-SEP-2020
172	WR/81205120200399 dt. 22-MAY-2020 on M/s. DETECH DEVICES PVT. LTD.-DELHI	839500	6798N001: Forklift Truck of capacity 3000 kg, Diesel engine with automatic transmission as per detailed specification attached. PL NO. 6798NS01HSN 84272000	001	SSE-ZMCBL	1 Nos.	839500.00	07-JUL-2020
173	WR/81205412100400 dt. 22-MAY-2020 on M/s. RAM RAJ ENTERPRISES-THANE	672600	60NSN00: ENERGY DRIVEN WELDING GENERATOR FOR WELDING & GRINDING (AS PER TECHNICAL SPECIFICATION ATTACHED) ACCEPTED DESCRIPTION ENERGY DRIVEN GENERATOR FOR WELDING & GRINDING MODEL NO. "GE W 8000 R (S)" OF M/S	001	PWI BL	2 Nos.	336300.00	20-SEP-2020
174	WR/81205414100401 dt. 22-MAY-2020 on M/s. RAM RAJ ENTERPRISES-THANE	592950	60NSN00: PORTABLE AUTOMATIC TRACK LUBRICATING / GREASING MACHINE (AS PER TECHNICAL SPECIFICATION ATTACHED) ACCEPTED MAKE : MODEL NO "OESATLM-111" OF M/S OM ENERGY SAVERS MUMBAI.is accepted.	001	PWI BL	3 Nos.	197650.00	20-SEP-2020
175	WR/81205084100402 dt. 22-MAY-2020 on M/s. DURGA INDUSTRIES-DELHI	679680	42XXN01: 1100 Volt Grade multi-stranded aluminum conductor cable of Size: 50 Sq.mm X 4 Core, XLPE, insulated, PVC sheathed with extruding process armored, confirming to IS: 7098 Part 1(amendment 1 or latest) w	001	SSE I/TBCT	4000 MTR	169.92	22-JUL-2020
176	WR/07191316102593 dt. 22-MAY-2020 on M/s. LOKENATH TRADING CORPORATION-HOOGHLY	934560	56450217: Relay,AC Immune, Plug-in type,Style'QSPA1' Neutral Line, slow to pick up,24V DC 8F/4B contacts,Front & Back contacts metal to carbon,complete with Plug board,retaining clip & connectors conforming to	001	SBI-GSD	176 Nos.	5310.00	22-NOV-2020
177	WR/83205080100308 dt. 22-MAY-2020 on M/s. GODREJ AND BOYCE MANUFACTURING COMPANY LIMITED-LUCKNOW	867300	NS: Fork lift Truck 3T (Diesel) as per attached Specification. Accepted = Make - GODREJ, Model - GX-300D	001	SSEC&W SMP	1 Nos.	867300.00	22-NOV-2020
178	WR/14195332102594 dt. 22-MAY-2020 on M/s. APPLIED COMMUNICATION AND CONTROLS-DELHI	982956.52	5290NS00: 5 Watt VHF Walkie Talkie Set. Category A as per clause No.2.3 and Technical Parameters as per clause No.5.1 to 5.5.1, Battery as per clause No.3 and Battery Charger as per clause No.4 of RDSO Specific	001	SSE/T/I/PRTN	182 Set	5400.86	25-AUG-2020
179	WR/78205024200226 dt. 22-MAY-2020 on M/s. KIRTI TRADERS-BHAVNAGAR	561600	47NSN00: Industrial Water purifier Having Stainless Steel Skid RO 50 LPH Capacity With Multistage Filter, Water Level Sensor, Booster Pump With Antiscalant Dosing System Along With 2 Year Warrantee + 3 Year AM	001	SSE-POWER BVP	16 Nos.	35100.00	22-JUN-2020
180	WR/61201147100581 dt. 23-MAY-2020 on M/s. KHAJURIA GAS SERVICE-DAHOD	644032.2	81040519: Liquefied Petroleum Gas, Type : Commercial Butane- Propane mixture,confirming to IS:4576-1999 (Second Revision) with amendment no 1 of May 2003 (reaffirmed 2009) Edition 3.1 (2003-05) in 19 Kgs Cylind	001	DHD-L	7000 Kgs.	92.00	21-AUG-2020
181	WR/22191677102595 dt. 23-MAY-2020 on M/s. PRECISION TECHNO INDUSTRIES-KOLKATA	998044.32	23709327: AUXILIARY INTERLOCK BOX FOR FM CONTACTOR WITH 2NO+1 NC CONTACTS, CONFORMING TO CLW DRG.NO. 2 TWD. 291.053. ALT-3 AND CLW SPECIFICATION NO. 4TES.111.028 ALT- 1.	001	BRC-ELS	147 Nos.	1062.88	11-MAY-2020
				002	BRC-ELS	146 Nos.	1062.88	11-OCT-2020
				003	BL-ELS	323 Nos.	1062.88	11-MAY-2020
				004	BL-ELS	323 Nos.	1062.88	11-OCT-2020
182	WR/09192202102596 dt. 23-MAY-2020 on M/s. ESCORTS LIMITED-FARIDABAD	3073280	31050530: Lateral Damper 200 Kg As per ICF Drawing No DC/EMU/M/ASR-0-5-005 Alt n/6 Item No 2 & conforming to RDSO Specification No. C-8703 Rev 2 of FEB-07,with Amendment slip No. 1 of August -2016.	001	DHD-L	37 Nos.	12544.00	23-FEB-2021
				002	EMU-MX	208 Nos.	12544.00	23-FEB-2021
183	WR/09192202102597 dt. 23-MAY-2020 on M/s. INDIA AUTO INDUSTRIES PVT. LTD.-NEW DELHI	1028608	31050530: Lateral Damper 200 Kg As per ICF Drawing No DC/EMU/M/ASR-0-5-005 Alt n/6 Item No 2 & conforming to RDSO Specification No. C-8703 Rev 2 of FEB-07,with Amendment slip No. 1 of August -2016.	001	EMU-MX	82 Nos.	12544.00	23-FEB-2021



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			ay Type - ABB MAKE REALY operated AUX. Relay Type t indicator with field for special application of ve, Auxiliary Voltage:	001	BL-ELS	23 Nos.	19605.70	31-DEC-2020
				002	BRC-ELS	8 Nos.	19605.70	31-DEC-2020
				003	RTM-DL	7 Nos.	19605.70	31-DEC-2020
			Accepted technical deviation as RAWING NO. SKVL-463	001	SSE(RS)BRCY	5 Nos.	1108800.00	23-NOV-2020
	ALLOY STEELS LTD-KANPUR		ALT.7 AND BRAKE GEAR ARRANGEMENT DRAWING NO. SKVL-478 ALT.2., SKVL-464 ALT.SH 1 OF 4, SKVL-464 ALT.1 SH 2 OF 4, SKVL-464 ALT.5 SH 3 OF					
186	WR/22193373102623 dt. 25- MAY-2020 on M/s. HEATEM ENGINEERING CO.-KOLKATA	637591.5	25970689: ELECTRIC CAB HEATER, 380V, 500 WATTS, COMPLETE, SUITABLE FOR ELECTRIC LOCOS, AS PER DRG.NO.WR-CCG- EL/3-EF-019 SHT.2/4(ALT-1), sht 3/4(ALT- 1),sht 4/4(ALT-1) AND CONFORMING TO CLW SPECN. CLW/ES/H-1/E. a	001	BRC-ELS	46 Nos.	1816.50	25-MAY-2021
				002	DHD-L	293 Nos.	1816.50	25-MAY-2021
				003	BL-ELS	12 Nos.	1816.50	25-MAY-2021
187	WR/22193372102624 dt. 25- MAY-2020 on M/s. GALAXY INSTRUMENT-KOLKATA	628992	25970653: MAKE: GALAXY INSTRUMENT	001	BL-ELS	50 Nos.	4032.00	30-APR-2021
				002	BRC-ELS	106 Nos.	4032.00	30-APR-2021
188	WR/22192242102625 dt. 26- MAY-2020 on M/s. BLACKSTONE DIESEL- JODHPUR	645460	25160620: M-48 KIT FOR AIR DRYER OF M/S. TRIDENT MAKE USED IN WAG-7 & WAP-4 LOCOS. AIR DRYER MODEL No. LD 2000122 CONSIST OF 14 ITEMS 60 Nos.	001	BL-ELS	7 Set	32273.00	26-FEB-2021
				002	BRC-ELS	13 Set	32273.00	26-FEB-2021
189	WR/09200500102626 dt. 26- MAY-2020 on M/s. LALBABA INDUSTRIAL CORPORATION PRIVATE LTD.-HOWRAH	804070.4	31320569: BRAKE BLOCK HANGER OUTER DRG.NO.EMU/M3-2-049 ALT-2/F as per Specn. IS-2062-1962	001	EMU-MX	1120 Nos.	717.92	30-APR-2021
190	WR/22193968102627 dt. 26- MAY-2020 on M/s. ELECTROMECH-HARIDWAR	685875	29168648: Wiper Blade Assembly For Wap-5 Locos. M/s Electromech Part no.- EM/3Q/PCWS/Pt-5 M/s KBIL Part no.-1 75060/5000 M/s ELGI Part no-090344110 as per CLW Spec.-CLW/MS/3/050.	001	BRC-ELS	750 Nos.	914.50	26-SEP-2020
191	WR/22195077102628 dt. 26- MAY-2020 on M/s. PLASTO METAL INDUSTRIES- KOLKATA	730800	2389NS: Arno starting contactor complete C-118 to CLW Specification no. CLW/ES /C-15/D.	001	SSE LRS DHD	15 Nos.	48720.00	26-APR-2021
192	WR/22190676102630 dt. 26- MAY-2020 on M/s. S.K.ENGINEERING ENTERPRISE-HOWRAH	546000	23167373: 1-1/4"NON RETURN VALVE ,TYPE 86R AS PER CLW DRG. NO. 0/3/65/363 ALT.2.SUITABLE FOR ELECTRIC LOCOS, CONFORMING TO RDSO SMI-184 DT.30.01.1997. as per Specn. 4A-24899	001	BRC-ELS	150 Nos.	1400.00	26-NOV-2020
				002	BL-ELS	240 Nos.	1400.00	26-NOV-2020
193	WR/22195088102631 dt. 26- MAY-2020 on M/s. B. B. ENGINEERING WORKS- KANPUR	916643.84	2994NS00: SAFETY DEVICE FOR GEAR CASE OF WAP- 5 LOCOMOTIVES AS PER RDSO DRG. SKEL-5003 (ALT.0) SHEET NO.1 TO 11 AND RDSO MODIFICATION NO. RDSO/2013/EL/MS/0424 REV.1 DTD. 27.05.2015 (EACH SET CONSISTS OF 15 ITE	001	SSE(RS)BRCY	92 Set	9963.52	26-NOV-2020
194	WR/22205006102632 dt. 26- MAY-2020 on M/s. RECON ENGINEERING CO P LTD- KOLKATA	3513664	2596NS01: Motor contactor complete type -112.03 rating 1500A as per CLW Drg.No. Drg No. 0TWD.112.001 Alt 12 & 4TWD.112.043 Alt- 4, conforming to CLW Spec. No. 4TES.110.001 Alt 4.	001	SSE LRS DHD	88 Nos.	39928.00	26-NOV-2020
195	WR/22205006102633 dt. 26- MAY-2020 on M/s. CONTINENTAL ENGINEERING WORKS PRIVATE LIMITED-KOLKATA	1517264	2596NS01: Motor contactor complete type -112.03 rating 1500A as per CLW Drg.No. Drg No. 0TWD.112.001 Alt 12 & 4TWD.112.043 Alt- 4, conforming to CLW Spec. No. 4TES.110.001 Alt 4.	001	SSE LRS DHD	38 Nos.	39928.00	26-JAN-2021
196	WR/22205005102636 dt. 26- MAY-2020 on M/s. RSI SWITCHGEAR PVT.LTD.- ALWAR	2920500	2598NS: Field Weakening (Divertor) resistance (RS) for WAP-4 locomotives with four steps.(0.0464, 0.0321, 0.0224 and 0.0112 ohms) as per CLW. Spec.No: CLW/ES /R.39/D . Set consists of two trays (one loco set).	001	SSE LRS DHD	9 Set	324500.00	26-NOV-2020
197	WR/22205005102637 dt. 26- MAY-2020 on M/s. RESITECH ELECTRICALS PVT.LTD.- KOLKATA	2920500	2598NS: Field Weakening (Divertor) resistance (RS) for WAP-4 locomotives with four steps.(0.0464, 0.0321, 0.0224 and 0.0112 ohms) as per CLW. Spec.No: CLW/ES /R.39/D . Set consists of two trays (one loco set).	001	SSE LRS DHD	9 Set	324500.00	26-JAN-2021
198	WR/53195314100060 dt. 26- MAY-2020 on M/s. MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD	1239472	5618N001: CONTROL UNIT FOR AAWS (BOMBARDIER), AS PER MEDHA CODE NO.SP140101021. PAC IN FAVOUR OF MEDHA SERVO DRIVES PVT. LTD.	001	SSE H/RBCT	2 Nos.	619736.00	25-JUN-2020
199	WR/53195333100061 dt. 26- MAY-2020 on M/s. B. KHANDELWAL METAL CORPORATION-MUMBAI	927480	31XXN001: CABLE RESISTANCE THERMOMETER SENSOR -2X PT 100 HAVING MAX. MEASURING CURRENT 5MA & MEASURING RANGE 30+250%B0C AS PER RUSTER TYPE NO.21 F 6X77.3.2. PT.2.0.3 58	001	SSE H/RBCT	10 Nos.	92748.00	25-AUG-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

use period has ended.

Thank you for using

PDF Complete.

Click Here to upgrade to

limited Pages and Expanded Features

			AL TO BE PROCURED FROM					
			al Electronics make Modern AC as per RDSO Specification 07/2012 with version 3 or	001	SSE-SIGJND	15 Nos.	34031.20	11-JUL-2020
			OF SLIDING HUB CONSISTS OF 05 ITEMS IN	001	SSE(RS)BRCY	1 Set	899797.79	27-JAN-2021
202	WR/15202082102660 dt. 27-MAY-2020 on M/s. CHENNAI COIMBATORE CARRIAGES AND COMPONENTS LLP-CHENNAI	696886.4	33544359 : Stainless Steel Water Tank Assembly for (2 X 685 Ltrs) as per RCF Drg.no.CC63135 Alt.'G' with complete Accessories and connections to be supplied in loose. Other technical requirement conforming to R	001	SBI-GSD	4 Set	174221.60	27-AUG-2020
203	WR/22194091102662 dt. 27-MAY-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	11287718.4	25010268 : Set of Axle Box Assembly Complete for flexi coil 3-Axle Bogie for WAP-1/4 Electric Loco. as per RDSO Drg. No. SK VL-603 Alt-6, Confirming to RDSO Specn.No. MP.0.3600.01. One Set Consisting 03 Items 12	001	DHD-L	14 Set	806265.60	27-APR-2021
204	WR/22204092102663 dt. 27-MAY-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	9426816	25010270 : Set of axle box assembly complete with normal roller bearing for WAG-7 electric locos as per RDSO Drg.No.SK.VL-603 (Alt.06) and conforming to RDSO Specification No. MP-0.3600-01,Nov.,-1981.One set co	001	DHD-L	12 Set	785568.00	30-APR-2021
205	WR/09195026102664 dt. 27-MAY-2020 on M/s. JSL LIFESTYLE LTD-Bahadurgarh	41909067.11	3100NS01 : DESCRIPTION OF NS DEMAND NO. EL-2019-20/S.S. SEATS/M.S./04 (MECH) DTD. 12.09.19 A) SEAT PROFILE COMPLETE (3 SEATER) FOR MRVC PHASE- II (BT) RAKE AS PER DRG. NO. ICF/MRVC/M/BT-6-1-026, ALT. b. ASSEMB	001	SSE CRSMX	3360 Nos.	10437.47	27-SEP-2020
			3100NS00 : DESCRIPTION OF NS DEMAND NO. EL-2019-20/S.S. SEATS/M.S./03 (MECH) DTD. 10.09.19 A) SEAT PROFILE COMPLETE (2 SEATER) FOR MRVC PHASE- II (BT) RAKE AS PER DRG. NO. ICF/MRVC/M/BT-6-1-027, ALT.b. ASSEMBL	002	SSE CRSMX	768 Nos.	8905.16	27-SEP-2020
206	WR/09195026102665 dt. 27-MAY-2020 on M/s. KINECO LIMITED-Bardez	27939378.08	3100NS01 : DESCRIPTION OF NS DEMAND NO. EL-2019-20/S.S. SEATS/M.S./04 (MECH) DTD. 12.09.19 A) SEAT PROFILE COMPLETE (3 SEATER) FOR MRVC PHASE- II (BT) RAKE AS PER DRG. NO. ICF/MRVC/M/BT-6-1-026, ALT. b. ASSEMB	001	SSE CRSMX	2240 Nos.	10437.47	27-SEP-2020
			3100NS00 : DESCRIPTION OF NS DEMAND NO. EL-2019-20/S.S. SEATS/M.S./03 (MECH) DTD. 10.09.19 A) SEAT PROFILE COMPLETE (2 SEATER) FOR MRVC PHASE- II (BT) RAKE AS PER DRG. NO. ICF/MRVC/M/BT-6-1-027, ALT.b. ASSEMBL	002	SSE CRSMX	512 Nos.	8905.16	27-SEP-2020
207	WR/81205213100426 dt. 27-MAY-2020 on M/s. S K ENTERPRISE-MUMBAI.	1105200	8311NS : PRINTING AND BINDING OF LOG BOOKS AND COACH MAINTENANCE BOOKS FOR LHB AC/SGAC/GARIBRATH & POWER CARS OF MUMBAI DIVISION AS PER ANNEXURE ATTACHED. EACH BOOK ON 60 GSM MAPLITHO PAPER PRINTING IN BLACK I	001	SR.SE(RAJ-S) BCT	1 Set	1105200.00	27-JUN-2020
208	WR/81205410100427 dt. 27-MAY-2020 on M/s. DWARKESH AGENCIES-Mumbai	602366.4	3098NS00 : WHEEL DIAMETER GAUGE (DIRECT READING TYPE) AS PER SPECIFICATION ATTACHED. ACCEPTED OFFER-?PIE? Brand Wheel Diameter Gauge Model WD-2 (E) with DIGITAL DISPLAY manufactured by M/s Paragon Instrumentati	001	CWS BDTS	2 Nos.	301183.20	26-AUG-2020
209	WR/04191705102682 dt. 27-MAY-2020 on M/s. RAKHANGI GAS SERVICE-MUMBAI	2307233.94	81040416 : INDUSTRIAL COMPRESSED OXYGEN GAS TO IS 309/2005 (FOURTH REV.)	001	PL-CR	59251 CUM	38.94	31-MAR-2021
210	WR/04191916102683 dt. 27-MAY-2020 on M/s. DEB PAINTS PVT LTD-KOLKATA	5235564.48	77032007 : R/M PAINT SYNTHETIC ENAMEL, EXTERIOR, FINISHING, COLOR: BLACK FOR RAILWAY COACHES & CONFORMING TO IS:8662/2004 [SECOND REVISION] WITH ADDITIONAL REQUIREMENT OF ICF SPECIFICATION NO. ICF/M/D/SPECN-045,	001	PL-CR	25535 LTR	91.27	30-NOV-2020
				002	EMU-MX	6533 LTR	91.86	30-NOV-2020
				003	SBI-GSD	5034 LTR	93.04	30-NOV-2020
				004	BVP-BG	11640 LTR	93.04	30-NOV-2020
				005	PRTN-CW	8201 LTR	91.86	30-NOV-2020
211	WR/04191916102685 dt. 27-MAY-2020 on M/s. ANUPAM ENTERPRISES-KOLKATA	3657107.27	77032007 : R/M PAINT SYNTHETIC ENAMEL, EXTERIOR, FINISHING, COLOR: BLACK FOR RAILWAY COACHES & CONFORMING TO IS:8662/2004 [SECOND REVISION] WITH ADDITIONAL REQUIREMENT OF ICF SPECIFICATION NO. ICF/M/D/SPECN-045,	001	MX-GSD	1813 LTR	91.86	30-NOV-2020
				002	PL-CR	17024 LTR	91.27	30-NOV-2020
				003	EMU-MX	4356 LTR	91.86	30-NOV-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

		MAY-2020 on M/s. AMIT ENGINEERS-BADDI		CABINET FOR LHB EOG AC COACHES AS PER RDSO SPECIFICATION NO: RDSO/PE /SPEC/AC/0184-2015 (REV-0) OR LATEST.	004	SBI-GSD	3356 LTR	93.04	30-NOV-2020
					005	BVP-BG	7760 LTR	93.04	30-NOV-2020
					006	PRTN-CW	5468 LTR	91.86	30-NOV-2020
					001	SSE/RAC/LPL	4 Nos.	914500.00	27-SEP-2020
213	WR/06195024102689 dt. 27-MAY-2020 on M/s. STESALIT LIMITED-BADDI	5487000		4521NS: SUPPLY OF SWITCH BOARD CABINET FOR LHB EOG AC COACHES AS PER RDSO SPECIFICATION NO: RDSO/PE /SPEC/AC/0184-2015 (REV-0) OR LATEST.	001	SSE/RAC/LPL	6 Nos.	914500.00	27-JUN-2021
214	WR/06195024102691 dt. 27-MAY-2020 on M/s. MODERN RAILTECH EQUIPMENT MANUFACTURES PRIVATE LIMITED-KOLKATA	1298000		4521NS: SUPPLY OF SWITCH BOARD CABINET FOR LHB EOG AC COACHES AS PER RDSO SPECIFICATION NO: RDSO/PE /SPEC/AC/0184-2015 (REV-0) OR LATEST.	001	SSE/RAC/LPL	2 Nos.	649000.00	27-SEP-2020
215	WR/10195036102692 dt. 27-MAY-2020 on M/s. AIREN METALS PRIVATE LIMITED-JAIPUR	14088633.6		4698N001: Un-insulated cadmium copper catenary wire 125 sq mm (37/2.10 mm) as per RDSO spec. no. ETI/OHE/50 (06/97) with A & C slip no. 1 to 6 and STR NO TI/STR /020(RE	001	SSE/OHE/S/BCT	20 KM	704431.68	27-AUG-2020
216	WR/LP205373100325 dt. 28-MAY-2020 on M/s. THREE STAR COMPANY-MUMBAI	524160		1682NS01: Printing of Operating instructions and Trouble shooting Directory(TSD) of 3 Ph. loco for running staff of Western Railway containing approx.242 pages printed on both sides with 65 Numbers of colour pa	001	SR.LEC BRCY	5000 Nos.	104.83	27-JUN-2020
217	WR/81205413100430 dt. 28-MAY-2020 on M/s. RAM RAJ ENTERPRISES-THANE	1008900		60NSN00: ENERGY DRIVEN WELDING GENERATOR FOR WELDING & GRINDING (AS PER TECHNICAL SPECIFICATION ATTACHED) ACCEPTED OFFER : ENERGY DRIVEN GENERATOR FOR WELDING & GRINDING MODEL NO. "GEW 8000 R (S)" OF M/S HIMA	001	PWI BL	3 Nos.	336300.00	26-SEP-2020
218	WR/83205266200324 dt. 28-MAY-2020 on M/s. SYSTEM ELECTRICAL AND MOTOR REWINDING WORKS-ratlam	2425500		5215NS01: All in one PC (Intel Core i3, 10th Generation,4 GB RAMDDR4 RAM,1TB HDD SATA,21.5 inch HD LED screen ,DVD writer licensed Win 10 Home, MS Office 2019,Wi-Fi Blue tooth, Card Reader ,HDMI out, MIC, Wire	001	CTNL RTM	49 Nos.	49500.00	26-JUN-2020
219	WR/22204132102706 dt. 29-MAY-2020 on M/s. UNITRADE INDIA-VADODARA	1320415.4		29518301: IOH KIT FOR COMPRESSOR TYPE RR20100, MAKE - ELGI FOR 3 PHASE LOCOMOTIVES TO M/s ELGI KIT PART NO. - 072490719. EACH SET CONSISTS 52 ITEMS IN 92 NOS. ACCEPTED : AS PER ENCLOSED OF ATTACHED.	001	BRC-ELS	3 Set	264083.08	31-JUL-2020
					002	BRC-ELS	2 Set	264083.08	17-SEP-2020
220	WR/22202118102707 dt. 29-MAY-2020 on M/s. AUTOMETERS ALLIANCE LTD-NOIDA	1872660		25208779: Periodic overhauling (POH) Replacement kit 4300007100 /33 for single bottle VCB of M/s AAL type VCBA 25.10 Tr. Kit consisting 37 items as per enclosed annexure	001	DHD-L	3 Set	124844.00	31-JUL-2020
					002	DHD-L	2 Set	124844.00	31-OCT-2020
					003	EMU-MX	5 Set	124844.00	31-JUL-2020
					004	EMU-MX	5 Set	124844.00	31-OCT-2020
221	WR/22195094102708 dt. 29-MAY-2020 on M/s. S. N. MECHANICAL ENTERPRISE PRIVATE LIMITED-HOWRAH	2612736		2597NS: AIR BRAKE CYLINDER 8"X8" COMPLETE TYPE UHA MOUNTING Z TO CLW DRG NO 01/3/19/56 ALT 10.	001	SSE LRS DHD	320 Nos.	8164.80	17-SEP-2020
222	WR/22195087102709 dt. 29-MAY-2020 on M/s. KONTACT CONSORTIUM INDIA PVT LTD-CHENNAI	1893900		2998NS00: SET OF CONNECTORS FOR WAP-5 THREE PHASE LOCOMOTIVES AS PER CLW SPECIFICATION NO. CLW/ES/3/0124. ALT NO. O. ONE SET CONSISTING OF 78 ITEMS AS PER ANNEXURE ATTACHED.	001	SSE(RS)BRCY	1 Set	1893900.00	21-SEP-2020
223	WR/22195069102710 dt. 29-MAY-2020 on M/s. FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR	2350630.8		2316NS: Set of pneumatic cock for crew friendly locos as per CLW specn. No. CLW/TS /99/CF-4 Alt.1. Set consisting 02 items 16 Nos as under. (1) 1.1/4 Inch isolating cock as per CLW Drg. No. 1209-18-306-187 Alt	001	SSE LRS DHD	30 Set	78354.36	18-SEP-2020
224	WR/22192226102711 dt. 29-MAY-2020 on M/s. D R AUTO INDUSTRIES-NOIDA	1194339.36		25618064: CFL (COMPACT FLORESCENT LAMP) ASSLY.COMPLETE WITH 100V DC,11W ,FLORESCENT TUBE - 02 NOS. ELECTRONICS LAMP BALLAST,-2 nos TO CLW SPECN. CLW/ES/L-22/D. as per Specn. CLW /ES/L-22/E.	001	DHD-L	543 Nos.	2199.52	07-JUL-2020
225	WR/09192714102712 dt. 29-MAY-2020 on M/s. FILTECH (INDIA)-KOLKATA	1819160		31643486: TR/MOTOR AIR FILTER COMPLETE WITH FRAME MODEL-HDP-500 TYPE FLANGE SIZE 508 X 254 X 95 MM CONSTRUCTION G.I.EFF.95% DOWN TO 5 MICRON AS PER DRG NO. ICF/SK-6-4-035 ALT-'Z'. as per Specn. ICF/SK6-4-035	001	DHD-L	15 Nos.	996.80	30-NOV-2020
					002	BCT-TR	33 Nos.	996.80	30-NOV-2020
					003	BCT-TR	77 Nos.	996.80	30-APR-2021
					004	EMU-MX	510 Nos.	996.80	30-NOV-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features



use period has ended.

Thank you for using

PDF Complete.

Click Here to upgrade to

Limited Pages and Expanded Features

				OF RUBBER COMPONENTS LVE OF EP BRAKE UNIT TYPE TR/RS/EMU 1287 SHEET 1/3 3 R1 AND SHEET 3/3 R1 1288. as per Specn.	005	EMU-MX	1190 Nos.	996.80	30-APR-2021
					001	EMU-MX	70 Set	5286.40	31-AUG-2020
					002	EMU-MX	70 Set	5286.40	31-DEC-2020
					003	BRCMEMU	18 Set	5286.40	31-AUG-2020
					004	BRCMEMU	18 Set	5286.40	31-DEC-2020
227	WR/09191072102714 dt. 29-MAY-2020 on M/s. M.M.HYDRO PNEUMATICS PVT.LTD.-MUMBAI	1359360	31395259 : METALLIC CAPSULES (SINTERED BRONZE) FOR PIPE LINE FILTER HOUSING AS PER RDSO DRG.NO.CG-K 5032.ALT.2.	001	DHD-L	500 Nos.	1359.36	31-JUL-2020	
				002	DHD-L	500 Nos.	1359.36	30-SEP-2020	
228	WR/28205007102721 dt. 29-MAY-2020 on M/s. JAINAM PHARMA INDIA PRIVATE LIMITED-MUMBAI	811854.4	8201N001 : TAB.OSELATAMVIR 75MG	001	JRH BCT	20950 Nos.	38.75	18-JUN-2020	
229	WR/29191619102722 dt. 29-MAY-2020 on M/s. JAINAM PHARMA INDIA PRIVATE LIMITED-MUMBAI	940363.2	82405440 : Stromatolyser 4DS for Sysmex XT2000 I - 3x42ml pack size. Transasia Biomedicals. MAKE / BRAND : SYSMEX.	001	JRH	18 Nos.	52242.40	29-MAY-2021	
230	WR/05190743102723 dt. 29-MAY-2020 on M/s. ORIENT PRESS LIMITED-MUMBAI	4128149.76	83040419 : PRINTING AND SUPPLY OF COMPUTERISED PRE PRINTED PRE-PERFORATED UNRESERVED TICKETS FOR UNRESERVED TICKETING SYSTEM AS PER SPECIFICATION ENCL.AS ANNEXURE A. MAKE/BRAND- ORIENT	001	MX-GSD	41648 THSND	99.12	28-JAN-2021	
231	WR/29204986102726 dt. 29-MAY-2020 on M/s. SYS MEDTECH INTERNATIONAL PRIVATE LIMITED-MUMBAI.	2100000	82800392 : Face mask of standard N-95 Masks having the following features -Shape that will not collapse easily, High filtration efficiency, Good breathability, with expiratory valve, Quality compliant with stand	001	JRH	25000 Nos.	84.00	18-JUN-2020	
232	WR/23200923102728 dt. 29-MAY-2020 on M/s. MELBROW ENGINEERING WORKS PVT. LTD.-KOLKATA	1492064	38106383 : Side Frame Friction Liner for Casnub 22W(M) bogies to RDSO Drg.no.SK-69594, Alt.-36, Item 7 & conforming to STR no.WD-21-Casnub-22NLB Bogle-93, Rev.2 July 2002, read with all Amdts, latest Amend no.5	001	SBI-GSD	2540 Nos.	224.00	31-DEC-2020	
				002	DHD-L	4121 Nos.	224.00	31-DEC-2020	
233	WR/23194004102729 dt. 29-MAY-2020 on M/s. NF FORGINGS PVT. LTD.-KOLKATA	2091936	38450975 : Two part sliding door arrangement for BCNHL wagons, to RDSO Drg.No.WD-11043-S-01, Alt.2 & WD-11043-S-02, Alt.2, as per Annexure-A, with one coat of zinc chrome primer paint. Copy of Annexure-A enclos	001	PRTN-CW	100 Nos.	20919.36	29-OCT-2020	
234	WR/15182050102730 dt. 29-MAY-2020 on M/s. GABRIEL INDIA LIMITED-PUNE	2195200	33500447 : YAW DAMPER TO RCF DRG NO LW-05103, ALT 'd' dated 06/08/2019 CONFORMING TO RDSO SPECIFICATION NO. RDSO/CG-18005 Rev. nil	001	PL-CR	22 Nos.	19600.00	11-JUL-2020	
				002	SBI-GSD	50 Nos.	19600.00	11-JUL-2020	
				003	BCT-CD	40 Nos.	19600.00	11-JUL-2020	
235	WR/88205171100251 dt. 29-MAY-2020 on M/s. POWER TECHNOLOGIES CORPORATION-NEW DELHI	580560	56980413 : LED SIGNAL LIGHTINIG UNIT 110V AC FOR POSITION LIGHT SHUNT SIGNAL IN RAILWAY SIGNALING AS PER RDSO/SPN/153/2011 (REV. 4.1)	001	SSE-SIGJND	100 Nos.	5805.60	13-JUL-2020	
236	WR/83205346100328 dt. 29-MAY-2020 on M/s. NEW TRACK SYSTEMS-ratlam	838224.8	5098N001 : COUNTER COMMUNICATION SYSTEM as per system description attached and specification attached. Note Bidder must attach the compliance of specification with bid. Accepted = Make/Brand :- Ahuja CCS 2300.	001	SSE/T/EX/ RTM	86 Nos.	9746.80	26-JUN-2020	
237	WR/23192262102733 dt. 29-MAY-2020 on M/s. ANNAPURNA ENGINEERING WORKS-HOWRAH	656600	38140949 : BRAKE SHOE KEY TO IRS DRG.NO.W/BG 6150 ALT.2 & confirming to IS:3885(part-1)-1992 (REAFFIRMED 2001) Amendment No.1 of January-1995, GR-4, OR IS:3195-1992, READ WITH ALL AMENDS.LATEST AMEND.NO.2 OF S	001	SBI-GSD	8600 Nos.	49.00	19-APR-2021	
				002	DHD-L	4800 Nos.	49.00	19-APR-2021	
238	WR/09200501102737 dt. 29-MAY-2020 on M/s. SKM INDUSTRIES-MUMBAI	1082424	31320338 : BREAK BEAM INNER AS PER ICF DRG.NO.DMU/DPC5-3-2-505, ALT-b.	001	EMU-MX	104 Nos.	2856.00	30-APR-2021	
				002	DHD-L	275 Nos.	2856.00	30-APR-2021	
239	WR/22193559102739 dt. 29-MAY-2020 on M/s. SUBHASH SALES CORPORATION.-MUMBAI	910535.2	25971890 : CAPACITOR 0.47 MFD, WORKING VOLTAGE 2000V, 2800 V PEAK, WITH FIXING CLAMP FOR HOLE STORAGE APPLICATION OF RSI BLOCK TYPE : (1) ICAR-ITALY MAKE IMPORTED CAPACITOR TYPE A-11.B.0.47-280 OR (2) GE-USA MAK	001	BL-ELS	22 Nos.	2253.80	30-SEP-2020	
				002	BL-ELS	22 Nos.	2253.80	31-DEC-2020	
				003	RTM-DL	12 Nos.	2253.80	30-SEP-2020	
				004	RTM-DL	12 Nos.	2253.80	31-DEC-2020	
				005	DHD-L	168 Nos.	2253.80	30-SEP-2020	



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

OF GEAR AND PINION OF
EAR CASE CONSIST OF (1)
S PER ABB
00232 REV.1, Qty-01 No. (2)
GEAR AS PER ABB
00231 REV.F, Qty-01 No.

				006	DHD-L	168 Nos.	2253.80	31-DEC-2020
				001	BRC-ELS	6 Set	67850.00	17-JUN-2020
				002	BRC-ELS	6 Set	67850.00	31-OCT-2020
				001	BL-ELS	56 Nos.	3221.40	29-NOV-2020
				002	BRC-ELS	36 Nos.	3221.40	29-NOV-2020
				003	DHD-L	207 Nos.	3221.40	29-NOV-2020
				001	BRC-ELS	32 Set	25312.00	29-APR-2021
				001	BL-ELS	119 Set	2520.00	29-NOV-2020
				002	BRC-ELS	218 Set	2520.00	29-NOV-2020
				001	BRCMEMU	3 Nos.	47790.00	29-JAN-2021
				002	DHD-L	15 Nos.	47790.00	29-JAN-2021
				001	JRH BCT	25000 Nos.	32.08	05-JUN-2020
				001	PL-CR	114 Set	139840.00	30-JUL-2020
				002	PL-CR	114 Set	139840.00	30-SEP-2020
				003	PL-CR	114 Set	139840.00	30-NOV-2020
				004	PL-CR	114 Set	139840.00	30-JAN-2021
				005	BCT-CD	20 Set	139840.00	30-JUL-2020
				006	BVP-BG	12 Set	139840.00	30-JUL-2020
				001	SSE-F/PDHD	3750 Kgs.	290.28	29-AUG-2020
				001	BCT-TR	2144 Nos.	476.00	31-AUG-2020
				002	EMU-MX	1241 Nos.	476.00	31-AUG-2020
				001	PL-CR	1345 Nos.	669.06	30-JUN-2020
				002	PL-CR	1300 Nos.	669.06	30-SEP-2020
				003	BCT-CD	844 Nos.	669.06	30-JUN-2020
				004	SBI-GSD	198 Nos.	669.06	30-JUN-2020
				001	BCT-CD	25 Set	7249.92	15-OCT-2020
				002	PL-CR	150 Set	7249.92	15-OCT-2020
				003	SBI-GSD	75 Set	7249.92	15-OCT-2020
				001	PRTN-CW	12 Set	75033.60	02-AUG-2020
				001	SE TRD VS	4700 MTR	541.62	29-SEP-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			JOINTLESS HARD DRAWN COPPER CONTACT WIRE , 107 SQ.MM MADE OUT OF CONTINUOUS CAST COPPER WIRE RODS AS PER RDSO SPECIFICATION NO. ETI/OHE/76(06/97) A & C SLIP NO. 1,3,4,5,6,7,8,9 & 10 OR	001	SE TRD VS	1600 MTR	541.62	29-SEP-2020
			1000MM LED LAMP 2 FEET LONG SUITABLE FOR RETROFITMENT WITH INBUILT DRIVER, 9 WATT, 90V-140V DC/AC AS PER ICF SPEC. NO. ICF/ELEC/960 (REV-0) & TUBE TYPE - A. TEST REPORT FROM NABL ACCREDITED LAB SHOULD	001	SSEMEMUDHD	5227 Nos.	252.00	31-AUG-2020
255	WR/06195022102755 dt. 29- MAY-2020 on M/s. MAHADEV SAUR URJA PROJECTS PRIVATE LIMITED- GHAZIABAD	1528320	45178203: DIESEL LOCOMOTIVE STARTER LEAD ACID BATTERY (L.M.) 8V/450 AH CAPACITY FOR WDM2/WDS-4 LOCOS AS PER RDSO SPECIFICATION NO.MP.0.24.00.65 (REV.00) DEC. 2009.	001	SSEMEMUDHD	30 Nos.	50944.00	29-AUG-2020
256	WR/06195023102756 dt. 29- MAY-2020 on M/s. AMPL CORPORATION PRIVATE LIMITED-JAIPUR	3090007	3712N01: 10 KVA DA SET FOR DETC/US TO SPECIFICATION NO. ICF/ELEC /OHE/007.REV.00 CS-01	001	SSEMEMUDHD	10 Nos.	309000.70	29-AUG-2020
257	WR/06195027102757 dt. 29- MAY-2020 on M/s. APAR INDUSTRIES LIMITED- SILVASSA	19743924.26	46330112: HARD DRAWN GROOVED COPPER CONTACT WIRE JOINTLESS, 107 SQ.MM MADE OUT OF CONTINUOUS CAST COPPER WIRE RODS. AS PER RDSO SPECIFICATION NO. ETI/OHE/76 (6/97) A & C SLIP NO. 1,3,4,5,6,7,8 & 9 4633NS01: HARD DRAWN GROOVED COPPER CONTACT WIRE JOINTLESS, 107 SQ.MM MADE OUT OF CONTINUOUS CAST COPPER WIRE RODS. AS PER RDSO SPECIFICATION NO. ETI/OHE/76 (6/97) A & C SLIP NO. 1,3,4,5,6,7,8 & 9 4698N001: HARD DRAWN GROOVED COPPER CONTACT WIRE JOINTLESS, 107 SQ.MM MADE OUT OF CONTINUOUS CAST COPPER WIRE RODS. AS PER RDSO SPECIFICATION NO. ETI/OHE/76 (6/97) A & C SLIP NO. 1,3,4,5,6,7,8 & 9(Material requi	001	DHD-TR	10000 MTR	548.75	29-SEP-2020
				002	SE TRD VS	12000 MTR	548.75	29-SEP-2020
				003	DEE(C) RTM	13980 MTR	548.75	29-SEP-2020
258	WR/03192166102758 dt. 29- MAY-2020 on M/s. D BACHUBHAI AND BROTHERS-MUMBAI	1023653.62	73850305: HEX HEAD SCREW ASSEMBLY FOR BATTERY BOX FITMENT SIZE - M16 X 50 mm (Table-A) AS PER CWM/PL'S DRG NO.C/BY-30/C ALT 3,ITEM NO.1 TO 5.	001	PL-CR	27993 Nos.	36.57	16-OCT-2020
259	WR/04191929102759 dt. 29- MAY-2020 on M/s. SHAKTI ENTERPRISES.-THANE W	1479720	77033073: Epoxy Gel Coat RED with hardner and thinner. One set consisting of :- (1)Epoxy Gel - 3 Kgs. (2) Epoxy Hardner EH-411 - 1 Kgs. (3) Epoxy Thinner 221 - 0.9 Kgs. Make: Elantas Beck / Tuff Bond .	001	SBI-GSD	300 Set	1947.00	30-MAY-2020
				002	SBI-GSD	300 Set	1947.00	30-APR-2021
				003	MX-GSD	80 Set	1947.00	30-MAY-2020
				004	MX-GSD	80 Set	1947.00	30-APR-2021
260	WR/06201305102761 dt. 30- MAY-2020 on M/s. SARIA INDUSTRIES CORPORATION-HOWRAH	9692829.16	45189791: RAILWAY CARRIAGE FAN 110 V AC FIXED TYPE 450 MM SWEEP CONFIRMING TO RDSO SPECIFICATION NO.RDSO/PE /SPEC/TL/0050-2010 (REV.1) WITHOUT GUARDS (CLAUSE 4.2). as per Specn. RDSO/PE/TL/0050	001	EMU-MX	3300 Nos.	2503.96	30-APR-2021
				002	BCT-TR	571 Nos.	2503.96	30-APR-2021
261	WR/10195028102762 dt. 30- MAY-2020 on M/s. RT VISION TECHNOLOGIES P LTD.- NOIDA	738864	4515NS: 05 watt tubular LED lamp suitable for retrofitment In the existing holder of 11 Watt 04 pin CFL in TL and AC Coaches as per ICF SPECN. No. ICF/ELEC/960 (Rev.0) Type-C with CS1,CS2 & CS3.	001	SSE-TL-BVP	3665 Nos.	201.60	30-AUG-2020
262	WR/10195028102763 dt. 30- MAY-2020 on M/s. SYSKA LED LIGHTS PVT LTD-PUNE	738864	4515NS: 05 watt tubular LED lamp suitable for retrofitment In the existing holder of 11 Watt 04 pin CFL in TL and AC Coaches as per ICF SPECN. No. ICF/ELEC/960 (Rev.0) Type-C with CS1,CS2 & CS3.	001	SSE-TL-BVP	3665 Nos.	201.60	30-AUG-2020
263	WR/15202172102769 dt. 30- MAY-2020 on M/s. KNORR BREMSE INDIA PVT LTD- PALWAL	3746400	33501427: STANDARDIZED BRAKE DISC FOR LHB COACHES TO RDSO SPECIFICATION NUMBER RDSO/2017/CG-02.	001	PL-CR	30 Nos.	74928.00	31-AUG-2020
				002	PL-CR	20 Nos.	74928.00	31-MAY-2021
264	WR/05193111102771 dt. 30- MAY-2020 on M/s. DEVHARSH INFOTECH PVT. LTD.- MUMBAI	5174400	83054054: UTS THERMAL PAPER TICKET AS PER ENCLOSED SPECN.	001	MX-GSD	20000 THSND	258.72	30-SEP-2020
265	WR/15200685102772 dt. 30- MAY-2020 on M/s. CALSTAR STEEL LTD-KOLKATA	2100000	30328391: BRAKE GEAR BUSH FOR ICF COACHES AS PER RDSO SK-81039, ALT.-15, AND ITEM NO.-2 (42+0.35/+0.15 X 32+0.2/-0.1 X 20+0.0/-0.5 MM LONG) AND MATERIAL CONFORMING TO RDSO SPECN. NO. - C-K 605 (REV-2) AUGUST-20	001	PL-CR	25000 Nos.	21.00	30-SEP-2020
				002	PL-CR	25000 Nos.	21.00	31-DEC-2020
				003	PL-CR	50000 Nos.	21.00	31-MAY-2021



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			Standardized brake disc for LHB Specification number 02	001	SSE/Wheel/PL	300 Nos.	74928.00	30-NOV-2020
			TING TACKLE (CAP-25T) AS ION AND SKETCH EPTED : OWN BRAND	001	CWS BDTS	1 Set	590000.00	16-JUL-2020
268	WR/81205416100461 dt. 31- MAY-2020 on M/s. THE TECHNICIANS-ASANSOL	575840	60NSN00 : HYDRAULIC RAIL TENSOR NON INFRINGING TYPE (70 T CAP.) () SPECIFICATION ATTACHED) ACCEPTED MAKE/BRAND : " the Technicians"	001	PWI BL	4 Nos.	143960.00	16-JUL-2020
269	WR/22195063102786 dt. 01- JUN-2020 on M/s. AIR CONTROL AND CHEMICAL ENGG CO LTD-AHMEDABAD	4283400	2597NS : Blower for transformer oil cooler with motor (MVRH) to CLW specification No. CLW/ES/B-14/C	001	SSE LRS DHD	30 Set	142780.00	01-JUN-2021
270	WR/22195083102787 dt. 01- JUN-2020 on M/s. ARIHANT ELECTRICALS-NEW DELHI	1665145.2	2998NS00 : SET OF RING DISC PACK CONSISTS 03 ITEMS IN 10NOS.AS PER ATTACHED ANNEXURE FOR WAP-5 LOCOs.	001	SSE(RS)BRCY	2 Set	832572.60	02-NOV-2020
271	WR/22205003102788 dt. 01- JUN-2020 on M/s. AUTOMETERS ALLIANCE LTD-NOIDA	1154832.96	2366NS : RELAY COMPLETE ASSEMBLY (DU- Q30) AS PER CLW SPECN. NO. CLW/ES/R-27 ALT-Z . AAL DRG. NO. KA210013R0026.	001	SSE LRS DHD	12 Nos.	96236.08	01-DEC-2020
272	WR/22205023102790 dt. 01- JUN-2020 on M/s. NATIONAL INDUSTRIES-HOWRAH	1124791.36	25100014 : SET OF MODIFIED LUBRICATED PIN FOR EQUALISER, COMPENSATION BEAM AND LINK FOR WAG7 ELECTRIC LOCO. SET CONSISTS OF 02 ITEMS AND 28 ITEMS AS UNDER- (i) EQUALISER PIN TO RDSO DRG. NO. SKVL-703 ALT.2 REF.1	001	SSE LRS DHD	22 Set	51126.88	30-APR-2021
273	WR/14205072102791 dt. 01- JUN-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	2067360	8598NS : CYLINDRICAL ROLLER BEARING FOR AXLE BOX BEARING UNIT OF WAP-7/WAG-9 LOCO CRU-150 SKF GERMANY NO.BC-2-0067A,SKF(INDIA) NO.BC-2-0067 D/W33 NEI JAIPUR NO. RB5080D SCHAEFFLER INDIA NO. F807259.02.ZL(WITH	001	SSE W-SHOP DHD	60 Nos.	34456.00	01-OCT-2020
274	WR/07201244102792 dt. 01- JUN-2020 on M/s. VIJAY ELECTRONICS-NEW DELHI	2340966.6	56150027 : DRY CELL (HEAVY DUTY) 1.5 VOLT (PRIMARY CELL-SITEL) AS PER IRS:S-95/96 AMDT.01 specn: BSS1659 Brand ELECTRA.	001	SBI-GSD	2000 Nos.	554.60	15-JUL-2020
				002	SBI-GSD	2221 Nos.	554.60	15-DEC-2020
275	WR/81205493100463 dt. 01- JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	680624	5698NS : Modem card for field unit of Multi Section Digital Axle Counter system as per RDSO specn.No. RDSO/SPN/176/2013. Make: CEL.	001	SSE SIG BL	20 Nos.	34031.20	17-JUL-2020
276	WR/22185018102795 dt. 01- JUN-2020 on M/s. D.R.STEEL AND INDUSTRIES PVT LTD.- KOLKATA	11242560	2598N003 : COMPLETE BRAKE GEAR ARRANGEMENT FOR WAG-7 LOCOS AS PER CLW DRG NO. 06/1/19/108 ALT-4 (SHEET NO.1) AND 06/2/19/108 ALT. NIL (SHEET NO.2). COMPLETE ARRANGEMENT CONSISTING 66 ITEMS 525 NOS AS PER ENCLOSE	001	SSE LRS DHD	60 Set	187376.00	01-DEC-2020
277	WR/88205238100254 dt. 01- JUN-2020 on M/s. EPSILON ELECTRONIC EQUIPMENT AND COMPONENTS PRIVATE LIMITED-HYDERABAD	637200	5023N11 : Desk type 2 Wire/12 Way DTMF Selective Telephone as per RDSO specification no. IRS-TC 80/2000 with amendment no. 03 or latest.	001	SSE/TELE/M/BVP	300 Nos.	2124.00	24-AUG-2020
278	WR/86195703100569 dt. 01- JUN-2020 on M/s. MICROMAP ELECTRONIC SYSTEMS PVT. LTD.-LUCKNOW	1221536	NS : 48 V DC working ADD Drop STM -I Synchrous Multiplexer Equipment upgradable to STM -4 conforming to TEC GR No. GR/TX/SDH -004/04 Jan 2011. Accepted Make/Model : TJ1400 (with 21 E1 card only).	001	CTCI-MSH	8 Nos.	152692.00	31-JUL-2020
279	WR/61195742100630 dt. 02- JUN-2020 on M/s. ELCO ENTERPRISE-KOLKATA	1864800	2598NS : Inductive shunt assembly (SJ) type NR 59 A1 to CLW Drg. No. 2TWD.133.021 Alt-3, conforming to specn. No. 4TES.133.001 Alt.6. ACCEPTED MAKE/BRAND SELF	001	SSE LRS DHD	9 Nos.	207200.00	01-AUG-2020
280	WR/61205075100631 dt. 02- JUN-2020 on M/s. KNORR- BREMSE INDIA PVT. LTD.- PALWAL	950022.72	2916NS : OVERHAULING SPARES FOR KNORR MAKE PEC7 TBU/PBU FOR WAG-9/WAP-7 LOCOMOTIVESCONSISTS OF 63 ITEMS 1156 NOS AS PER KBI ANNEXURE ACCEPTED DESCRIPTION Overhauling kit for Knorr Bremsemake old TBU/PBU Part	001	SSE LRS DHD	2 Set	475011.36	29-MAR-2021
281	WR/61205237100632 dt. 02- JUN-2020 on M/s. METALGENE ENGINEERING-INDORE	712185.6	2398NS : Top operated Handle for CBC [12 Items 76 Nos.] Sr.No. [1] Description: Operating Rod RH, Qty.=02, Drg. No. DEE/RS/EDMECH:103 Alt.-1 [2] Description: Operating Rod LH, Qty.=02, Drg. No. DEE/RS /EDMECH	001	SSE LRS DHD	84 Set	8478.40	30-SEP-2020
282	WR/22200662102796 dt. 02- JUN-2020 on M/s. SIENA ENGINEERING PVT. LTD.- INDORE	1048320	23131652 : CENTRE BUFFER COUPLER TRANSITION ARRANGEMENT WITH HIGH CAPACITY DRAFT GEAR SUITABLE FOR HIGH TENSILE CBC AS PER DRG NO. SKDL-3430,	001	DHD-L	8 Nos.	131040.00	02-DEC-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

2724, ALT-28 CONTAINING
TEM NOS. 01 TO
NTRE BUFFER COUPLER
RANGEMENT WITH HIGH
T GEAR SUITABLE FOR HIGH
; PER DRG NO. SKDL-3430,
2724, ALT-28 CONTAINING
TEM NOS. 01 TO

284	WR/04205062102809 dt. 03-JUN-2020 on M/s. VIBGYOR PAINTS AND CHEMICALS PONDICHERRY-CHENNAI	1092419.36	2398NS: SET OF PU PAINT & PUTTY AS PER RDSO SPECN NO. M&C/PCN/100/2013, ONE SET CONSISTING 09 ITEMS AS PER ANNEXURE ENCLOSED.	001	SSE LRS DHD	84 Set	13004.99	02-AUG-2020
285	WR/14200798102810 dt. 03-JUN-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	1038636	85175341: Tapped Roller Bearing for Suspension Assly. of Electric Locomotives GWE-type M249747/M249710 of M/s.Timken or equivalent. RDSO approved brands. specn: M249747/M249710	001	DHD-L	54 Nos.	19234.00	03-OCT-2020
286	WR/10195023102813 dt. 03-JUN-2020 on M/s. LEONI CABLE SOLUTIONS INDIA PRIVATE LIMITED-Pune	2735004	40120302: Thin walled Electron beam irradiated / chemically cured cross-linked flexible elastomeric cable with copper conductor single core, Size: 2.5 Sq.mm, 3000V to RDSO specification No.ELRS/SPEC/ELC/ 0019,	001	BL-ELS	4710 MTR	34.81	03-AUG-2020
			40122785: Thin walled Electron beam irradiated / chemically cured cross-linked flexible elastomeric cable with copper conductor single core, Size: 120 Sq.mm, 3000V to RDSO specification No.ELRS/SPEC/ELC/ 0019,	002	EMU-MX	975 MTR	1038.40	30-SEP-2020
			4098N001: Thin walled Electron beam irradiated / chemically cured cross-linked flexible elastomeric cable with copper conductor single core, Size: 2.5 Sq.mm, 3000V to RDSO specification No.ELRS/SPEC/ELC/ 0019,	003	SSEMEMUDHD	9690 MTR	34.81	03-AUG-2020
			4098N004: Thin walled Electron beam irradiated / chemically cured cross-linked flexible elastomeric cable with copper conductor single core, Size: 95 Sq.mm, 3000V to RDSO specification No.ELRS/SPEC/ELC/ 0019, R	004	SSEMEMUDHD	1380 MTR	885.00	03-AUG-2020
287	WR/10195017102815 dt. 03-JUN-2020 on M/s. RADIANT - RSCC SPECIALTY CABLE PRIVATE LIMITED-HYDERABAD	751896	4098N001: Thin walled Electron beam irradiated / chemically cured cross-linked flexible elastomeric cable with copper conductor single core, Size: 2.5 Sq.mm, 3000V to RDSO specification No.ELRS/SPEC/ELC/ 0019,	001	SSEMEMUDHD	21600 MTR	34.81	03-AUG-2020
288	WR/86205257100576 dt. 04-JUN-2020 on M/s. SUDHIR SALES AND SERVICES LIMITED-AHMEDABAD	2342948.15	1954NS: QSK50 DEMU 750HR KIT, CIL PART NO. KIT3238673. Accepted Make: CIL.	001	SSE-DEMADI	24 Nos.	97622.84	03-AUG-2020
289	WR/88205206200261 dt. 04-JUN-2020 on M/s. PIONEER ENTERPRISES	621000	7901NS: Que Manager (Crowd Control Equipment) as per specification attached	001	ASC BVP	345 Nos.	1800.00	03-AUG-2020
290	WR/53195267100062 dt. 04-JUN-2020 on M/s. MEDHA SERVO DRIVES PRIVATE LIMITED-HYDERABAD	514857.6	5698N001: INDICATION PANEL FOR AAWS AS PER MEDHA CODE NO.SP140101011). PAC IN FAVOUR OF M/S MEDHA SERVO DRIVES PVT. LTD.	001	SSE H/RBCT	4 Nos.	128714.40	05-JUL-2020
291	WR/11205003102817 dt. 04-JUN-2020 on M/s. BIO IMPLANTS INDIA PVT LIMITED-CHENNAI	761999.84	8235N001: PORTABLE VENTILATOR MTV 1000 AS PER ACCEPTED MAKE/BRAND:TRIVITRON-MTV 1000	001	JRH BCT	1 Nos.	761999.84	03-AUG-2020
292	WR/14203962202818 dt. 04-JUN-2020 on M/s. MULTIVISTA GLOBAL PRIVATE LIMITED-CHENNAI	12580499.2	85908320: UIC - 130 pre -sealed, pre-set and pre-lubricated cartridge taper roller bearings CTRB for use on coaches of LHB design FIAT specification number 17.565 partial Document 100 ver.01 and 17.565 partial	001	PL-CR	320 Nos.	39314.06	04-DEC-2020
293	WR/06201204102819 dt. 04-JUN-2020 on M/s. IC ELECTRICALS COMPANY PRIVATE LIMITED-NEW DELHI	892646.4	45014700: "SERIES TYPE OVER VOLTAGE PROTECTION (OVP) SUITABLE FOR ALL MAKE OF 25 KW ERRU AS PER RDSO FRS NO RDSO/PE/FRS/AC/0005-2013.MAKE ANY OF OEM OF ERRU APPROVED BY RDSO'.	001	PL-CR	128 Nos.	6973.80	04-OCT-2020
294	WR/03191633102820 dt. 04-JUN-2020 on M/s. MOHINDRA ENTERPRISES-JALANDHAR	826567.24	73254344: "M.S.SNAP HEAD RIVET OF 20 MM DIAMETER HAVING A LENGTH OF 80 MM CONFORMING TO IS:1929 -1982 (FIRST REVISION) REAFFIRMED 2011 AND MATERIAL CONFORMING TO IS: 1148 - 2009 (FOURTH REVISION)."	001	PRTN-CW	4250 Kgs.	60.14	31-JUL-2020
				002	DHD-L	9493 Kgs.	60.14	31-JUL-2020
295	WR/29204990102822 dt. 04-JUN-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	9408000	82800440: Disposable Surgical Inner Gown comprising of five items as per attached specification. Make/Brand- Self.	001	JRH	7000 Nos.	1344.00	03-JUL-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			IPS FX PHACO HAND PIECE d - 690880 - JJSV	001	JRH BCT	2 Nos.	301960.96	02-OCT-2020
			former Main 5400 KVA for ocomotives as per CLW CLW/ES/T-22/ Alt.O and STR No. RDSO/2009/EL/STR/0053 Rev.O	001	SSE LRS DHD	1 Nos.	4366000.00	05-DEC-2020
298	WR/61196454100654 dt. 05-JUN-2020 on M/s. NATIONAL ENGINEERING INDUSTRIES LTD.-JAIPUR	1045856	2598NS : SPARES FOR NEI AXLE BOX OF WAP1/WAP-4 LOCO AS PER NEI DRG.NO. X-186 ONE SET CONSISTS OF ITEMS AS PER ANNEXURE ENCLOSED TOTAL 5 ITEMS 6 COMPONENTS IN EACH SET ACCEPTED DESCRIPTION : THROWER TO NEI DRG	001	SSE W-SHOP DHD	46 Set	22736.00	02-DEC-2020
299	WR/61195196100656 dt. 05-JUN-2020 on M/s. SI AIR SPRINGS PRIVATE LIMITED-MADURAI	4614400	30057309 : HIGHER CAPACITY AIR SPRING ASSEMBLY 180 KN CAPACITY TO RDSO STR NO C - K-406, REV.-2 WITH AMENDMENT -3 AS PER RDSO APPROVED DRAWING. Scope of supply shall be as per clause 4.1 of C-K406 (Rev.2) with	001	SSEMEMUDHD	40 Nos.	115360.00	03-SEP-2020
300	WR/29205023102834 dt. 05-JUN-2020 on M/s. EXAOSIS HEALTHCARE PRIVATE LIMITED-NEW DELHI	11519200	8235N001 : ICU VENTILATOR . As per accepted make/brand: Jyoti -DHAMAN III	001	JRH BCT	17 Nos.	677600.00	30-JUN-2020
301	WR/29205032102836 dt. 05-JUN-2020 on M/s. GREEN RUBBER INDIA-NEW DELHI	1778112	8235N001 : 1 PROANOL 45GM WITH 2 PROPANOL 30GM AND MECETRONIUM METILSULPHATE 0.2G IN 100GM DISINFECTANT HAND WASH- 500ML	001	JRH BCT	11340 Nos.	156.80	03-SEP-2020
302	WR/11205008102838 dt. 06-JUN-2020 on M/s. JAYGURU ELECTRICAL AND POWER NAGPUR-NAGPUR	751070	8235NS01 : Class 'B' Table Top Autoclave. Accepted make/brand: KLEMAR.	001	JRH BCT	1 Nos.	751070.00	04-OCT-2020
303	WR/22195092102839 dt. 06-JUN-2020 on M/s. SPECIAL ENGINEERING SERVICES LIMITED-KOLKATA	6504960	2996NS00 : Set of Axle Boxes complete without roller bearing (CRU-150) for WAG-9 / WAP-7 locos as per CLW Specn no.CLW/MS /3/003 Alt- 5. One set consists of 03 Items = Total 12 Nos (1) Axle Box complete with Ear	001	SSE(RS)BRCY	8 Set	813120.00	06-DEC-2020
304	WR/09203281102840 dt. 06-JUN-2020 on M/s. SUDHIR SALES AND SERVICES LIMITED-AHMEDABAD	677251.81	31930750 : ELEMENT AIR CLEANER OUTER M/S.CDSS PART NO:4055280 OR M/S.FLEET GUARD PART NO:AF-1848 FOR 700 HP.	001	SBI-DL	127 Nos.	5332.69	06-FEB-2021
305	WR/15192062102842 dt. 06-JUN-2020 on M/s. PRAG INDUSTRIES (INDIA) PVT. LTD.-LUCKNOW	913920	33503000 : RUBBER SPRING TO DRG.NO.1268685 VER 02 AND TO BE READ WITH T.S.17.531.100.03, T.S.17.617 100 02, MDTs 148.REV.01 AND MDTs-122.REV.03	001	PL-CR	320 Nos.	2856.00	31-MAY-2021
306	WR/23193534102843 dt. 06-JUN-2020 on M/s. GREYSHAM INTERNATIONAL PVT. LTD.-NOIDA	770560	38166185 : POH Kit for common pipe bracket for C3W type D.V. consisting of four items, conforming to air brake maintenance manual G-97, for freight stock , read with all amendments, latest Amendment No.3 of JAN-2	001	DHD-L	300 Set	481.60	06-DEC-2020
				002	DHD-L	600 Set	481.60	30-JUN-2021
				003	PRTN-CW	300 Set	481.60	06-DEC-2020
				004	PRTN-CW	400 Set	481.60	30-JUN-2021
307	WR/81205566100499 dt. 06-JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	612561.6	5698NS : DC-DC Converter (Hot stand by type) suitable for Existing UFSBI (Universal fail Safe Block instrument) system as per specification No. IRS:S- 105/2012 Ver 0. Make- Deltron Equipment & systems PVT LTD	001	SSE-SIGNDB	14 Nos.	43754.40	20-AUG-2020
308	WR/81205572100510 dt. 07-JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	595546	5698NS : Mother Board compatible for existing UFSBI (Universal fail safe block Instrument) System fitted in 6-U Rack. As per Specification No. IRS:S-105/2012 Make- Deltron Equipment & Systems PVT LTD. Accept	001	SSE-SIGNDB	14 Nos.	42539.00	07-AUG-2020
309	WR/81205565100511 dt. 07-JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	765702	5698NS : Out Put card compatible with existing UFSBI (Universal fail safe block Instrument) system as per specification no IRS:S-105/2012 Ver 0. Make- Deltron Equipment and System PVT LTD. Accepted - Out Put	001	SSE-SIGNDB	28 Nos.	27346.50	07-AUG-2020
310	WR/23190915102853 dt. 08-JUN-2020 on M/s. PAX ENGINEERS-HOWRAH	528141.6	38165168 : Dirt Collector Assy. To RDSO Drg.No.WD-92051-S-03, Alt-4 & other technical requirement confirming to STR.no 02-ABR-02, Appendix-E, Read with all Amendments, Latest Amend.4 of Sept-2016	001	SBI-GSD	6 Nos.	1058.40	30-SEP-2020
				002	DHD-L	93 Nos.	1058.40	30-SEP-2020
				003	PRTN-CW	400 Nos.	1058.40	30-SEP-2020
311	WR/22193996102854 dt. 08-JUN-2020 on M/s. BHARAT RAIL O MOTIVE	525690	29708023 : Set of Rotary Switch as per CLW specn. no. CLW/ES/ 3/0068 consist of 03 items. 1)Failure mode operation ABB	001	BRC-ELS	9 Set	58410.00	08-JUN-2021



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

3TB5855 80R1032 2)Bogie
3B document
R 1022 3)Vig
charge /Earthing Rod for 25
mplete with 10 mtr.cable
and Earthing Clamp as per
on No.ETI/OHE/51(9/87)
as Bag in Three fold Make

				31171117: POH KIT FOR C3W TYPE DISTRIBUTOR VALVE FOR FREIGHT STOCK CONFORMING TO AIR BRAKE MAINTENANCE MANUAL G-97,READ WITH ALL AMENDMENTS, LATEST AMDT.NO.3 OF JAN-2010,TOTAL 41 ITEMS AS PER ANNEX.XIII/3 FI	001	PRTN-CW	300 Set	2994.99	31-OCT-2020
					002	DHD-L	100 Set	2994.99	31-OCT-2020
					001	PL-CR	6000 Nos.	103.04	30-APR-2021
					002	BVP-BG	3842 Nos.	103.04	30-APR-2021
					003	PRTN-CW	523 Nos.	103.04	30-APR-2021
					001	PL-CR	20000 Nos.	39.48	31-DEC-2020
					002	PL-CR	60000 Nos.	39.48	31-MAY-2021
					001	SSE/P.W/D/RJT	40 Nos.	30489.00	02-AUG-2020
					001	SBI-DL	8820 LTR	172.87	31-MAR-2021
					002	VTA-DL	13069 LTR	172.87	31-MAR-2021
					003	RTM-DL	6324 LTR	172.87	31-MAR-2021
					001	DHD-L	12 Nos.	136640.00	30-APR-2021
					002	BRCMEMU	2 Nos.	136640.00	30-APR-2021
					001	BRC-ELS	400 Nos.	5572.00	09-APR-2021
					001	BRC-ELS	220 Nos.	19704.32	30-APR-2021
					001	BRC-ELS	50 Set	71120.00	30-APR-2021
					001	BRC-ELS	120 Nos.	23408.00	30-APR-2021
					001	DHD-L	6385 Nos.	60.37	30-APR-2021
					002	PRTN-CW	1500 Nos.	60.37	09-JAN-2021
					003	PRTN-CW	3138 Nos.	60.37	30-APR-2021
					004	SBI-GSD	2000 Nos.	60.37	09-JAN-2021
					005	DHD-L	3000 Nos.	60.37	09-JAN-2021
					001	PWI ADH	10 Nos.	101480.00	25-JUL-2020
					001	SSE CRSMX	200 Set	2870.94	09-AUG-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			ed slack adjuster bottom for per Drg.No. 02 Sheet 1/2. As per CLW es only. Note: (1) Material y packed in wooden box.(2) ia	001	SSE (S)BL	200 Nos.	4163.04	21-JUL-2020
			pension Arrangement with o type) AS PER ICF DRG.NO:ICF/MRV/C-6-4-003.Alt 'd' NIL.	001	EMU-MX	3000 Nos.	314.72	30-APR-2021
328	WR/22191276102876 dt. 10-JUN-2020 on M/s. RSI SWITCHGEAR PVT.LTD.-ALWAR	580560	25658232: RS resistor field weakening for 3 shunting notches with punched grid elements for WAG7 locomotives as per CLW specn. No. CLW/ES/R-39 Alt-D.Mounting details as per Sketch no.CLW/ES/SK-14/R-39 Alt-D.Eac	001	DHD-L	2 Nos.	290280.00	10-FEB-2021
329	WR/22191276102877 dt. 10-JUN-2020 on M/s. RESITECH ELECTRICALS PVT.LTD.-KOLKATA	580560	25658232: RS resistor field weakening for 3 shunting notches with punched grid elements for WAG7 locomotives as per CLW specn. No. CLW/ES/R-39 Alt-D.Mounting details as per Sketch no.CLW/ES/SK-14/R-39 Alt-D.Eac	001	DHD-L	2 Nos.	290280.00	10-FEB-2021
330	WR/22192188102878 dt. 10-JUN-2020 on M/s. MEHROTRA AND COMPANY-KANPUR	1890000	25173005: FILTER PANEL ASSLY.FOR M10 TYPE FILTER MEDIA, AS PER CLW DRG.NO.03/2/45/31,ALT.6 SUITABLE FOR WAP4,WAG7 LOCOS. specn: WR/CCG/EL/3-F5	001	BL-ELS	200 Nos.	1400.00	30-APR-2021
				002	DHD-L	1000 Nos.	1400.00	30-APR-2021
				003	RTM-DL	150 Nos.	1400.00	30-APR-2021
331	WR/22200703102879 dt. 10-JUN-2020 on M/s. D.R.STEEL AND INDUSTRIES PVT LTD.-KOLKATA	2551920	25974221: GEAR CASE ASSEMBLY FOR HITACHI TYPE TRACTION MOTOR AS PER CLW DRG.NOS (1) 05/1/13/166 ALT.15 (2) 05 /1/13/167 ALT.5 (3) 05/1/13/169 ALT.8 (4) 05/1/13 /203 ALT.1 (5) 05/4/13/204 ALT NIL (6) 05/4/13/205	001	DHD-L	47 Nos.	24304.00	30-SEP-2020
				002	RTM-DL	27 Nos.	24304.00	30-SEP-2020
				003	BL-ELS	31 Nos.	24304.00	30-SEP-2020
332	WR/22191284102880 dt. 10-JUN-2020 on M/s. MELBROW ENGINEERING WORKS PVT. LTD.-KOLKATA	918400	23100011: 6 MM thick Manganese Steel liner as per drg. no WR-DHD-EL/4-BG 004. Alt-2 & Amendment no.1 Dt: 05.03.2001 of RDSO SMI no. ELRS/SMI/186 of May 1997 for Top & Bottom end Plates of Sandwich Mounting f	001	DHD-L	1000 Nos.	918.40	10-DEC-2020
333	WR/22190603102881 dt. 10-JUN-2020 on M/s. TRIMURTI TRADING COMPANY-MUMBAI	1743322.56	25970094: PRESSURE SWITCH SWC, TYPE RT 200X OF M/S INDFOSS OR EQUIVALENT SUITABLE FOR ELECTRIC LOCOS. specn: RT-200X Make/Brand - SWITZER MAKE INDFOS BRAND RT200 PBX. 25970124: PRESSURE SWITCH TYPE RT5X FOR RGCP/RGEB/RGAF APPLICATION.INDFOS MODEL RT5(PB)X. or equivalent. as per Specn. TYPE RT S X Make/Brand - SWITZER MAKE INDFOS BRAND RT 5 PBX. 25970124: PRESSURE SWITCH TYPE RT5X FOR RGCP/RGEB/RGAF APPLICATION.INDFOS MODEL RT5(PB)X. or equivalent. as per Specn. TYPE RT S X Make/Brand - SWITZER MAKE INDFOS BRAND RT 5 PBX.	001	VTA-DL	4 Nos.	5188.46	10-DEC-2020
				002	BRC-ELS	28 Nos.	5188.46	10-DEC-2020
				003	BL-ELS	140 Nos.	5188.46	10-DEC-2020
				004	RTM-DL	4 Nos.	5188.46	10-DEC-2020
				005	BL-ELS	28 Nos.	5188.46	10-DEC-2020
				006	VTA-DL	12 Nos.	5188.46	10-DEC-2020
				007	DHD-L	120 Nos.	5188.46	10-DEC-2020
001	EMU-MX	460 Set		1623.54	10-FEB-2021			
002	BCT-TR	140 Set		1623.54	10-FEB-2021			
334	WR/09192637102883 dt. 10-JUN-2020 on M/s. ESCORTS LIMITED-FARIDABAD	974121.79	31358159: POH KIT FOR MODIFIED PRESSURE LIMITING VALVE(PLV) OF ESCORT BRAKE UNIT FOR AC-DC SIEMENS RAKE CONSISTING OF 11 ITEMS. AS PER LIST ATTACHED. as per Specn. PAC-ESCORT	001	EMU-MX	460 Set	1623.54	10-FEB-2021
				002	BCT-TR	140 Set	1623.54	10-FEB-2021
335	WR/22204202102884 dt. 10-JUN-2020 on M/s. MADHVA ENTERPRISES INDIA PRIVATE LIMITED-MUMBAI	1497420	29690055: Current sensor, LEM model LT-1000-SI/SP 59 as per Technical data 1:5000, 1000A, 40 ohms as per CLW/Spec.CLW/ES/3/0084	001	BRC-ELS	9 Nos.	166380.00	10-DEC-2020
336	WR/83205226200368 dt. 10-JUN-2020 on M/s. GODREJ AND BOYCE MANUFACTURING COMPANY LIMITED	1725900	4298NS01: Fork lift truck 5 TON as per attached specification.	001	SSEC&W MHW	1 Nos.	1725900.00	06-SEP-2020
337	WR/04191701102891 dt. 10-JUN-2020 on M/s. URMI ACETYLENE COMPANY-VADODARA.	2188286.4	81040015: INDUSTRIAL DISSOLVED ACETYLENE GAS TO IS:308/1988 (III REVISION) WITH AMDT NO.1.	001	DHD-L	7727 CUM	283.20	31-MAY-2021
338	WR/04205064102892 dt. 10-JUN-2020 on M/s. VIBGYOR PAINTS AND CHEMICALS PONDICHERRY-CHENNAI	1009041.6	2398NS: SET OF RM ENAMEL & ALUMINUM PAINT ONE SET CONSISTING 6 ITEMS AS PER ANNEXURE ENCLOSED.	001	SSE LRS DHD	84 Set	12012.40	09-AUG-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features


				DOUBLE STAINLESS STEEL TO ICF DRG.NO.-ICF/STD /3	001	PL-CR	10000 Nos.	62.07	31-MAY-2021
				Maintenance Lead Acid for Railway S&T installations, container,without	001	SBI-GSD	101 Nos.	4989.44	25-AUG-2020
				Maintenance tool kit, as per RDSO IRS- S-88/2004 Capacity 2V/200AH. Accepted Make / Brand: Ju					
341	WR/81205073100546 dt. 11- JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	1049433		5698N043: Main LED signal lighting unit 110v AC for main colour light signal inrailway signalling retrofittable in existing CLS housing (SA. 23002 S 23024/M) and compatible with AC led ecr all as per RDSO/SPN/1	001	SSE SIG BL	121 Nos.	8673.00	12-OCT-2020
342	WR/22191158102899 dt. 11- JUN-2020 on M/s. ALPHA CARBON BRUSH MFG. CO.- KOLKATA	2722608		25821027: Reversor J1 & J2, Capacity 1500 Amps, to CLW drg no. 1 TWD. 103-008 Alt-6, to RDSO SMI No. EL/RS/SMI/0234 (Rev.0), 4 TTS/101/005(A) ALT.8 and to Spec no.CLW/CRJ/1-TWD-101-001. Accepted Make : ALPHA	001	BL-ELS	1 Set	453768.00	31-DEC-2020
					002	DHD-L	1 Set	453768.00	31-DEC-2020
					003	BRC-ELS	4 Set	453768.00	31-DEC-2020
343	WR/29204981102900 dt. 11- JUN-2020 on M/s. GREEN RUBBER INDIA-NEW DELHI	4455360		82800332: The Personal protective Equipment (PPE) consisting of seven items below:- 1. Coverall dangri style with hood cover and Shoe cover of same material upto ankle length: Disposable full sleeved, made up o	001	JRH	3400 Set	1310.40	21-JUN-2020
344	WR/29204982102901 dt. 11- JUN-2020 on M/s. GREEN RUBBER INDIA-NEW DELHI	4750200		82800344: Coverall dangri style with hood cover and Shoe cover of same material upto ankle length: Disposable full sleeved, made up of non woven fabric , Spun bonded, polypropylene breathable material not less	001	JRH	5200 Nos.	913.50	26-JUN-2020
345	WR/LP205201200437 dt. 12- JUN-2020 on M/s. BANSAL INDUSTRIES-NORTH WEST	540000		4098N001: 4 CORE CABLE OF SIZE 10SQMM XLPE INSULATED PVC OUTER SHEATHED, ARMOURED WITH GALVANISED STEEL STRIP WITH STRANDED ALUMINIUM CONDUCTOR SUITABLE FOR RATED VOLTAGE AT 1100 VOLTS GRAP & CONFIRMING TO IS:7	001	DEE(C) BRC	12000 MTR	45.00	30-JUN-2020
346	WR/22194069102907 dt. 12- JUN-2020 on M/s. POWER EQUIPMENTS-BHOPAL	6336600		29720345: Power supply gate unit (GUSP) (pos no 219 type- KY A924 DE01 , ABB document No-HUCD 420183 R0001. . Accepted Description : ABB / SWZ MAKE (THROUGH ABB INDIA LIMITED , BANGALORE) Power supply gate un	001	BRC-ELS	6 Nos.	1056100.00	30-APR-2021
347	WR/22195020102908 dt. 12- JUN-2020 on M/s. AIR CONTROL AND CHEMICAL ENGG CO LTD-AHMEDABAD	7460904		2597NS: Blower for traction motor with Motor (MVMT) for WAP-4/ WAG-7 electric locomotives, conforming to CLW specification No. CLW/ES/B-14/C.	001	SSE LRS DHD	60 Set	124348.40	12-DEC-2020
348	WR/10195007102909 dt. 12- JUN-2020 on M/s. STELLAR CABLES AND INFRASTRUCTURE PRIVATE LIMITED-CHENNAI	1865721.6		4098NS01: 150 sqmm hard drawn stranded copper conductor for feeder wire of Size 37/2.25 sqmm Overall Diameter 15.75MM as per RDSO Specn. No.TI/SPC/OHE/HDCSCF /0030(06/2003)	001	SE TRD VS	2400 MTR	777.38	12-OCT-2020
349	WR/06195012102910 dt. 12- JUN-2020 on M/s. APAR INDUSTRIES LIMITED- SILVASSA	2277990		4098NS01: UN-INNSULATED CADMIUM COPPER CATENARY WIRE (19/2.10 MM) 65 SQMM AS PER RDSO SPECIFICATION NO. ETI/OHE/50(6/97) WITH A&C SLIP NO. 1 TO 5	001	SE TRD VS	6500 MTR	350.46	12-OCT-2020
350	WR/22193376102911 dt. 12- JUN-2020 on M/s. RESITECH ELECTRICALS PVT.LTD.- KOLKATA	2010720		25970793: Punched Grid Permanent Field Divertor Resistance (RPS) for (A) WAM4 class of Locos, where all 6 motors are connected in parallel. Resistance Unit as per CLW Specn. No. CLW/ES/R-39 Alt.D and Sketch No.	001	DHD-L	6 Nos.	335120.00	31-MAR-2021
351	WR/22193284102912 dt. 12- JUN-2020 on M/s. MICA MOLD-JAMSHEDPUR	909440		25949974: SET OF BHRR FOR HITACHI TM HS 15250A CONSIST OF 1) INSULATING ROD ASSLY.(FOR +VE&-VE SUPPORT) DRG. NO.SKEL-4439. 2) INSULATING ROD FOR BRUSH HOLDER -SKEL 4440 3) BRUSH HOLDER CASE-SKEL 4441 4) BRUSH	001	BL-ELS	28 Set	32480.00	30-APR-2021
352	WR/22191649102913 dt. 12- JUN-2020 on M/s. CONCEPT RAIL ENGINEERS PVT LTD- KOLKATA	523622.4		23883546: ACCEPTED DESCRIPTION: PISTON PACKING RING TO FIRM'S DRG NO. 0103149	001	BL-ELS	699 Nos.	358.40	12-FEB-2021
					002	BRCMEMU	60 Nos.	358.40	12-FEB-2021
					003	BRC-ELS	702 Nos.	358.40	12-FEB-2021
353	WR/52205464100655 dt. 13- JUN-2020 on M/s. UPSTREAM MEDIA LLP-MUMBAI	1323000		8230N001: Protective face mask which is washable, reusable, anti-bacterial and repellant to dust pollution with 3 layer triple particle filtration system where outer layer is waffle structure for easy air flow	001	SSE/CR-store/PL	10000 Nos.	132.30	13-JUL-2020
354	WR/52205461100656 dt. 13- JUN-2020 on M/s. CYPRUSS AGENCY-MUMBAI	991200		8211N001: Face Shield made of pure extrusion sheet grade polycarbonate having following specifications, 1. Scratch resistant	001	SSE/CR-store/PL	2400 Nos.	413.00	13-JUL-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			2. Unbreakable 3. Visibility : opacity and clear visio						
			LOCK ('E' TYPE), WITH KEY, OPTION AS PER 'ANNEXURE -	001	SSE/P&P/SIG. SBI	1250 Nos.	1512.00	13-FEB-2021	
				001	SR.SE(RAJ-S) BCT	6 Set	249275.00	28-AUG-2020	
	357	WR/81205380100562 dt. 13-JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	692778	5698NS : Evaluator card (EM08) for Central Evaluator Unit of Multi Section Digital Axle Counter system CEL make, as per RDSO specn. No. RDSO/SPN/176/2013.	001	SSE SIG BL	2 Nos.	346389.00	13-AUG-2020
	358	WR/81205382100563 dt. 13-JUN-2020 on M/s. STATCON ELECTRONICS INDIA LIMITED-NOIDA	709416	5698NS48 : Inverter 2 KVA module RDSO/SPN/165/2012. Make : Statcon electronics Ind ltd.	001	SSE SIG BL	10 Nos.	70941.60	14-AUG-2020
	359	WR/81205085100572 dt. 14-JUN-2020 on M/s. VERSA DRIVES PRIVATE LIMITED-COIMBATORE	568948.8	4210N01 : 1200 MM (48 INCH) SWEEP 5 STAR RATED BLDC ENERGY EFFICIENT CEILING FAN HAVING 03 NOS BLADES ,DOWN ROD ,CANOPIES,SHACKLES,SUITABLE FOR 230 VOLT 50HZ SINGLE PHASE AC SUPPLY WITH INVERTOR DRI	001	SSE I/TBCT	287 Nos.	1982.40	14-AUG-2020
	360	WR/81205086100575 dt. 14-JUN-2020 on M/s. VERSA DRIVES PRIVATE LIMITED-COIMBATORE	792960	4210N01 : 1200 MM (48 INCH) SWEEP 5 STAR RATED BLDC ENERGY EFFICIENT CEILING FAN HAVING 03 NOS BLADES ,DOWN ROD ,CANOPIES,SHACKLES,SUITABLE FOR 230 VOLT 50HZ SINGLE PHASE AC SUPPLY WITH INVERTOR DRI	001	SSE I/TBCT	400 Nos.	1982.40	14-AUG-2020
	361	WR/22191677102920 dt. 14-JUN-2020 on M/s. ALASIA ENGINEERING COMPANY PRIVATE LIMITED-HOWRAH	600600	23709327 : AUXILIARY INTERLOCK BOX FOR FM CONTACTOR WITH 2NO+1 NC CONTACTS, CONFORMING TO CLW DRG.NO. 2 TWD. 291.053. ALT-3 AND CLW SPECIFICATION NO. 4TES.111.028 ALT- 1.	001	BRC-ELS	117 Nos.	1601.60	14-DEC-2020
				002	BL-ELS	258 Nos.	1601.60	14-DEC-2020	
	362	WR/52205473100663 dt. 14-JUN-2020 on M/s. LAXMI ENTERPRISES-THANE	640268	4590NS : Portable Battery / battery Box Maintenance Kit for TL and AC Coaches with one year warranty. Technical Specification as per attached Annexure. Accepted make Snap-on/Matco/Rigid only	001	SSE-TL LPL	4 Nos.	160067.00	14-SEP-2020
	363	WR/52205473100664 dt. 14-JUN-2020 on M/s. ROHAN MACHINERY SPARES-Kalyan	640268	4590NS : Portable Battery / battery Box Maintenance Kit for TL and AC Coaches with one year warranty. Technical Specification as per attached Annexure. Accepted make Snap-on/Matco/Rigid only	001	SSE-TL LPL	4 Nos.	160067.00	12-SEP-2020
	364	WR/52205474100665 dt. 14-JUN-2020 on M/s. ALOK AUTOMOTIVE COMPANY-VASAI EAST	672600	7385NS : BOTTOM ENCLOSURE SUITABLE FOR RAMAYA MAKE AMALGAMATED BATTERY CHARGING UNITS OF SG AC COACHES AS PER SKETCH ATTACHED.	001	SSE-TL LPL	15 Nos.	44840.00	28-AUG-2020
	365	WR/52205474100666 dt. 14-JUN-2020 on M/s. TIRUPATI ENGINEERING WORKS-PALGHAR	672600	7385NS : BOTTOM ENCLOSURE SUITABLE FOR RAMAYA MAKE AMALGAMATED BATTERY CHARGING UNITS OF SG AC COACHES AS PER SKETCH ATTACHED.	001	SSE-TL LPL	15 Nos.	44840.00	28-AUG-2020
	366	WR/22203813102925 dt. 15-JUN-2020 on M/s. CHANDRA UDYOG-HOWRAH	2570400	29050029 : Wheel set guide for WAP 5 Locos.As Per CLW Drg. no 1210-01-115-003. (ALUMINIUM FORGING).	001	BRC-ELS	27 Nos.	95200.00	30-APR-2021
	367	WR/22193915102926 dt. 15-JUN-2020 on M/s. CHANDA AND CHANDA ENGINEERS-HOWRAH	1089536	29620016 : EARTH RETURN BRUSH HOLDER ASSLY.(SCOPE OF SUPPLY AS PER SHEET NO-09)AS PER CLW SPEC NO- CLW/ES /3/0017 ALT-C .	001	BRC-ELS	64 Nos.	17024.00	30-APR-2021
	368	WR/09200506102927 dt. 15-JUN-2020 on M/s. FRONTIER SPRINGS LIMITED-KANPUR	1634131.7	35109038 : BOGIE BOLSTER SUSPENSION HANGER (FOR EMU MOTOR COACH) TO RDSO DRG.NO.SK-95006,ALT.-1 CONFORMING TO RDSO SPECN.C-K-105 (REV.-1) WITH AMEND. SLIP NO. 1 OF DECEMBER-2016.	001	DHD-L	545 Nos.	2133.33	30-APR-2021
				002	PRTN-CW	221 Nos.	2133.33	30-APR-2021	
	369	WR/09200502102928 dt. 15-JUN-2020 on M/s. SKM INDUSTRIES-MUMBAI	1713096	31320340 : BRAKE BEAM OUTER AS PER ICF DRG.NO.DMU/DPCS-3-2-504, Alt.- a.	001	EMU-MX	214 Nos.	1848.00	30-APR-2021
				002	DHD-L	713 Nos.	1848.00	30-APR-2021	
	370	WR/09192721102929 dt. 15-JUN-2020 on M/s. YASH CREATION-MUMBAI	1255968	31618170 : FRP SEAT CUM BACK REST THREE SEATERS AS PER DRG NO WR/M.SK /CR-580 ITEM NO 1.	001	EMU-MX	600 Nos.	2093.28	30-APR-2021
	371	WR/09191111102930 dt. 15-JUN-2020 on M/s. PT COMMUNICATION SYSTEMS	1604800	31902443 : DOUBLE SIDED INTERNAL DISPLAY FOR MRVC-II EMU RAKE COMPATIBLE FOR PIS SYSTEM OF	001	BCT-TR	20 Nos.	80240.00	30-APR-2021



[Click Here to upgrade to Unlimited Pages and Expanded Features](#)



use period has ended.
Thank you for using
PDF Complete.

[Click Here to upgrade to Unlimited Pages and Expanded Features](#)

					MU RAKE. THE SUBJECT ITEM ASSENGER INFORMATION DRESSING SYSTEM FOR EMU					
					SE CONNECTION AS PER ICF I-3-S-079, ALT.-S/2 ITEM	001	PL-CR	1200 Nos.	152.85	30-APR-2021
						002	EMU-MX	3000 Nos.	152.85	30-APR-2021
						003	SBI-GSD	850 Nos.	152.85	30-APR-2021
						004	BVP-BG	1800 Nos.	152.85	30-APR-2021
						005	DHD-L	500 Nos.	152.85	30-APR-2021
373	WR/30201151102932 dt. 15-JUN-2020 on M/s. UNITED ENGINEERING COMPANY-GHAZIABAD	872610	16171615: KIT GASKET TURBO CHARGER. EMD PART NO. 40069484. specn: EMD-40069484	001	SBI-DL	58 Nos.	15045.00	15-JUL-2020		
374	WR/81205066100590 dt. 15-JUN-2020 on M/s. TELEPHONE ELECTRONIC CORPORATION-MUMBAI	552240	5098N001: Polythene Insulated Polythene Sheathed Jelly Filled Telephone Cable, Size 20 pair 0.5 mm dia as per RDSO Specification No. IRS:TC 41-97.	001	SSE BCT	3900 MTR	141.60	16-DEC-2020		
375	WR/22205007102933 dt. 15-JUN-2020 on M/s. FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR	11824321.6	2398N01: AIR BRAKE EQUIPMENT FOR 8-WHEELER DIESEL ELECTRIC TOWER CAR UNDERSLUNG TYPE COACHES (WITH ELECTRIC TRAMSMISSION) , SCHEMATIC DRG. NO. (231) DETC/US 3-5-005 ALT. C & TO SCHEDULE NO. ICF/SK-10-2-342, IS	001	SSEMEMUDHD	10 Set	1182432.16	28-DEC-2020		
376	WR/81205113100591 dt. 15-JUN-2020 on M/s. GOLKONDA ENGINEERING ENTERPRISES LIMITED-SECUNDERABAD	941640	5090N02: Supply of 20 pair X 0.63 mm dia polythene insulated polythene sheathed jelly (PIJF) telephone cable with poly-al-moisture barrier As per RDSO specification No. IRSTC 41/97 amendment no.2.	001	SSE/Tele/Store/BL	6 KM	156940.00	16-DEC-2020		
377	WR/57195426100254 dt. 15-JUN-2020 on M/s. SUPER ENGINEERING WORKS-MUMBAI	784000	9081NS: HINGED FLIP COVER WITH ROUND CORNERS MADE OF S.S CHEQUERED SHEET OF SIZE:- 305 MM X 350 MM X 1.25 MM THICKNESS CONFIRMING TO AISI-304 AND HAVING TWO S.S. 202 HINGES WELDED ON ONE SIDE, NO . OF CHEQUER	001	SSE CRSMX	2000 Nos.	392.00	14-AUG-2020		
378	WR/81205426100592 dt. 15-JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	1060584	5698NS: Main LED signal lighting unit 110V AC for main colour light signal in railway signalling retrofittable in existing CLS housing (SA. 23002 S23024/M) and compatible with AC led ecr all as per RDSO/SPN/1	001	SSE SIG BL	107 Nos.	9912.00	16-OCT-2020		
379	WR/81196201100593 dt. 15-JUN-2020 on M/s. TELEPHONE ELECTRONIC CORPORATION-MUMBAI	1539900	50830016: SUPPLY OF UNDERGROUND RAILWAY JELLY FILLED QUAD CABLE FOR SIGNALLING AND TELECOM INSTALLATION AS PER IRS:TC 30/2005 WITH LATEST AMDT [06 QUAD, 0.9MM DIA]	001	SSE(T) NDB	5 KM	307980.00	16-DEC-2020		
380	WR/81196192100594 dt. 15-JUN-2020 on M/s. TELEPHONE ELECTRONIC CORPORATION-MUMBAI	1231920	5090NS: Supply of 6quad 0.9mm dia underground Railway jelly filled telecom quad cables for signalling & telecom insulation as per RDSO specification no IRS: T/30/2005 (ver.1) with amendment no4.	001	SSE/Tele/Store/BL	4 KM	307980.00	16-DEC-2020		
381	WR/81196194100595 dt. 15-JUN-2020 on M/s. TELEPHONE ELECTRONIC CORPORATION-MUMBAI	1194750	5090N01: Supply of polythene insulated polythene sheathed Jelly (PIJF) Telephone cable with poly-al-moisture barrier. As per RDSO specification no. IRS:TC/41/97 amendment no.2.Size.50 Pair X0.5mm dia.	001	SSE/Tele/Store/BL	5 KM	238950.00	16-DEC-2020		
382	WR/81196289100596 dt. 15-JUN-2020 on M/s. STATCON ELECTRONICS INDIA LIMITED-NOIDA	974225.7	5698NS: Spare of Integrated Power Supply (IPS) .1) SMR module - 01) no., 2) DSCA module. Qty. -.01 no as per RDSO specn. no. RDSO/SPN/165/2012 (version 3.0). Make : Statcon electronics Ind ltd.	001	SSE SIG BL	9 Set	108247.30	16-AUG-2020		
383	WR/81196169100597 dt. 15-JUN-2020 on M/s. DELTRON EQUIPMENT AND SYSTEMS PVT. LTD.-KOLKATA	988497.8	5698NS: Supply, installation and commissioning of reliability improvement kit suitable to work with UFSBI as per RDSO/SPN/147/2005. it comprises (a) Automatic media change over of modems working on redundant	001	SSE-SIGNDB	5 Set	197699.56	31-JUL-2020		
384	WR/81196032100598 dt. 15-JUN-2020 on M/s. ONYX TECHNO SYSTEM PRIVATE LIMITED-MUMBAI.	804630.2	5604NS: Parallel I/O Card for MSDAC as per RDSO Specn No. RDSO/SPN/176/2013. Make ; Eldyne Electro System Pvt Ltd	001	SSE/SIG/S/PL	10 Nos.	80463.02	16-JUN-2021		
385	WR/81196377100599 dt. 15-JUN-2020 on M/s. TEJAS ENTERPRISES-THANE	825044.2	5604NS: Supply of digital cards for SSDAC (part no. 3 CR31010PFAA) make. Eldyne. as per RDSO spec no. RDSO/SPN/177/2003 (ver. 1) with amd 1 & 2. Accepted Make - Eldyne Electro System Pvt Ltd.	001	SSE SIG BL	5 Nos.	165008.84	13-DEC-2020		
386	WR/81205072100600 dt. 15-JUN-2020 on M/s. GENERAL AUTO ELECTRIC	1049433	5698N044: Main LED signal lighting unit 110V AC for main colour light signal in railway signalling retrofittable in existing CLS	001	SSE SIG BL	121 Nos.	8673.00	16-OCT-2020		



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				002 S23024/M) and AC led ecr all as per						
				8 Sch REPAIR KIT FOR SIL RS. COSISTING OF 17 ITEMS PER ENCLOSED LIST.ANNEX-	001	SBI-DL	18 Set	24640.00	31-AUG-2020	
					002	VTA-DL	3 Set	24640.00	31-AUG-2020	
	388	WR/22191211102946 dt. 15-JUN-2020 on M/s. ALPHA CARBON BRUSH MFG. CO.-KOLKATA	5487552	23700142: SET OF 1500 AMP CAPACITY CTF-1,CTF-2 & CTF-3 AS PER RDSO SMI NO.ELRS/SMI/0234(REV-0). SET CONSISTS OF 3 ITMS (1) CTF 1 AND 2, AS PER CLW DRG NO.1TWD 103-001 ALT-6 CONFORMING TO CLW SPECN NO.4 TTS-101	001	DHD-L	7 Set	609728.00	30-SEP-2020	
					002	BRC-ELS	1 Set	609728.00	30-SEP-2020	
					003	RTM-DL	1 Set	609728.00	30-SEP-2020	
	389	WR/81205087100601 dt. 15-JUN-2020 on M/s. PHOENIX RUBBER WORKS-KOLKATA	1075200	2510NS: SIDE BEARER FOR WAG 7 LOCOS TO RDSO DRG. NO. SKVL-608 ALT.1 OR LATEST. AS PER CLW APPROVED SOURCES ONLY	001	SSE (S)BL	120 Nos.	8960.00	16-OCT-2020	
	390	WR/24205037202950 dt. 16-JUN-2020 on M/s. RELIANCE INDUSTRIES LTD-NAVI MUMBAI	4047495	9211NS: HIGH SPEED DIESEL OIL (HSD) CONFORMING TO IS : 1460 (latest revision).	001	SSE(TL/AC/S) BVC	60 KLTR	67458.25	31-MAR-2021	
	391	WR/09191053102951 dt. 16-JUN-2020 on M/s. SUPER HOZE INDUSTRIES PRIVATE LIMITED-SOLAN	830286.11	31396008: HOSE CONNECTION AS PER ICF DRG.NO.EMU/M-3-5-079, ALT.s/2. ITEM NO.1.	001	PL-CR	1944 Nos.	141.59	30-APR-2021	
					002	EMU-MX	560 Nos.	141.59	30-APR-2021	
					003	SBI-GSD	520 Nos.	141.59	30-APR-2021	
					004	BVP-BG	2000 Nos.	141.59	30-APR-2021	
					005	DHD-L	800 Nos.	141.59	30-APR-2021	
					006	PRTN-CW	40 Nos.	141.59	30-APR-2021	
	392	WR/09192635102952 dt. 16-JUN-2020 on M/s. SONI RUBBER PRODUCTS LTD-KOLKATA	936320	31358032: FLEXIBLE HOSE ASSLY FOR BRAKE PIPE, SUITABLE FOR ICF BUILT MAINLINE EMU, AS PER DRG.NO. WR-CCG-MEMU/3-ML-002 REF.1 TO 5. as per Specn. ESEM-4A 43368 Accepted Desc.: SONI SAE100R1AT HOSE ID-31.8 MM, M	001	BRCMEMU	110 Nos.	985.60	30-JUN-2021	
					002	DHD-L	840 Nos.	985.60	30-JUN-2021	
	393	WR/22192179102953 dt. 16-JUN-2020 on M/s. VIKRANT ENGINEERING WORKS-KOLKATA	1400000	25164351: HIGH CAPACITY AFTER COOLER (EMU TYPE) SUITABLE FOR ELECTRIC LOCOS CONFIRMING TO CLW SPEC NO. CLW/ES/A-11 AND DRG NO. CLW/ES /SK-2/A-11.	001	DHD-L	40 Nos.	35000.00	31-DEC-2020	
	394	WR/15200605102954 dt. 16-JUN-2020 on M/s. AFFINE STEELS PVT. LTD.-HARIDWAR	4135600	30220300: Buffer plunger(Casting) as per RDSO Drg No.SK-94255, Alt.5. specn: SK-98145, ALT.4	001	BVP-BG	200 Nos.	5908.00	31-JUL-2020	
					002	PL-CR	500 Nos.	5908.00	31-JUL-2020	
	395	WR/83205398100390 dt. 16-JUN-2020 on M/s. SHRI GANESH SUPPLIERS-RATLAM	594000	61252359: CLEAN SILICA SAND,FREE FROM CLAY,LOAMS,MICA AND OTHER FOREIGN MATERIAL,AS PER SPECIFICATION NO.AAR M-916-51 TO BE USED ON ALL CLASSES OF DIESEL AND ELECTRIC LOCOMOTIVE PACKING IN 30 KGS WATER PROOF	001	SSE-L-COR	180 MT	3300.00	16-JUL-2021	
	396	WR/06190511102955 dt. 16-JUN-2020 on M/s. MERSEN INDIA PRIVATE LIMITED-BANGALORE	2480532.28	47453163: CARBON BRUSH (SPLIT) FOR TRACTION MOTOR TAO 659 TO RDSO DRG.NO.RDSO-EL-B5-002 (MOD)ALT.2 AND CONFIRMING TO RDSO SPECN NO. EL RS/ SPEC/CB/0027 REV '0' OFSEPT.2003.FIRM'S SUPPLYING CARBON BRUSH FROM I	001	BL-ELS	10443 Nos.	225.38	30-APR-2021	
					002	VTA-DL	563 Nos.	225.38	30-APR-2021	
	397	WR/81205418200614 dt. 17-JUN-2020 on M/s. PIXAARNEXT LLP-DELHI	2650500	5200NS: All in one desktop computer, INTEL CORE I5 PROCESSOR, 3.20GHZ/WINDOW 10 & MS OFFICE INBUILT/ 8GB RAM/ 1TB HDD/ 7th GENERATION INTEL HD GRAPHICS, KEY BOARD & MOUSE, 21.45 FHD SCREEN, BLUE VDD, WLAN, BT	001	ASS BCT	57 Nos.	46500.00	18-JUL-2020	
	398	WR/LP195086100449 dt. 17-JUN-2020 on M/s. NUTECH SYSTEM CONTROL-KANPUR	979902	78XXNS: FREE STAND GARBAGE BIN HAVING MADE FROM STINLESS STEEL 304 MATERIAL (EASILY DETACHABLE DUSTBIN) CAPACITY:- 50LTRS, SIZE: 12" ROUND x 28" HEIGHT, GUAGE: 0.7MM, COLOR: WITH GREEN / BLUE STRIPS, WITH S	001	CMI-DTWPRTN	165 Set	5938.80	07-JUL-2020	
	399	WR/09192184102958 dt. 17-JUN-2020 on M/s. ISHMEET FORGINGS PVT. LTD.-LUDHIANA	608620.32	35016449: COLLER FOR AXLE BOX ROLLER BEARING ARRANGMENT TO ICF DRG.NO. EMU/M-0-2-005 ALT.n/NIL. as per Specn. EMU M 02005	001	PL-CR	740 Nos.	558.88	17-APR-2021	
					002	DHD-L	306 Nos.	558.88	17-APR-2021	
					003	PRTN-CW	43 Nos.	558.88	17-APR-2021	
	400	WR/81196164100615 dt. 17-JUN-2020 on M/s. ANKUR ELECTRONICS-MUMBAI	941498.4	4302NS: Megger 100V to 500V X 20 mega ohms as per specification make: Fluke model No 1507,Motawani and Megger. Accepted make/model - FLUKE MODEL 1507 with	001	SSE SIG BL	24 Nos.	39229.10	02-AUG-2020	



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			ohms accepted.						
			NTACTOR AC-2 POLE 150. 4229 TO DLW Pt DLW DRG.NO. 40034362 MD NO.40034362.Accepted part No:- Eaton item pt. no is V Code 8536	001	SBI-DL	35 Nos.	46020.00	16-SEP-2020	
			DRYER COMPLETE FOR SINGLE BOTTLE VACUUM CIRCUIT BREAKER FOR ELECTRIC LOCOS AS PER DRG NO WR- BRCY-EL/3-GEN-113. ACCEPTED MAKE/BRAND: SHREE VINAYAK	001	SSE(RS)BRCY	90 Nos.	14207.32	15-OCT-2020	
403	WR/09192632102969 dt. 17- JUN-2020 on M/s. ASSOCIATE ENGINEERING-CHENNAI	927864	31357970 : PASSENGER ALARM SWITCH TO DRG.NO. EMU-M. 3.5.297 COL. 1 Alt.G 110 V DC SUITABLE FOR ICF BUILT MAINLINE EMU. as per Specn. EMU/M 3.5.297	001	BRCMEMU	81 Nos.	3528.00	17-APR-2021	
				002	DHD-L	182 Nos.	3528.00	17-APR-2021	
404	WR/24192544102970 dt. 17- JUN-2020 on M/s. COLUMBIA PETRO CHEM PVT LTD- MUMBAI	1610921.84	80090280 : Inhibited mineral insulating oil as per type II transformer oil conforming to IS: 335:2018 suitable for railway requirement as per RDSO letter no. TI/PSI /INSOIL/POLICY/19 dtd.26.07.19	001	DHD-L	24453 LTR	62.54	20-AUG-2020	
				002	SBI-GSD	418 LTR	64.90	20-AUG-2020	
				003	BRC-ELS	627 LTR	64.90	20-AUG-2020	
				004	BCT-TR	209 LTR	66.08	20-AUG-2020	
405	WR/09193241102971 dt. 17- JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	772817.4	31908561 : AWS-PCB Card No.B2A1 (Receiver Card) Make Siemens, Pt.No.S25431. as per Specn. PAC SIEMENS	001	BCT-TR	9 Nos.	85868.60	17-FEB-2021	
406	WR/09193245102972 dt. 17- JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	674741.7	31908603 : AWS PCB Card No.B7A1 (Brake Card) Make Siemens, Pt.No. S25431. as per Specn. PAC SIEMENS	001	BCT-TR	9 Nos.	74971.30	17-FEB-2021	
407	WR/09193244102973 dt. 17- JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	606136.5	31908597 : AWS-PCB Card B6A1 (Vigilance Card) Make Siemens, Pt.No.S25431. as per Specn. PAC SIEMENS	001	BCT-TR	9 Nos.	67348.50	17-DEC-2020	
408	WR/15201012102975 dt. 18- JUN-2020 on M/s. ADITYA TECHNO FAB ENGINEERING- DHAR	794640	30011115 : SAFETY STRAP FOR AXLE BOX GUIDE ARRANGEMENT TO ICF DRG NO. T-0-1-631 Alt.I/4. as per Specn. 0162701	001	BVP-BG	400 Nos.	123.20	03-AUG-2020	
				002	BVP-BG	850 Nos.	123.20	30-APR-2021	
				003	PL-CR	1000 Nos.	123.20	03-AUG-2020	
				004	PL-CR	3000 Nos.	123.20	30-APR-2021	
				005	SBI-GSD	400 Nos.	123.20	03-AUG-2020	
				006	SBI-GSD	800 Nos.	123.20	30-APR-2021	
409	WR/61196288100727 dt. 18- JUN-2020 on M/s. ANANTASHREE ENGINEERS- GAUTAM BUDDH NAGAR	806766	2525NS : POH MAINTENANCE SCHEDULE OF N-32 TAP CHANGER CONSISTING OF 38 UNCOMMON ITEMS(INCLUDING 11 NOS HARDWARE ITEMS) OF M/S ANANTASHREE ENGINEER MAKE (GANZ TYPE) AS PER ANNEXURE (i.e.ANNEXURE-S2 AND ANNEXUR	001	SSE LRS DHD	3 Set	268922.00	14-JAN-2021	
410	WR/09193242102978 dt. 18- JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	894440	31908573 : AWS-PCB Card No.B4A1 (Distance Evaluator Card) Make Siemens, Pt.No. S25431. as per Specn. PAC SIEMENS	001	BCT-TR	10 Nos.	89444.00	18-FEB-2021	
411	WR/16193885202981 dt. 18- JUN-2020 on M/s. UNITRADE INDIA-VADODARA	794924.41	11812709 : HP CONNECTING ROD WITH CAP & ROLLER BEARING TO KPC PART NO.0965039150 & ELGI PART NO. 070308930. as per Specn. 0960152350 Accepted description: As per Price Agreement Annexure -A Sr. No. 49 Part No	001	VTA-DL	10 Nos.	9001.62	18-DEC-2020	
			11812795 : OIL SEAL FOR LG3CDB/RR80101 ELGI COMPRESSOR TO ELGI PT NO 000470500 RDSO Drg.No.SK.DP.3626 ALT.Nil. as per Specn. 000329290, Accepted description: As per Schedule-A of Price Agreement Sr. No. 34	002	VTA-DL	60 Nos.	1924.82	18-DEC-2020	
			11812795 : OIL SEAL FOR LG3CDB/RR80101 ELGI COMPRESSOR TO ELGI PT NO 000470500 RDSO Drg.No.SK.DP.3626 ALT.Nil. as per Specn. 000329290, Accepted description: As per Schedule-A of Price Agreement Sr. No. 34	003	RTM-DL	47 Nos.	1924.82	18-DEC-2020	



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			PAIR KIT FOR DISCHARGE O TO ELGI PART NO SISTS OF 03 ITEM VALVE PRING PLATE -03 NO LOCK SPEC. (Old PI No.11982974) Description: As pe	004	VTA-DL	150 Nos.	1995.81	18-DEC-2020
			PAIR KIT FOR DISCHARGE O TO ELGI PART NO SISTS OF 03 ITEM VALVE PRING PLATE -03 NO LOCK NUT MB -01 NO SPEC. (Old PI No.11982974) , Accepted description: As pe	005	RTM-DL	100 Nos.	1995.81	18-DEC-2020
412	WR/LP205348200464 dt. 18-JUN-2020 on M/s. MEHULENDRA CORPORATION-VADODARA.	4546820	5298NS01: All in one PC, intel core i5, 8th generation processor base frequency,1.6 GHZ, Micro soft window 10 profesional,4GB DDR 4 RAM 1TB SATA Hard Disc drive, Integrated wi fi & card reader gigabit lane,inte	001	CDMS-BRC	33 Nos.	53492.00	03-JUL-2020
				002	D M O PRTN	10 Nos.	53492.00	03-JUL-2020
				003	SSE(DP)DRL	42 Nos.	53492.00	03-JUL-2020
413	WR/LP195311100465 dt. 18-JUN-2020 on M/s. SURGIWORLD HEALTHCARE SYSTEMS-AHMEDABAD	2000881.12	8279NNS: VIDEO DUDENOSCOPE SET AS PER SPECIFICATIONS ATTACHED. ACCEPTED MAKE/BRAND: PENTAX MODEL NO. EPK3000 + ED3490TK	001	D M O PRTN	1 Nos.	2000881.12	02-AUG-2020
414	WR/22194039102983 dt. 18-JUN-2020 on M/s. ELECOS ENGINEERS PRIVATE LIMITED-KOLKATA	519200	29650045: PRECHARGING RESISTOR CONVERTER (POS NO. 14) 150KW, 50 OHM+/- 10%-1517V-50A ABB PRODUCT NO. 3EHN 424095 P1250 OR LATEST. as per Drg.No. PRODUCT NO. 3EHN 424095 P1250	001	BRC-ELS	4 Nos.	129800.00	18-DEC-2020
415	WR/29205061102984 dt. 18-JUN-2020 on M/s. LIVEXPO VENTURES PRIVATE LIMITED-NEW DELHI	1212750	8235N001: Surgical Mask 3 Layers with antibacterial filter for SURGEONS. Disposable 3 layer mask consist of two layer on non woven fabrics and a piece of filter paper capable of filtering out bacteria at a rate	001	JRH BCT	165000 Nos.	7.35	03-JUL-2020
416	WR/81205387100619 dt. 18-JUN-2020 on M/s. DARSHAN ENTERPRISES-MUMBAI	506644.8	4521NS: CONTACTOR 4 POLE AIR BREAK CURRENT RATING 200 A, 750 VAC, 50Hz, 3 PHASE, AC3 DUTY, OPERATING COIL VOLTAGE 380-415 VAC WITH SURGE SUPPRESSOR AND WITH SIDE MOUNTING AUXILLARY CONTACT BLOCK 2NO + 2NC, M	001	SR.SE(RAJ-S) BCT	40 Nos.	12666.12	17-SEP-2020
417	WR/88205245100314 dt. 18-JUN-2020 on M/s. SANCHAR COMMUNICATION SYSTEMS-NEW DELHI	566500	5205NS01: Analog 5 Watt VHF Set as per RDSO specification RDSO/SPN/TC/107/2018 Rev 0.0. With battery charger and spare battery. 1) Spot Frequency: 162.100 MHz 2) Required Technical Parameter: As per Clause 5(A) 5205NS02: Analog 5 Watt VHF Set as per RDSO specification RDSO/SPN/TC/107/2018 Rev 0.0. With battery charger and spare battery. 1) Spot Frequency: 161.150 MHz 2) Required Technical Parameter: As per Clause 5(A)	001	SSE/TELE/M/BVP	75 Nos.	5500.00	02-AUG-2020
				002	SSE/TELE/M/BVP	28 Nos.	5500.00	02-AUG-2020
418	WR/28191911102988 dt. 18-JUN-2020 on M/s. K ENTERPRISES-MUMBAI	571253.26	82220870: Ramipril 5mg Tab. ACCEPTED MAKE/BRAND:RAMISTAR 5.	001	JRH	11000 Nos.	0.50	16-SEP-2020
				002	DRH-BCT	308500 Nos.	0.50	16-SEP-2020
				003	DRH-BRC	41100 Nos.	0.50	16-SEP-2020
				004	DRH-ADI	289089 Nos.	0.50	16-SEP-2020
				005	DRH-RTM	234070 Nos.	0.50	16-SEP-2020
				006	DRH-RJT	66580 Nos.	0.50	16-SEP-2020
				007	DRH-DHD	183100 Nos.	0.50	16-SEP-2020
419	WR/28192263102989 dt. 18-JUN-2020 on M/s. K ENTERPRISES-MUMBAI	691455.27	82340010: Clonidine Hydrochloride 100mg Tab. ACCEPTED BRAND: ARKAMIN TAB.	001	JRH	17700 Nos.	1.44	16-SEP-2020
				002	DRH-RJT	128380 Nos.	1.44	16-SEP-2020
				003	DRH-BCT	12720 Nos.	1.44	16-SEP-2020
				004	DRH-BVP	29406 Nos.	1.44	16-SEP-2020
				005	DRH-BRC	33240 Nos.	1.44	16-SEP-2020
				006	DRH-ADI	165076 Nos.	1.44	16-SEP-2020
				007	DRH-DHD	61700 Nos.	1.44	16-SEP-2020
				008	DRH-RTM	30360 Nos.	1.44	16-SEP-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				High Molecular Weight Heparin 5000iu Inj. ACCEPTED MAKE/BRAND: RAGMIN 5000IU SSOL 1	001	JRH	1800 Nos.	273.24	27-JUN-2020
					002	DRH-BRC	134 Nos.	273.24	27-JUN-2020
				FINISHED GRID PERMANANT RESISTANCE (RPS) FOR 6 OF LOCOS, WHERE ALL 6 MOTORS ARE CONNECTED IN PARALLEL. RESISTANCE UNIT AS PER CLW SPECN. NO. CLW/ES/R-39, ALT'D' AND SKETCH NO.	001	DHD-L	6 Nos.	335120.00	31-OCT-2020
422	WR/06202268102996 dt. 19-JUN-2020 on M/s. STAR ELECTRIC COMPANY-LUDHIANA	3212550		45124292: SUSPENSION HANGER PIN AND SPLIT COTTER FOR 4.5 KW TRANSOM MOUNTED BRUSHLESS ALTERNATOR AS PER RDSO'S DRAWING NO. SKEL/3939 ALT.2 as per Specn. U	001	BCT-CD	350 Nos.	1947.00	31-AUG-2021
					002	PL-CR	600 Nos.	1947.00	31-AUG-2021
					003	BVP-BG	700 Nos.	1947.00	31-AUG-2021
423	WR/15201004102999 dt. 19-JUN-2020 on M/s. RAVINDRA TRADING COMPANY-CHENNAI	1405465.6		30010664: Lower spring seat for axle box guide arrangement to ICF Drg. No. DL-0-1-103, Alt.- y/14, col.-II.	001	PL-CR	200 Nos.	1597.12	20-AUG-2020
					002	PL-CR	680 Nos.	1597.12	30-APR-2021
424	WR/15201004103000 dt. 19-JUN-2020 on M/s. JITEN STEEL INDUSTRIES-MANDI GOBINDGARH	2306707.2		30010664: Lower spring seat for axle box guide arrangement to ICF Drg. No. DL-0-1-103, Alt.- y/14, col.-II.	001	PRTN-CW	60 Nos.	1654.24	30-APR-2021
					002	BVP-BG	60 Nos.	1654.24	30-APR-2021
					003	PL-CR	200 Nos.	1597.12	20-AUG-2020
					004	PL-CR	1120 Nos.	1597.12	30-APR-2021
425	WR/28192327103002 dt. 19-JUN-2020 on M/s. K ENTERPRISES-MUMBAI	704779.11		82410100: Lactulose 10g per 15ml Syrup 100ml. ACCEPTED MAKE/BRAND: OVERSEAS/LAXDAY 100ML	001	JRH	3750 Nos.	43.47	17-SEP-2020
					002	DRH-DHD	1728 Nos.	43.47	17-SEP-2020
					003	DRH-BRC	2550 Nos.	43.47	17-SEP-2020
					004	DRH-ADI	3643 Nos.	43.47	17-SEP-2020
					005	DRH-BCT	672 Nos.	43.47	17-SEP-2020
					006	DRH-RTM	3870 Nos.	43.47	17-SEP-2020
426	WR/28192491103003 dt. 19-JUN-2020 on M/s. CANDAUR PHARMACEUTICALS PRIVATE LIMITED-THANE	637100.65		82490490: Clotrimazole Powder. ACCEPTED MAKE/BRAND: CANDID POWDER 50 GM	001	JRH	11070 Nos.	26.62	17-SEP-2020
					002	DRH-BCT	6634 Nos.	26.62	17-SEP-2020
					003	DRH-BRC	440 Nos.	26.62	17-SEP-2020
					004	DRH-ADI	238 Nos.	26.62	17-SEP-2020
					005	DRH-RTM	4806 Nos.	26.62	17-SEP-2020
					006	DRH-RJT	378 Nos.	26.62	17-SEP-2020
					007	DRH-BVP	209 Nos.	26.62	17-SEP-2020
					008	DRH-DHD	156 Nos.	26.62	17-SEP-2020
427	WR/28192750103004 dt. 19-JUN-2020 on M/s. JAINAM PHARMA INDIA PRIVATE LIMITED-MUMBAI	747961.2		82550111: Caspofungin 70mg Inj. ACCEPTED MAKE/BRAND: BDCASPO 70 MG INJ.	001	JRH	268 Nos.	2790.90	16-NOV-2020
428	WR/61186006100737 dt. 20-JUN-2020 on M/s. CUBEX TUBINGS LIMITED-SECUNDERABAD	1032665.2		9198: Set of copper pipe/tube seamless cold drawn Grade: Half hard (HB) as per CLW specn. No. CLW/MS/3/030 Alt.12. Minimum random length 6 metres. Set detail is as under : S.N. Pipe Size	001	SSE LRS DHD	1330 Kgs.	776.44	19-AUG-2020
429	WR/61185824100738 dt. 20-JUN-2020 on M/s. RECON ENGINEERING CO P LTD-KOLKATA	964006.4		2516NS: Reservoir for pantograph (53 Ltrs.) as per CLW Drg. No. 0/3/65/136P Alt.-4, Ref.1 Accepted Make/Brand RECON	001	SSE LRS DHD	140 Nos.	6885.76	18-OCT-2020
430	WR/81205606100635 dt. 20-JUN-2020 on M/s. BANSAL INDUSTRIES-NORTH WEST	637200		42XXN01: 70 Sq.mm X 4 Core 1100 Volt Grade multi-stranded aluminum conductor cable XLPE, insulated, PVC sheathed with extruding process armored, confirming to IS: 7098 Part 1 (amendment 1 or latest) with improv	001	SSE I/TBCT	4000 MTR	159.30	05-AUG-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			Sq.mm X 4 Core 1100 Volt nded aluminum conductor lated, PVC sheathed with ss armored, confirming to IS: ndment 1 or latest) with	001	SSE I/TBCT	1000 MTR	708.00	05-AUG-2020
			of finish varnish '407 & Thinner-	001	DHD-L	680 Kgs.	798.86	20-SEP-2020
	ASSOCIATES INCORPORATED-MUMBAI		S-110/5588/409 in 2:1 Ratio are as under:- (1) Finish varnish TVA-1410/5588/407, specn. A0209 OR equivalent of FV 5420 of M/s 3 A Associates or equiv					
433	WR/04205071103008 dt. 21- JUN-2020 on M/s. INDO GASES-MUMBAI	1197700	8231N001: Refillable Seamless steel cylinders D-type for Oxygen gas (medical use), JUMBO type, as per IS 7825 (Part 2) 2017. Oxygen capacity -7 cubic meter; (Water Capacity : 46.7 Ltr); Test Pressure (minimum	001	JRH BCT	70 Nos.	17110.00	06-JUL-2020
434	WR/81205575100637 dt. 21- JUN-2020 on M/s. AGRAWAL ENGINEERS-EAST DELHI	510468	5698NS: CONTROL AND COMMUNICATION CARD COMPATIBLE WITH EXISTING DELTRON MAKE UFSBI (UNIVERSAL FAIL SAFE BLOCK INSTRUMENT) SYSTEM AS PER SPECIFICATION NO . IRS:S- 105/2012 VER 0. Accepted offer - Control and	001	SSE-SIGNDB	20 Nos.	25523.40	06-AUG-2020
435	WR/81205570100639 dt. 21- JUN-2020 on M/s. BALAJI SALES AGENCY-MUMBAI	711540	60NSN00: ABRASIVE RAIL CUTTER (No. TM/SM/1 Rev.01 of 2012) (SPECIFICATION ATTACHED)	001	PWI BL	10 Nos.	71154.00	21-AUG-2020
436	WR/81205409100640 dt. 21- JUN-2020 on M/s. FAIVELEY TRANSPORT RAIL TECHNOLOGIES INDIA LIMITED-HOSUR	675685.7	3098NS00: CBC GAUGE AS PER SPECIFICATION ATTACHED. Accepted - APTA COUPLER MAINTENANCE GAUGE to FTIL part no. FT0050808-100 (consist of 06 items, (i) Contour maintenance gauge FTIL pt no. 31000- 1 no; (ii) Ali	001	CWS BDTS	1 Set	675685.70	22-JUN-2021
437	WR/23195006103015 dt. 21- JUN-2020 on M/s. NUTECH ENGINEERING COMPANY- HOWRAH	840000	3801N001: SET OF COMPONENTS OF HAND BRAKE ARRANGEMENT FOR BOGIE MOUNTED BRAKE SYSTEM FOR BCNHL WAGONS AS PER ANNEXURE -A'	001	SSE WAGON BODY PRTN	100 Set	8400.00	19-SEP-2020
438	WR/23205007103016 dt. 21- JUN-2020 on M/s. ANNAPURNA ENGINEERING WORKS-HOWRAH	688240	3898N001: BOLSTER BOTTOM GUSSET OF BCNHL WAGON TO RDSO DRG. NO. WD-06076-S-06 ALT.NO.2 ITEM NO 7,MATERIAL CONFORMING TO IRS SPECIFICATION No.M 44 OF 1997	001	SSE W/S DHD	50 Nos.	13764.80	12-MAY-2021
439	WR/61196383100751 dt. 22- JUN-2020 on M/s. ORIENTAL VENEER PRODUCTS LTD.- THANE	1407280	3161NS: Supply and installation of 3 seater SS Seat complete (Single) for EMU As Per Drg ICF/STD 14061021 including all necessary hardwares required for installation as per assembly drawing. 3161N: Supply and installation of 3 seater SS Seat complete (Double) for EMU as per drawing no ICF/STD 14061023 including all necessary hardwares required for installation as per assembly drawing.	001	SSE-F/PDHD	9 Nos.	24640.00	20-SEP-2020
				002	SSE-F/PDHD	9 Nos.	18480.00	20-SEP-2020
				003	SSE-F/PDHD	13 Nos.	41440.00	20-SEP-2020
				004	SSE-F/PDHD	13 Nos.	36960.00	20-SEP-2020
440	WR/61191538100752 dt. 22- JUN-2020 on M/s. ROOPSON ELECTRICALS-MUMBAI	1142240	45189821: RLY.CARRIAGE FAN 140V AC,450 MM SWEEP FIXED TYPE FAN AS PER RDSO SPECN, NO, RDSO/PE/SPEC/TL /0050-2010 (REV.1) , FAN BODY (DEEP DRAWN) AS PER RDSO DRG. NO. RDSO/PE /SK/TL/0123 (REV. 0) 2009. specn:	001	DHD-L	400 Nos.	2855.60	21-AUG-2020
441	WR/22191968103031 dt. 22- JUN-2020 on M/s. MA KALI INDUSTRIES-HOWRAH	592900	23168407: SAND EJECTOR TYPE GF AS PER WSF PT NO.IC 70034. OR EQUIVALENT.	001	BL-ELS	404 Nos.	677.60	22-APR-2021
				002	RTM-DL	197 Nos.	677.60	22-APR-2021
				003	BRC-ELS	274 Nos.	677.60	22-APR-2021
442	WR/22193931103035 dt. 22- JUN-2020 on M/s. METACRAFT SALES-JHANSI	574365	29700140: Set of indication lamp and illumination push button as per CLW Spec No.- CLW/ES/3/0072 Alt. E. Each set consists of 13 items in 13 Nos. as per Annexure attached. Each item in Qty. - 01 Nos.	001	BRC-ELS	33 Set	17405.00	22-JUN-2021
443	WR/03193515103052 dt. 22- JUN-2020 on M/s. BURNER MORISON AND CO-MUMBAI	939958.5	71010350: BRUSHES,PAINTS AND VARNISHES,FLAT SIZE: 50MM CONFORMING TO IS:384(PART 1)-2012 (SIXTH REVISION) WITH AMMENMENT No.1 OF 2014 HAVING THE BRISTLES & THE SOLID DRESSING OF THE BRISTLES AS PER IS:1844	001	PL-CR	402 Nos.	336.30	08-NOV-2020
				002	SBI-GSD	1688 Nos.	336.30	08-NOV-2020
				003	DHD-L	639 Nos.	336.30	08-NOV-2020
				004	PRTN-CW	66 Nos.	336.30	08-NOV-2020
444	WR/07191283103078 dt. 23- JUN-2020 on M/s. POWER BUILD BATTERIES PVT LTD- BANGALORE	2050897.92	56150090: Low Maintenance Lead Acid Secondary Cells for Railway S&T installations, in hard rubber container,without maintenance Tool kit, as per RDSO IRS- S-88/2004 Capacity 2V/200AH make/brand -POWER BUILD (T	001	SBI-GSD	404 Nos.	5076.48	23-NOV-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

				Automatic Control Unit PANTOGRAPH TYPE WBL CHUNK METAL & CARBON I-V -15-9728.	001	EMU-MX	5 Nos.	126225.12	23-NOV-2020
				JALISER BEAM LONG FOR S AS PER CLW DRG. NO.01/3 s per Specn. F222/077 & 038	001	RTM-DL	4 Nos.	32480.00	30-APR-2021
					002	BL-ELS	26 Nos.	32480.00	30-APR-2021
447	WR/09192549103089 dt. 24-JUN-2020 on M/s. BOMBAY LEATHER INDUSTRIES-MUMBAI	743792		31467003: LEATHER BELLOW FOR TRACTION MOTOR,TYPE 4601 AZ, SUITABLE FOR ICF BUILT MAINLINE EMU,AS PER W.RLY. DRG NO.WR-CCG-EL/A1-TM-003 REF.1 TO 3,COL.1. NOTE: AAC REDUCED FROM 30 NOS TO NIL FOR EMU/MX AS PER DY	001	DHD-L	114 Nos.	3248.00	30-SEP-2020
					002	DHD-L	115 Nos.	3248.00	31-DEC-2020
448	WR/07195062103092 dt. 24-JUN-2020 on M/s. GENERAL AUTO ELECTRIC CORPORATION-MUMBAI	1837080		5698NS01: LOCKING ROD FOR SIEMENS POINT MACHINE AS PER DRG.NO. 1I-5509-01-0210066-001	001	SSE/P&P/SIG. SBI	50 Nos.	12247.20	10-APR-2021
				5698NS02: LOCKING ROD FOR SIEMENS POINT MACHINE AS PER DRG.NO. 1I-5509-01-0210066-001	002	SSE/P&P/SIG. SBI	100 Nos.	12247.20	10-APR-2021
449	WR/22204030103101 dt. 24-JUN-2020 on M/s. ROOPSON ELECTRICALS-MUMBAI	991200		29510960: MOTOR FOR MAIN COMPRESSOR AS PER RDSO SPECN. NO. E-10/3/09 (MOTOR) WITH AMENDMENT NOS.01,02,03,04 & 05, ABB DRG. NO. HXP 200 MLD6 CLW SPECN. NO. CLW/ES/3/0100 ALT. E. (OLD PL NO 29981165)	001	BRC-ELS	8 Nos.	123900.00	24-FEB-2021
450	WR/06195017103103 dt. 24-JUN-2020 on M/s. OMEGA ELEVATORS-AHMEDABAD	91457632		4290N01: Supply, Erection, Testing & Commissioning of G+1,20 Passenger / 1360 kg capacity, speed @ 1 mtr/s gearless & MRLS Elevator as per CPWD system / Specification 2003 , machine AC PMSM Gearless, micropro	001	SSE I/TBCT	54 Nos.	1638560.00	24-OCT-2021
				4290N02: Provision of Second door for 37 lifts (quantity is tentative), out of 54 lifts. Warranty and CAMC as per special tender conditions.	002	SSE I/TBCT	37 Nos.	80416.00	24-OCT-2021
451	WR/29205076103105 dt. 24-JUN-2020 on M/s. REMIDIO INNOVATIVE SOLUTIONS PRIVATE LIMITED-BANGALORE	544229.29		8235N001: FUNDUS CAMERA ON PHONE. Accepted make/Brand: Self	001	JRH BCT	1 Nos.	544229.29	10-JUL-2020
452	WR/86205730100674 dt. 25-JUN-2020 on M/s. INNOVATIVE INFORMATICS-AHMEDABAD	665000		7820N1: Supply and Installation of Counter Communication System. Two Way System unique design pleasing aesthetic and rugged construction. two way hand free communication. Easy, hassle free installation as pe	001	SRDCM	100 Nos.	6650.00	10-JUL-2020
453	WR/86205672100675 dt. 25-JUN-2020 on M/s. LAQSHTA TRADING CORPORATION-BHAYANDER	612000.51		8107Ns: Synthetic Pyrethroid Lambda Cyhalothrin or similar 9.7% C S WHO Approved. Accepted Make: -ICON 10CS (SYNGENTA).	001	Health Inspector ADI	170 LTR	3600.00	10-JUL-2020
454	WR/23203583103107 dt. 25-JUN-2020 on M/s. PRAG RUBBER INDUSTRIES PVT. LTD.-LUCKNOW	1088640		38162453: 10" Brake cylinder with built in slack adjuster of bogie mounted brake system with hand brake cable as per RDSO Drg.no.WD-08095-S-01, Alt.Nil & other technical requirement confirming to RDSO Specifica	001	SBI-GSD	12 Nos.	45360.00	30-APR-2021
					002	DHD-L	12 Nos.	45360.00	30-APR-2021
455	WR/23200925103110 dt. 25-JUN-2020 on M/s. SIENA ENGINEERING PVT. LTD.-INDORE	560560		38106164: Wedge for Casnub Bogies to RDSO Drg.no.SK-77579, Alt.7 & other technical requirement conforming to STR no.WD-21-Casnub-22 NLB Bogie-93 Rev.2 July 2002, read with all Amdts., latest Amd.5 of Sept-2016.	001	DHD-L	650 Nos.	862.40	25-DEC-2020
456	WR/23200925103111 dt. 25-JUN-2020 on M/s. ORIENT STEEL AND INDUSTRIES LTD-KOLKATA	765811.2		38106164: Wedge for Casnub Bogies to RDSO Drg.no.SK-77579, Alt.7 & other technical requirement conforming to STR no.WD-21-Casnub-22 NLB Bogie-93 Rev.2 July 2002, read with all Amdts., latest Amd.5 of Sept-2016.	001	SBI-GSD	100 Nos.	862.40	31-MAY-2021
					002	DHD-L	650 Nos.	862.40	31-MAY-2021
					003	PRTN-CW	138 Nos.	862.40	31-MAY-2021
457	WR/81196019100670 dt. 25-JUN-2020 on M/s. DURGA INDUSTRIES-DELHI	513300		4011N01: 1100V Grade multi-stranded aluminum conductor cable of size: 70 sq mm X 4 core, XLPE insulated, PVC sheathed with extruding process, armoured, confirming to IS: 7098 Part 1 (amendment 1 or latest) wi	001	SSE I/TBCT	2500 MTR	205.32	25-AUG-2020
458	WR/71205021100181 dt. 25-JUN-2020 on M/s. D AND H INDIA LIMITED-INDORE	805704		76: FLUX TYPE AGGLOMERATED / FUSE GRADE F-I, AS PER IRS M:39- 2001 WITH AMENDMENT NO. 1, 2 AND 3 SUITABLE FOR TWO RUN AND MULTIRUN SUBMERGED ARC WELDING OF STEEL TO IS: 2062, IS: 1875 CLASS 1 & 1A AND OTH	001	SRSE (YARD) SBI	12000 Kgs.	67.14	24-AUG-2020
459	WR/71205081100182 dt. 25-JUN-2020 on M/s. SALEM STAINLESS STEEL	1486800		9023N1: (STAINLEES STEEL SHEET) SSCR SHEET, SS304, SIZE: 2.5MM X 1250MM X 2500MM, PRIME, 2B FINISH, MILL EDGE of	001	SSE/P&P/SIG. SBI	7500 Kgs.	198.24	09-AUG-2020

butamol 100mcg 200MD

30-06-2020, 22:58



Your complimentary
 use period has ended.
 Thank you for using
 PDF Complete.

Click Here to upgrade to
 Unlimited Pages and Expanded Features

465	WR/28202010103121 dt. 26-JUN-2020 on M/s. DELPHA DRUGS AND PHARMACEUTICALS INDIA PRIVATE LIMITED-MUMBAI	520623.04	82240200: Terbutaline 1.25mg plus Ambroxol Hydrochloride 15mg plus Guaiphenesin 50mg per 5ml Symp	001	JRH	12375 Nos.	15.68	22-SEP-2020
				002	JRH	12375 Nos.	15.68	31-DEC-2020
				003	DRH-BCT	503 Nos.	15.68	22-SEP-2020
				004	DRH-BCT	502 Nos.	15.68	31-DEC-2020
				005	DRH-BRC	270 Nos.	15.68	22-SEP-2020
				006	DRH-BRC	270 Nos.	15.68	31-DEC-2020
				007	DRH-ADI	721 Nos.	15.68	22-SEP-2020
				008	DRH-ADI	720 Nos.	15.68	31-DEC-2020
				009	DRH-RTM	2734 Nos.	15.68	22-SEP-2020
				010	DRH-RTM	2733 Nos.	15.68	31-DEC-2020
466	WR/61195933100815 dt. 26-JUN-2020 on M/s. ANUPAM INDUSTRIES-AHMEDABAD	1286775	2500NS: SET OF FRAME AND DOOR ASSEMBLY FOR CABINATE-2 OF WAG-7 & WAP-4 LOCOMOTIVES. SET CONSISTING 04 ITEMS 30 SETS AS PER ENCLOSED ANNEXURE.	001	SSE/FAB/DHD	30 Set	42892.50	23-NOV-2020
467	WR/29205038103125 dt. 26-JUN-2020 on M/s. ALLENGERS MEDICAL SYSTEMS LTD.-CHANDIGARH	1925590.88	8235NS01: PORTABLE X RAY MACHINE. As per Attached Specification.	001	JRH BCT	4 Nos.	481397.72	11-JUL-2020
468	WR/83205439200415 dt. 27-JUN-2020 on M/s. STACKERS AND MOVERS I MFG CO-AHMEDABAD	996000	NS: Lister Truck -Capacity: 2 Ton (Diesel Operated) as per attach Specification	001	SSEC&W SMP	2 Nos.	498000.00	18-AUG-2020
469	WR/28201234103146 dt. 27-JUN-2020 on M/s. SAIMS PHARMA-MUMBAI	610587.6	82060100: Amoxycilline 250mg and Clavulanic Acid 125mg Tab	001	JRH	1500 Nos.	4.20	24-SEP-2020
				002	JRH	1500 Nos.	4.20	31-DEC-2020
				003	DRH-BCT	18355 Nos.	4.20	24-SEP-2020
				004	DRH-BCT	18354 Nos.	4.20	31-DEC-2020
				005	DRH-BRC	18000 Nos.	4.20	24-SEP-2020
				006	DRH-BRC	18000 Nos.	4.20	31-DEC-2020
				007	DRH-ADI	8003 Nos.	4.20	24-SEP-2020
				008	DRH-ADI	8002 Nos.	4.20	31-DEC-2020
				009	DRH-RTM	16500 Nos.	4.20	01-SEP-2020
				010	DRH-RTM	16500 Nos.	4.20	31-DEC-2020
				011	DRH-RJT	3960 Nos.	4.20	01-SEP-2020
				012	DRH-RJT	3960 Nos.	4.20	31-DEC-2020
				013	DRH-BVP	6372 Nos.	4.20	24-SEP-2020
				014	DRH-BVP	6372 Nos.	4.20	31-DEC-2020
470	WR/15195028103147 dt. 27-JUN-2020 on M/s. SANROK ENTERPRISES-FARIDABAD	24070000.8	3355N001: Supply of high tensile AAR H type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fi	001	SSE/PLG,RSP,J&T/PL	78 Nos.	290000.01	30-AUG-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

Click Here to upgrade to
Unlimited Pages and Expanded Features

			Supply of high tensile AAR 'H' type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fitm	002	SSE/PLG,RSP,J&T/PL	5 Nos.	290000.01	30-AUG-2020
			Supply of high tensile AAR 'H' type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fitm	001	SBI-GSD	1400 Nos.	375.20	28-AUG-2020
			Supply of high tensile AAR 'H' type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fitm	002	SBI-GSD	2000 Nos.	375.20	30-APR-2021
			Supply of high tensile AAR 'H' type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fitm	003	SBI-GSD	2600 Nos.	375.20	30-SEP-2021
472	WR/71205020100183 dt. 27-JUN-2020 on M/s. D AND H INDIA LIMITED-INDORE	1060230	76: COPPER COATED MILD STEEL WIRE 04 MM DIA. OF CLASS - I GRADE- W- I, FOR TWO RUN AND MULTI RUN SUBMERGE ARC WELDING OF STEEL TO IS: 2062. THE WELD SHALL BE OF RADIOGRAPHIC QUALITY REQUIRED AS PER IRS M-	001	SRSE (YARD) SBI	15000 Kgs.	70.68	26-AUG-2020
473	WR/28191495103160 dt. 27-JUN-2020 on M/s. NANDANA SURGICALS-MUMBAI	658091.95	82100100: Gliclazide 80mg Tab	001	JRH	105000 Nos.	1.01	24-SEP-2020
				003	DRH-BCT	343309 Nos.	1.01	24-SEP-2020
				005	DRH-BRC	44000 Nos.	1.01	24-SEP-2020
				007	DRH-ADI	6490 Nos.	1.01	24-SEP-2020
				009	DRH-RTM	94320 Nos.	1.01	24-SEP-2020
				011	DRH-RJT	21350 Nos.	1.01	24-SEP-2020
				013	DRH-BVP	38400 Nos.	1.01	24-SEP-2020
474	WR/81205605100693 dt. 28-JUN-2020 on M/s. BANSAL INDUSTRIES-NORTH WEST	665520	42XXN01: 95 Sq.mm X 4 Core 1100 Volt Grade multi-stranded aluminum conductor cable XLPE, insulated, PVC sheathed with extruding process armored, confirming to IS: 7098 Part 1(amendment 1 or latest) with improv	001	SSE I/TBCT	3000 MTR	221.84	13-AUG-2020
475	WR/29205055103171 dt. 28-JUN-2020 on M/s. EXAOSIS HEALTHCARE PRIVATE LIMITED-NEW DELHI	1128626.24	8235N001: AIR PURIFIER MACHINE. AS PER SPECIFICATION.	001	JRH BCT	40 Nos.	28215.66	08-JUL-2020
476	WR/29205024103172 dt. 28-JUN-2020 on M/s. INDIAN RAILWAY CATERING AND TOURISM CORPORATION-MUMBAI	900000	8235N001: PACKAGED DRINKING WATER 1 LTR BOTTLE RAIL NEER	001	JRH BCT	90000 LTR	10.00	10-NOV-2020
477	WR/15195028103174 dt. 29-JUN-2020 on M/s. FRONTIER ALLOY STEELS LTD-KANPUR	72210002.39	3355N001: Supply of high tensile AAR H type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fi	001	SSE/PLG,RSP,J&T/PL	234 Nos.	290000.01	29-AUG-2020
			3355N002: Supply of high tensile AAR 'H' type lock coupler complete with transition screw coupling & balanced draft gear and all other associated components as per RDSO specification RDSO/2009/CG-22 Rev.01 for fitm	002	SSE/PLG,RSP,J&T/PL	15 Nos.	290000.01	29-AUG-2020
478	WR/30191850103175 dt. 29-JUN-2020 on M/s. SIEMENS LTD-NAVI MUMBAI	536900	18180012: RELAY GP TO EMD PT NO. 8357415 TO DLW PT No.18180012 TO DLW DRG. NO. 8357415 Alt.Ka..	001	SBI-DL	50 Nos.	10738.00	27-FEB-2021
479	WR/81205229100696 dt. 29-JUN-2020 on M/s. VANKOS AND CO-PATNA	1462256	72XXNS: HYDRAULIC RAIL TENSORS (NON INFRINGING TYPE) 70T CAPACITY TO RDSO SPECIFICATION NO. TM/SM/32 DTD 20.12.1991. ACCEPTED OFFER: PRODUCT DESCRIPTION. RAIL TENSOR-OPERATED BY DOUBLE ACTING HYDRAULIC HAND PU	001	SSE(PW) DDR	8 Nos.	182782.00	27-NOV-2020
480	WR/LP205200200493 dt. 29-JUN-2020 on M/s. SURAKSHA CABLES PVT LTD-DELHI	522000	4098N001: 4 CORE CABLE FOR SIZE 16 SQMM XLPE INSULATED PVC OUTER SHEATHED, ARMoured WITH GALVANISED STEEL STRIP WITH STRANDED ALUMINUM CONDUCTOR SUITABLE FOR RATED VOLTAGE AT 1100 VOLTS GRADE AND CONFIRMING TO	001	DEE(C) BRC	9000 MTR	58.00	30-JUL-2020
481	WR/07191203103179 dt. 29-JUN-2020 on M/s. DYNAMIC CABLES LIMITED-JAIPUR	1838260.64	56114308: PVC insulated,Armoured,Unscreened,Underground Railway Signalling Cable as per IRS:S-63/2014 Rev-4 Size 6 core X 1.5 sq mm. Make/Brand - Dynamic Cables	001	SSE-SIGND	1 KM	96750.56	29-OCT-2020
				002	SSE/S/ ANND	4 KM	96750.56	29-OCT-2020
				003	C S I BRC	5 KM	96750.56	29-OCT-2020
				004	SSE SIGRJT	9 KM	96750.56	29-OCT-2020



Your complimentary
use period has ended.
Thank you for using
PDF Complete.

[Click Here to upgrade to
Unlimited Pages and Expanded Features](#)

				red,Unscreened,Underground ng Cable as per IRS:S- Size 6 core X 1.5 sq mm. RIRAM	001	MX-GSD	11.91 KM	101480.00	29-OCT-2020
					002	SBI-GSD	11.53 KM	101480.00	29-OCT-2020
					003	SSE-SIG-S-DHD	30 KM	101480.00	29-OCT-2020
					004	C S I BRC	21 KM	101480.00	29-OCT-2020
					005	SSE-SIG\S\RTM	2 KM	101480.00	29-OCT-2020
					006	SSE\SIG/N/RTM	1 KM	101480.00	29-OCT-2020
483	WR/22192659103182 dt. 29-JUN-2020 on M/s. AIR CONTROL AND CHEMICAL ENGG CO LTD-AHMEDABAD	1350873.44	29440063 : BLOWER FOR TRACTION MOTOR ALONG WITH MOTOR AS PER CLW SPEC. NO. CLW/ES/3/0019/G OR LATEST.	001	BRC-ELS	7 Nos.	192981.92		29-APR-2021
484	WR/09195031103183 dt. 29-JUN-2020 on M/s. UNITRADE INDIA-VADODARA	1502734.72	3598N00 : Main air compressor for MEMU motor coaches as per RDSO spec.No. 70-BM-41 Rev.January -79 or latest TRC -1000 DCM of M/s ELGI or 3 HC-55 of M/s KPC.for MEMU DMC's main air compressor with 110 V DC mo	001	SSEMEMUBRCY	4 Nos.	375683.68		29-DEC-2020
485	WR/28201731103184 dt. 29-JUN-2020 on M/s. SPAN ENTERPRISES-MUMBAI	879121.68	82210030 : Ambroxol Hcl 30mg per 5ml 100ml Symp	001	JRH	5625 Nos.	23.16		24-SEP-2020
				002	JRH	5625 Nos.	23.16		30-AUG-2020
				003	DRH-BCT	7883 Nos.	23.16		24-SEP-2020
				004	DRH-BCT	7883 Nos.	23.16		30-AUG-2020
				005	DRH-BRC	1875 Nos.	23.16		24-SEP-2020
				006	DRH-BRC	1875 Nos.	23.16		30-AUG-2020
				007	DRH-ADI	1531 Nos.	23.16		24-SEP-2020
				008	DRH-ADI	1530 Nos.	23.16		30-AUG-2020
				009	DRH-RTM	1190 Nos.	23.16		24-SEP-2020
				010	DRH-RTM	1190 Nos.	23.16		30-AUG-2020
				011	DRH-RJT	470 Nos.	23.16		24-SEP-2020
				012	DRH-RJT	469 Nos.	23.16		30-AUG-2020
				013	DRH-DHD	405 Nos.	23.16		24-SEP-2020
				014	DRH-DHD	405 Nos.	23.16		30-AUG-2020
486	WR/28191494103185 dt. 29-JUN-2020 on M/s. NANDANA SURGICALS-MUMBAI	826204.07	82100090 : Tab Gliclazide SR/MR 60mg	001	JRH	61500 Nos.	1.39		24-SEP-2020
				002	JRH	61500 Nos.	1.39		31-OCT-2020
				003	DRH-BCT	106720 Nos.	1.39		24-SEP-2020
				004	DRH-BCT	106720 Nos.	1.39		31-OCT-2020
				005	DRH-BRC	13500 Nos.	1.39		24-SEP-2020
				006	DRH-BRC	13500 Nos.	1.39		31-OCT-2020
				007	DRH-ADI	43455 Nos.	1.39		01-SEP-2020
				008	DRH-ADI	43455 Nos.	1.39		31-OCT-2020
				009	DRH-RTM	31678 Nos.	1.39		01-SEP-2020
				010	DRH-RTM	31677 Nos.	1.39		31-OCT-2020
				011	DRH-RJT	33850 Nos.	1.39		01-SEP-2020
				012	DRH-RJT	33850 Nos.	1.39		31-OCT-2020
				013	DRH-DHD	6750 Nos.	1.39		01-SEP-2020



PDF
Complete

*Your complimentary
use period has ended.
Thank you for using
PDF Complete.*

[Click Here to upgrade to
Unlimited Pages and Expanded Features](#)

014	DRH-DHD	6750 Nos.	1.39	31-OCT-2020
-----	---------	--------------	------	-------------

[Print Results](#)[About IREPS](#) | [Disclaimer](#) | [Privacy Statement](#) | [RTI](#) | [Terms & Conditions](#) | [CopyRight](#) | [Feedback](#) |